

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                       |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|-----------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                       |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                       | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ 特定附帯被覆A<br>(3万円) |         |                     | 0.056             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                  |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                   | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206             | 3.85143 | 0.108               | 0.108             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000             | 2.36642 | 0.066               | 0.066             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000             | 2.33116 | 0.065               | 0.065             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000             | 2.29590 | 0.064               | 0.064             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000             | 2.26063 | 0.063               | 0.063             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000             | 2.22537 | 0.062               | 0.062             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000             | 2.19011 | 0.061               | 0.061             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000             | 2.15485 | 0.060               | 0.060             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000             | 2.11958 | 0.059               | 0.059             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000             | 2.08432 | 0.058               | 0.058             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000             | 2.04906 | 0.057               | 0.057             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000             | 2.01380 | 0.056               | 0.056             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000             | 1.97853 | 0.055               | 0.055             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000             | 1.94327 | 0.054               | 0.054             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000             | 1.90801 | 0.053               | 0.053             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000             | 1.87275 | 0.052               | 0.052             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000              | 1.83748 | 0.051               | 0.051             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000              | 1.80222 | 0.050               | 0.050             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000              | 1.76696 | 0.049               | 0.049             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000              | 1.73170 | 0.048               | 0.048             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000              | 1.69643 | 0.048               | 0.048             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000              | 1.66117 | 0.047               | 0.047             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000              | 1.62591 | 0.046               | 0.046             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000              | 1.59065 | 0.045               | 0.045             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000              | 1.55538 | 0.044               | 0.044             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000              | 1.52012 | 0.043               | 0.043             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000              | 1.48486 | 0.042               | 0.042             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000              | 1.44960 | 0.041               | 0.041             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000              | 1.41433 | 0.040               | 0.040             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000              | 1.37907 | 0.039               | 0.039             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000              | 1.34381 | 0.038               | 0.038             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000              | 1.30855 | 0.037               | 0.037             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000              | 1.27328 | 0.036               | 0.036             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000              | 1.23802 | 0.035               | 0.035             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000              | 1.20276 | 0.034               | 0.034             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000              | 1.16750 | 0.033               | 0.033             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000              | 1.13223 | 0.032               | 0.032             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000              | 1.09697 | 0.031               | 0.031             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000               | 1.06171 | 0.030               | 0.030             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000               | 1.02645 | 0.029               | 0.029             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000               | 1.00000 | 0.028               | 0.028             |  |         |  |
|               |                    |            | 平均値                   |         |                     |                   |  |         |  |
|               |                    |            | 114.43488             | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         | 広島県                |           | 共済事業                         |                     | 園芸施設共済            |  |
|---------------|--------------------|-----------|------------------------------|---------------------|-------------------|--|
| 組合等名          | 広島県農業共済組合          |           |                              |                     |                   |  |
| 料率地域区分        | 000                |           | 地域名                          | 00000 都道府県の区域       |                   |  |
| 施設区分          |                    |           | 共済掛金区分                       | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |           | ガラスⅡ 特定附帯被覆A集団<br>(3万円・集団割引) | 0.053               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数      |                              | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    | 圧縮前       | 圧縮後                          |                     |                   |  |
| 20            | 197.5 ≤* <         | 324.45206 | 3.85143                      | 0.102               | 0.102             |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000 | 2.36642                      | 0.063               | 0.063             |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000 | 2.33116                      | 0.062               | 0.062             |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000 | 2.29590                      | 0.061               | 0.061             |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000 | 2.26063                      | 0.060               | 0.060             |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000 | 2.22537                      | 0.059               | 0.059             |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000 | 2.19011                      | 0.058               | 0.058             |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000 | 2.15485                      | 0.057               | 0.057             |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000 | 2.11958                      | 0.056               | 0.056             |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000 | 2.08432                      | 0.055               | 0.055             |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000 | 2.04906                      | 0.054               | 0.054             |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000 | 2.01380                      | 0.053               | 0.053             |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000 | 1.97853                      | 0.052               | 0.052             |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000 | 1.94327                      | 0.051               | 0.051             |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000 | 1.90801                      | 0.051               | 0.051             |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000 | 1.87275                      | 0.050               | 0.050             |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000  | 1.83748                      | 0.049               | 0.049             |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000  | 1.80222                      | 0.048               | 0.048             |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000  | 1.76696                      | 0.047               | 0.047             |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000  | 1.73170                      | 0.046               | 0.046             |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000  | 1.69643                      | 0.045               | 0.045             |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000  | 1.66117                      | 0.044               | 0.044             |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000  | 1.62591                      | 0.043               | 0.043             |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000  | 1.59065                      | 0.042               | 0.042             |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000  | 1.55538                      | 0.041               | 0.041             |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000  | 1.52012                      | 0.040               | 0.040             |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000  | 1.48486                      | 0.039               | 0.039             |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000  | 1.44960                      | 0.038               | 0.038             |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000  | 1.41433                      | 0.037               | 0.037             |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000  | 1.37907                      | 0.037               | 0.037             |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000  | 1.34381                      | 0.036               | 0.036             |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000  | 1.30855                      | 0.035               | 0.035             |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000  | 1.27328                      | 0.034               | 0.034             |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000  | 1.23802                      | 0.033               | 0.033             |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000  | 1.20276                      | 0.032               | 0.032             |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000  | 1.16750                      | 0.031               | 0.031             |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000  | 1.13223                      | 0.030               | 0.030             |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000  | 1.09697                      | 0.029               | 0.029             |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000   | 1.06171                      | 0.028               | 0.028             |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000   | 1.02645                      | 0.027               | 0.027             |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000   | 1.00000                      | 0.026               | 0.026             |  |
|               |                    | 平均値       |                              |                     |                   |  |
|               |                    | 114.43488 | 2.00000                      |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                        | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------|------------------------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合  |                        |         |                     |                   |  |
| 料率地域区分        |                    | 000        |                        | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    |            | 共済掛金区分                 |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ 特定附帯被覆B<br>(10万円) |         |                     | 0.026             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                   |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |            | 圧縮前                    | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <       | 324.45206              | 3.85143 | 0.050               | 0.050             |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000              | 2.36642 | 0.031               | 0.031             |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000              | 2.33116 | 0.030               | 0.030             |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000              | 2.29590 | 0.030               | 0.030             |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000              | 2.26063 | 0.029               | 0.029             |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000              | 2.22537 | 0.029               | 0.029             |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000              | 2.19011 | 0.028               | 0.028             |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000              | 2.15485 | 0.028               | 0.028             |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000              | 2.11958 | 0.028               | 0.028             |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000              | 2.08432 | 0.027               | 0.027             |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000              | 2.04906 | 0.027               | 0.027             |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000              | 2.01380 | 0.026               | 0.026             |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000              | 1.97853 | 0.026               | 0.026             |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000              | 1.94327 | 0.025               | 0.025             |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000              | 1.90801 | 0.025               | 0.025             |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000              | 1.87275 | 0.024               | 0.024             |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000               | 1.83748 | 0.024               | 0.024             |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000               | 1.80222 | 0.023               | 0.023             |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000               | 1.76696 | 0.023               | 0.023             |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000               | 1.73170 | 0.023               | 0.023             |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000               | 1.69643 | 0.022               | 0.022             |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000               | 1.66117 | 0.022               | 0.022             |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000               | 1.62591 | 0.021               | 0.021             |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000               | 1.59065 | 0.021               | 0.021             |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000               | 1.55538 | 0.020               | 0.020             |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000               | 1.52012 | 0.020               | 0.020             |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000               | 1.48486 | 0.019               | 0.019             |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000               | 1.44960 | 0.019               | 0.019             |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000               | 1.41433 | 0.018               | 0.018             |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000               | 1.37907 | 0.018               | 0.018             |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000               | 1.34381 | 0.017               | 0.017             |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000               | 1.30855 | 0.017               | 0.017             |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000               | 1.27328 | 0.017               | 0.017             |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000               | 1.23802 | 0.016               | 0.016             |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000               | 1.20276 | 0.016               | 0.016             |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000               | 1.16750 | 0.015               | 0.015             |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000               | 1.13223 | 0.015               | 0.015             |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000               | 1.09697 | 0.014               | 0.014             |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                | 1.06171 | 0.014               | 0.014             |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                | 1.02645 | 0.013               | 0.013             |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                | 1.00000 | 0.013               | 0.013             |  |
|               |                    |            | 平均値                    |         |                     |                   |  |
|               |                    |            | 114.43488              | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                           |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|-------------------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合                     |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分                        |         |                     |                   | 共済掛金標準率       |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ 特定附帯被覆B集団<br>(10万円・集団割引) |         |                     |                   | 0.025         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                           | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206                     | 3.85143 | 0.048               | 0.048             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000                     | 2.36642 | 0.030               | 0.030             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000                     | 2.33116 | 0.029               | 0.029             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000                     | 2.29590 | 0.029               | 0.029             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000                     | 2.26063 | 0.028               | 0.028             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000                     | 2.22537 | 0.028               | 0.028             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000                     | 2.19011 | 0.027               | 0.027             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000                     | 2.15485 | 0.027               | 0.027             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000                     | 2.11958 | 0.026               | 0.026             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000                     | 2.08432 | 0.026               | 0.026             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000                     | 2.04906 | 0.026               | 0.026             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000                     | 2.01380 | 0.025               | 0.025             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000                     | 1.97853 | 0.025               | 0.025             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000                     | 1.94327 | 0.024               | 0.024             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000                     | 1.90801 | 0.024               | 0.024             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000                     | 1.87275 | 0.023               | 0.023             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000                      | 1.83748 | 0.023               | 0.023             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000                      | 1.80222 | 0.023               | 0.023             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000                      | 1.76696 | 0.022               | 0.022             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000                      | 1.73170 | 0.022               | 0.022             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000                      | 1.69643 | 0.021               | 0.021             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000                      | 1.66117 | 0.021               | 0.021             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000                      | 1.62591 | 0.020               | 0.020             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000                      | 1.59065 | 0.020               | 0.020             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000                      | 1.55538 | 0.019               | 0.019             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000                      | 1.52012 | 0.019               | 0.019             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000                      | 1.48486 | 0.019               | 0.019             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000                      | 1.44960 | 0.018               | 0.018             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000                      | 1.41433 | 0.018               | 0.018             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000                      | 1.37907 | 0.017               | 0.017             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000                      | 1.34381 | 0.017               | 0.017             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000                      | 1.30855 | 0.016               | 0.016             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000                      | 1.27328 | 0.016               | 0.016             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000                      | 1.23802 | 0.015               | 0.015             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000                      | 1.20276 | 0.015               | 0.015             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000                      | 1.16750 | 0.015               | 0.015             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000                      | 1.13223 | 0.014               | 0.014             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000                      | 1.09697 | 0.014               | 0.014             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000                       | 1.06171 | 0.013               | 0.013             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000                       | 1.02645 | 0.013               | 0.013             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000                       | 1.00000 | 0.012               | 0.012             |               |  |
|               |                    | 平均値                           |         |                     |                   |               |  |
|               |                    | 114.43488                     | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|---------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合           |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                 |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分              |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ 特定附帯被覆C (20万円) |         |                     | 0.012             |               |  |
| 危険段階区分        | 平均損害率(*)<br>の範囲(%) | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                 | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206           | 3.85143 | 0.023               | 0.023             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000           | 2.36642 | 0.014               | 0.014             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000           | 2.33116 | 0.014               | 0.014             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000           | 2.29590 | 0.014               | 0.014             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000           | 2.26063 | 0.014               | 0.014             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000           | 2.22537 | 0.013               | 0.013             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000           | 2.19011 | 0.013               | 0.013             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000           | 2.15485 | 0.013               | 0.013             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000           | 2.11958 | 0.013               | 0.013             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000           | 2.08432 | 0.013               | 0.013             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000           | 2.04906 | 0.012               | 0.012             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000           | 2.01380 | 0.012               | 0.012             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000           | 1.97853 | 0.012               | 0.012             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000           | 1.94327 | 0.012               | 0.012             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000           | 1.90801 | 0.011               | 0.011             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000           | 1.87275 | 0.011               | 0.011             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000            | 1.83748 | 0.011               | 0.011             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000            | 1.80222 | 0.011               | 0.011             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000            | 1.76696 | 0.011               | 0.011             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000            | 1.73170 | 0.010               | 0.010             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000            | 1.69643 | 0.010               | 0.010             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000            | 1.66117 | 0.010               | 0.010             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000            | 1.62591 | 0.010               | 0.010             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000            | 1.59065 | 0.010               | 0.010             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000            | 1.55538 | 0.009               | 0.009             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000            | 1.52012 | 0.009               | 0.009             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000            | 1.48486 | 0.009               | 0.009             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000            | 1.44960 | 0.009               | 0.009             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000            | 1.41433 | 0.008               | 0.008             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000            | 1.37907 | 0.008               | 0.008             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000            | 1.34381 | 0.008               | 0.008             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000            | 1.30855 | 0.008               | 0.008             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000            | 1.27328 | 0.008               | 0.008             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000            | 1.23802 | 0.007               | 0.007             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000            | 1.20276 | 0.007               | 0.007             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000            | 1.16750 | 0.007               | 0.007             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000            | 1.13223 | 0.007               | 0.007             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000            | 1.09697 | 0.007               | 0.007             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000             | 1.06171 | 0.006               | 0.006             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000             | 1.02645 | 0.006               | 0.006             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000             | 1.00000 | 0.006               | 0.006             |               |  |
|               |                    | 平均値                 |         |                     |                   |               |  |
|               |                    | 114.43488           | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                           |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-------------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                     |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                        |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ 特定附帯被覆C集団<br>(20万円・集団割引) |           |         | 0.011               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                          | 324.45206 | 3.85143 | 0.021               | 0.021             |  |
| 19            | 192.5              | ≦* < 197.5                    | 156.00000 | 2.36642 | 0.013               | 0.013             |  |
| 18            | 187.5              | ≦* < 192.5                    | 152.00000 | 2.33116 | 0.013               | 0.013             |  |
| 17            | 182.5              | ≦* < 187.5                    | 148.00000 | 2.29590 | 0.013               | 0.013             |  |
| 16            | 177.5              | ≦* < 182.5                    | 144.00000 | 2.26063 | 0.012               | 0.012             |  |
| 15            | 172.5              | ≦* < 177.5                    | 140.00000 | 2.22537 | 0.012               | 0.012             |  |
| 14            | 167.5              | ≦* < 172.5                    | 136.00000 | 2.19011 | 0.012               | 0.012             |  |
| 13            | 162.5              | ≦* < 167.5                    | 132.00000 | 2.15485 | 0.012               | 0.012             |  |
| 12            | 157.5              | ≦* < 162.5                    | 128.00000 | 2.11958 | 0.012               | 0.012             |  |
| 11            | 152.5              | ≦* < 157.5                    | 124.00000 | 2.08432 | 0.011               | 0.011             |  |
| 10            | 147.5              | ≦* < 152.5                    | 120.00000 | 2.04906 | 0.011               | 0.011             |  |
| 09            | 142.5              | ≦* < 147.5                    | 116.00000 | 2.01380 | 0.011               | 0.011             |  |
| 08            | 137.5              | ≦* < 142.5                    | 112.00000 | 1.97853 | 0.011               | 0.011             |  |
| 07            | 132.5              | ≦* < 137.5                    | 108.00000 | 1.94327 | 0.011               | 0.011             |  |
| 06            | 127.5              | ≦* < 132.5                    | 104.00000 | 1.90801 | 0.010               | 0.010             |  |
| 05            | 122.5              | ≦* < 127.5                    | 100.00000 | 1.87275 | 0.010               | 0.010             |  |
| 04            | 117.5              | ≦* < 122.5                    | 96.00000  | 1.83748 | 0.010               | 0.010             |  |
| 03            | 112.5              | ≦* < 117.5                    | 92.00000  | 1.80222 | 0.010               | 0.010             |  |
| 02            | 107.5              | ≦* < 112.5                    | 88.00000  | 1.76696 | 0.010               | 0.010             |  |
| 01            | 102.5              | ≦* < 107.5                    | 84.00000  | 1.73170 | 0.010               | 0.010             |  |
| 00            | 97.5               | ≦* < 102.5                    | 80.00000  | 1.69643 | 0.009               | 0.009             |  |
| -01           | 92.5               | ≦* < 97.5                     | 76.00000  | 1.66117 | 0.009               | 0.009             |  |
| -02           | 87.5               | ≦* < 92.5                     | 72.00000  | 1.62591 | 0.009               | 0.009             |  |
| -03           | 82.5               | ≦* < 87.5                     | 68.00000  | 1.59065 | 0.009               | 0.009             |  |
| -04           | 77.5               | ≦* < 82.5                     | 64.00000  | 1.55538 | 0.009               | 0.009             |  |
| -05           | 72.5               | ≦* < 77.5                     | 60.00000  | 1.52012 | 0.008               | 0.008             |  |
| -06           | 67.5               | ≦* < 72.5                     | 56.00000  | 1.48486 | 0.008               | 0.008             |  |
| -07           | 62.5               | ≦* < 67.5                     | 52.00000  | 1.44960 | 0.008               | 0.008             |  |
| -08           | 57.5               | ≦* < 62.5                     | 48.00000  | 1.41433 | 0.008               | 0.008             |  |
| -09           | 52.5               | ≦* < 57.5                     | 44.00000  | 1.37907 | 0.008               | 0.008             |  |
| -10           | 47.5               | ≦* < 52.5                     | 40.00000  | 1.34381 | 0.007               | 0.007             |  |
| -11           | 42.5               | ≦* < 47.5                     | 36.00000  | 1.30855 | 0.007               | 0.007             |  |
| -12           | 37.5               | ≦* < 42.5                     | 32.00000  | 1.27328 | 0.007               | 0.007             |  |
| -13           | 32.5               | ≦* < 37.5                     | 28.00000  | 1.23802 | 0.007               | 0.007             |  |
| -14           | 27.5               | ≦* < 32.5                     | 24.00000  | 1.20276 | 0.007               | 0.007             |  |
| -15           | 22.5               | ≦* < 27.5                     | 20.00000  | 1.16750 | 0.006               | 0.006             |  |
| -16           | 17.5               | ≦* < 22.5                     | 16.00000  | 1.13223 | 0.006               | 0.006             |  |
| -17           | 12.5               | ≦* < 17.5                     | 12.00000  | 1.09697 | 0.006               | 0.006             |  |
| -18           | 7.5                | ≦* < 12.5                     | 8.00000   | 1.06171 | 0.006               | 0.006             |  |
| -19           | 2.5                | ≦* < 7.5                      | 4.00000   | 1.02645 | 0.006               | 0.006             |  |
| -20           | 0.0                | ≦* < 2.5                      | 1.00000   | 1.00000 | 0.005               | 0.005             |  |
|               |                    |                               | 平均値       |         |                     |                   |  |
|               |                    |                               | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合           |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                 |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分              |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ 特定附帯被覆D (50万円) |           |         |                     | 0.010             |  |
| 危険段階区分        | 平均損害率(*)<br>の範囲(%) |                     | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                     | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                | 324.45206 | 3.85143 | 0.019               | 0.019             |  |
| 19            | 192.5              | ≦* < 197.5          | 156.00000 | 2.36642 | 0.012               | 0.012             |  |
| 18            | 187.5              | ≦* < 192.5          | 152.00000 | 2.33116 | 0.012               | 0.012             |  |
| 17            | 182.5              | ≦* < 187.5          | 148.00000 | 2.29590 | 0.011               | 0.011             |  |
| 16            | 177.5              | ≦* < 182.5          | 144.00000 | 2.26063 | 0.011               | 0.011             |  |
| 15            | 172.5              | ≦* < 177.5          | 140.00000 | 2.22537 | 0.011               | 0.011             |  |
| 14            | 167.5              | ≦* < 172.5          | 136.00000 | 2.19011 | 0.011               | 0.011             |  |
| 13            | 162.5              | ≦* < 167.5          | 132.00000 | 2.15485 | 0.011               | 0.011             |  |
| 12            | 157.5              | ≦* < 162.5          | 128.00000 | 2.11958 | 0.011               | 0.011             |  |
| 11            | 152.5              | ≦* < 157.5          | 124.00000 | 2.08432 | 0.010               | 0.010             |  |
| 10            | 147.5              | ≦* < 152.5          | 120.00000 | 2.04906 | 0.010               | 0.010             |  |
| 09            | 142.5              | ≦* < 147.5          | 116.00000 | 2.01380 | 0.010               | 0.010             |  |
| 08            | 137.5              | ≦* < 142.5          | 112.00000 | 1.97853 | 0.010               | 0.010             |  |
| 07            | 132.5              | ≦* < 137.5          | 108.00000 | 1.94327 | 0.010               | 0.010             |  |
| 06            | 127.5              | ≦* < 132.5          | 104.00000 | 1.90801 | 0.010               | 0.010             |  |
| 05            | 122.5              | ≦* < 127.5          | 100.00000 | 1.87275 | 0.009               | 0.009             |  |
| 04            | 117.5              | ≦* < 122.5          | 96.00000  | 1.83748 | 0.009               | 0.009             |  |
| 03            | 112.5              | ≦* < 117.5          | 92.00000  | 1.80222 | 0.009               | 0.009             |  |
| 02            | 107.5              | ≦* < 112.5          | 88.00000  | 1.76696 | 0.009               | 0.009             |  |
| 01            | 102.5              | ≦* < 107.5          | 84.00000  | 1.73170 | 0.009               | 0.009             |  |
| 00            | 97.5               | ≦* < 102.5          | 80.00000  | 1.69643 | 0.008               | 0.008             |  |
| -01           | 92.5               | ≦* < 97.5           | 76.00000  | 1.66117 | 0.008               | 0.008             |  |
| -02           | 87.5               | ≦* < 92.5           | 72.00000  | 1.62591 | 0.008               | 0.008             |  |
| -03           | 82.5               | ≦* < 87.5           | 68.00000  | 1.59065 | 0.008               | 0.008             |  |
| -04           | 77.5               | ≦* < 82.5           | 64.00000  | 1.55538 | 0.008               | 0.008             |  |
| -05           | 72.5               | ≦* < 77.5           | 60.00000  | 1.52012 | 0.008               | 0.008             |  |
| -06           | 67.5               | ≦* < 72.5           | 56.00000  | 1.48486 | 0.007               | 0.007             |  |
| -07           | 62.5               | ≦* < 67.5           | 52.00000  | 1.44960 | 0.007               | 0.007             |  |
| -08           | 57.5               | ≦* < 62.5           | 48.00000  | 1.41433 | 0.007               | 0.007             |  |
| -09           | 52.5               | ≦* < 57.5           | 44.00000  | 1.37907 | 0.007               | 0.007             |  |
| -10           | 47.5               | ≦* < 52.5           | 40.00000  | 1.34381 | 0.007               | 0.007             |  |
| -11           | 42.5               | ≦* < 47.5           | 36.00000  | 1.30855 | 0.007               | 0.007             |  |
| -12           | 37.5               | ≦* < 42.5           | 32.00000  | 1.27328 | 0.006               | 0.006             |  |
| -13           | 32.5               | ≦* < 37.5           | 28.00000  | 1.23802 | 0.006               | 0.006             |  |
| -14           | 27.5               | ≦* < 32.5           | 24.00000  | 1.20276 | 0.006               | 0.006             |  |
| -15           | 22.5               | ≦* < 27.5           | 20.00000  | 1.16750 | 0.006               | 0.006             |  |
| -16           | 17.5               | ≦* < 22.5           | 16.00000  | 1.13223 | 0.006               | 0.006             |  |
| -17           | 12.5               | ≦* < 17.5           | 12.00000  | 1.09697 | 0.005               | 0.005             |  |
| -18           | 7.5                | ≦* < 12.5           | 8.00000   | 1.06171 | 0.005               | 0.005             |  |
| -19           | 2.5                | ≦* < 7.5            | 4.00000   | 1.02645 | 0.005               | 0.005             |  |
| -20           | 0.0                | ≦* < 2.5            | 1.00000   | 1.00000 | 0.005               | 0.005             |  |
|               |                    |                     | 平均値       |         |                     |                   |  |
|               |                    |                     | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                           |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-------------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                     |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                        |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ 特定附帯被覆D集団<br>(50万円・集団割引) |           |         |                     | 0.010             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                          | 324.45206 | 3.85143 | 0.019               | 0.019             |  |
| 19            | 192.5              | ≦* < 197.5                    | 156.00000 | 2.36642 | 0.012               | 0.012             |  |
| 18            | 187.5              | ≦* < 192.5                    | 152.00000 | 2.33116 | 0.012               | 0.012             |  |
| 17            | 182.5              | ≦* < 187.5                    | 148.00000 | 2.29590 | 0.011               | 0.011             |  |
| 16            | 177.5              | ≦* < 182.5                    | 144.00000 | 2.26063 | 0.011               | 0.011             |  |
| 15            | 172.5              | ≦* < 177.5                    | 140.00000 | 2.22537 | 0.011               | 0.011             |  |
| 14            | 167.5              | ≦* < 172.5                    | 136.00000 | 2.19011 | 0.011               | 0.011             |  |
| 13            | 162.5              | ≦* < 167.5                    | 132.00000 | 2.15485 | 0.011               | 0.011             |  |
| 12            | 157.5              | ≦* < 162.5                    | 128.00000 | 2.11958 | 0.011               | 0.011             |  |
| 11            | 152.5              | ≦* < 157.5                    | 124.00000 | 2.08432 | 0.010               | 0.010             |  |
| 10            | 147.5              | ≦* < 152.5                    | 120.00000 | 2.04906 | 0.010               | 0.010             |  |
| 09            | 142.5              | ≦* < 147.5                    | 116.00000 | 2.01380 | 0.010               | 0.010             |  |
| 08            | 137.5              | ≦* < 142.5                    | 112.00000 | 1.97853 | 0.010               | 0.010             |  |
| 07            | 132.5              | ≦* < 137.5                    | 108.00000 | 1.94327 | 0.010               | 0.010             |  |
| 06            | 127.5              | ≦* < 132.5                    | 104.00000 | 1.90801 | 0.010               | 0.010             |  |
| 05            | 122.5              | ≦* < 127.5                    | 100.00000 | 1.87275 | 0.009               | 0.009             |  |
| 04            | 117.5              | ≦* < 122.5                    | 96.00000  | 1.83748 | 0.009               | 0.009             |  |
| 03            | 112.5              | ≦* < 117.5                    | 92.00000  | 1.80222 | 0.009               | 0.009             |  |
| 02            | 107.5              | ≦* < 112.5                    | 88.00000  | 1.76696 | 0.009               | 0.009             |  |
| 01            | 102.5              | ≦* < 107.5                    | 84.00000  | 1.73170 | 0.009               | 0.009             |  |
| 00            | 97.5               | ≦* < 102.5                    | 80.00000  | 1.69643 | 0.008               | 0.008             |  |
| -01           | 92.5               | ≦* < 97.5                     | 76.00000  | 1.66117 | 0.008               | 0.008             |  |
| -02           | 87.5               | ≦* < 92.5                     | 72.00000  | 1.62591 | 0.008               | 0.008             |  |
| -03           | 82.5               | ≦* < 87.5                     | 68.00000  | 1.59065 | 0.008               | 0.008             |  |
| -04           | 77.5               | ≦* < 82.5                     | 64.00000  | 1.55538 | 0.008               | 0.008             |  |
| -05           | 72.5               | ≦* < 77.5                     | 60.00000  | 1.52012 | 0.008               | 0.008             |  |
| -06           | 67.5               | ≦* < 72.5                     | 56.00000  | 1.48486 | 0.007               | 0.007             |  |
| -07           | 62.5               | ≦* < 67.5                     | 52.00000  | 1.44960 | 0.007               | 0.007             |  |
| -08           | 57.5               | ≦* < 62.5                     | 48.00000  | 1.41433 | 0.007               | 0.007             |  |
| -09           | 52.5               | ≦* < 57.5                     | 44.00000  | 1.37907 | 0.007               | 0.007             |  |
| -10           | 47.5               | ≦* < 52.5                     | 40.00000  | 1.34381 | 0.007               | 0.007             |  |
| -11           | 42.5               | ≦* < 47.5                     | 36.00000  | 1.30855 | 0.007               | 0.007             |  |
| -12           | 37.5               | ≦* < 42.5                     | 32.00000  | 1.27328 | 0.006               | 0.006             |  |
| -13           | 32.5               | ≦* < 37.5                     | 28.00000  | 1.23802 | 0.006               | 0.006             |  |
| -14           | 27.5               | ≦* < 32.5                     | 24.00000  | 1.20276 | 0.006               | 0.006             |  |
| -15           | 22.5               | ≦* < 27.5                     | 20.00000  | 1.16750 | 0.006               | 0.006             |  |
| -16           | 17.5               | ≦* < 22.5                     | 16.00000  | 1.13223 | 0.006               | 0.006             |  |
| -17           | 12.5               | ≦* < 17.5                     | 12.00000  | 1.09697 | 0.005               | 0.005             |  |
| -18           | 7.5                | ≦* < 12.5                     | 8.00000   | 1.06171 | 0.005               | 0.005             |  |
| -19           | 2.5                | ≦* < 7.5                      | 4.00000   | 1.02645 | 0.005               | 0.005             |  |
| -20           | 0.0                | ≦* < 2.5                      | 1.00000   | 1.00000 | 0.005               | 0.005             |  |
|               |                    |                               | 平均値       |         |                     |                   |  |
|               |                    |                               | 114.43488 | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合            |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                  |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分               |         | 共済掛金標準率             |                   |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ 特定附帯被覆E (100万円) |         | 0.004               |                   |               |  |
| 危険段階区分        | 平均損害率(*)<br>の範囲(%) | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                  | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206            | 3.85143 | 0.008               | 0.008             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000            | 2.36642 | 0.005               | 0.005             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000            | 2.33116 | 0.005               | 0.005             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000            | 2.29590 | 0.005               | 0.005             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000            | 2.26063 | 0.005               | 0.005             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000            | 2.22537 | 0.004               | 0.004             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000            | 2.19011 | 0.004               | 0.004             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000            | 2.15485 | 0.004               | 0.004             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000            | 2.11958 | 0.004               | 0.004             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000            | 2.08432 | 0.004               | 0.004             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000            | 2.04906 | 0.004               | 0.004             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000            | 2.01380 | 0.004               | 0.004             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000            | 1.97853 | 0.004               | 0.004             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000            | 1.94327 | 0.004               | 0.004             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000            | 1.90801 | 0.004               | 0.004             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000            | 1.87275 | 0.004               | 0.004             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000             | 1.83748 | 0.004               | 0.004             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000             | 1.80222 | 0.004               | 0.004             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000             | 1.76696 | 0.004               | 0.004             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000             | 1.73170 | 0.003               | 0.003             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000             | 1.69643 | 0.003               | 0.003             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000             | 1.66117 | 0.003               | 0.003             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000             | 1.62591 | 0.003               | 0.003             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000             | 1.59065 | 0.003               | 0.003             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000             | 1.55538 | 0.003               | 0.003             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000             | 1.52012 | 0.003               | 0.003             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000             | 1.48486 | 0.003               | 0.003             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000             | 1.44960 | 0.003               | 0.003             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000             | 1.41433 | 0.003               | 0.003             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000             | 1.37907 | 0.003               | 0.003             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000             | 1.34381 | 0.003               | 0.003             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000             | 1.30855 | 0.003               | 0.003             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000             | 1.27328 | 0.003               | 0.003             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000             | 1.23802 | 0.002               | 0.002             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000             | 1.20276 | 0.002               | 0.002             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000             | 1.16750 | 0.002               | 0.002             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000             | 1.13223 | 0.002               | 0.002             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000             | 1.09697 | 0.002               | 0.002             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000              | 1.06171 | 0.002               | 0.002             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000              | 1.02645 | 0.002               | 0.002             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000              | 1.00000 | 0.002               | 0.002             |               |  |
|               |                    | 平均値                  |         |                     |                   |               |  |
|               |                    | 114.43488            | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                                | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------|--------------------------------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合  |                                |         |                     |                   |  |
| 料率地域区分        |                    | 000        |                                | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    |            | 共済掛金区分                         |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ 特定附帯被覆E集団<br>(100万円・集団割引) |         |                     | 0.004             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |            | 圧縮前                            | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <       | 324.45206                      | 3.85143 | 0.008               | 0.008             |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                      | 2.36642 | 0.005               | 0.005             |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                      | 2.33116 | 0.005               | 0.005             |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                      | 2.29590 | 0.005               | 0.005             |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                      | 2.26063 | 0.005               | 0.005             |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                      | 2.22537 | 0.004               | 0.004             |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                      | 2.19011 | 0.004               | 0.004             |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                      | 2.15485 | 0.004               | 0.004             |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                      | 2.11958 | 0.004               | 0.004             |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                      | 2.08432 | 0.004               | 0.004             |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                      | 2.04906 | 0.004               | 0.004             |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                      | 2.01380 | 0.004               | 0.004             |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                      | 1.97853 | 0.004               | 0.004             |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                      | 1.94327 | 0.004               | 0.004             |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                      | 1.90801 | 0.004               | 0.004             |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                      | 1.87275 | 0.004               | 0.004             |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                       | 1.83748 | 0.004               | 0.004             |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                       | 1.80222 | 0.004               | 0.004             |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                       | 1.76696 | 0.004               | 0.004             |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                       | 1.73170 | 0.003               | 0.003             |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                       | 1.69643 | 0.003               | 0.003             |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                       | 1.66117 | 0.003               | 0.003             |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                       | 1.62591 | 0.003               | 0.003             |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                       | 1.59065 | 0.003               | 0.003             |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                       | 1.55538 | 0.003               | 0.003             |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                       | 1.52012 | 0.003               | 0.003             |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                       | 1.48486 | 0.003               | 0.003             |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                       | 1.44960 | 0.003               | 0.003             |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                       | 1.41433 | 0.003               | 0.003             |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                       | 1.37907 | 0.003               | 0.003             |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                       | 1.34381 | 0.003               | 0.003             |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                       | 1.30855 | 0.003               | 0.003             |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                       | 1.27328 | 0.003               | 0.003             |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                       | 1.23802 | 0.002               | 0.002             |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                       | 1.20276 | 0.002               | 0.002             |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                       | 1.16750 | 0.002               | 0.002             |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                       | 1.13223 | 0.002               | 0.002             |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                       | 1.09697 | 0.002               | 0.002             |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                        | 1.06171 | 0.002               | 0.002             |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                        | 1.02645 | 0.002               | 0.002             |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                        | 1.00000 | 0.002               | 0.002             |  |
|               |                    |            | 平均値                            |         |                     |                   |  |
|               |                    |            | 114.43488                      | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                        |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|------------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                        |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                        | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                 |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ特定附帯被覆F<br>(1万円特約) |         |                     | 0.060             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                   |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                    | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206              | 3.85143 | 0.116               | 0.116             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000              | 2.36642 | 0.071               | 0.071             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000              | 2.33116 | 0.070               | 0.070             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000              | 2.29590 | 0.069               | 0.069             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000              | 2.26063 | 0.068               | 0.068             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000              | 2.22537 | 0.067               | 0.067             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000              | 2.19011 | 0.066               | 0.066             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000              | 2.15485 | 0.065               | 0.065             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000              | 2.11958 | 0.064               | 0.064             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000              | 2.08432 | 0.063               | 0.063             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000              | 2.04906 | 0.061               | 0.061             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000              | 2.01380 | 0.060               | 0.060             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000              | 1.97853 | 0.059               | 0.059             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000              | 1.94327 | 0.058               | 0.058             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000              | 1.90801 | 0.057               | 0.057             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000              | 1.87275 | 0.056               | 0.056             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000               | 1.83748 | 0.055               | 0.055             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000               | 1.80222 | 0.054               | 0.054             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000               | 1.76696 | 0.053               | 0.053             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000               | 1.73170 | 0.052               | 0.052             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000               | 1.69643 | 0.051               | 0.051             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000               | 1.66117 | 0.050               | 0.050             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000               | 1.62591 | 0.049               | 0.049             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000               | 1.59065 | 0.048               | 0.048             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000               | 1.55538 | 0.047               | 0.047             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000               | 1.52012 | 0.046               | 0.046             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000               | 1.48486 | 0.045               | 0.045             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000               | 1.44960 | 0.043               | 0.043             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000               | 1.41433 | 0.042               | 0.042             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000               | 1.37907 | 0.041               | 0.041             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000               | 1.34381 | 0.040               | 0.040             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000               | 1.30855 | 0.039               | 0.039             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000               | 1.27328 | 0.038               | 0.038             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000               | 1.23802 | 0.037               | 0.037             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000               | 1.20276 | 0.036               | 0.036             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000               | 1.16750 | 0.035               | 0.035             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000               | 1.13223 | 0.034               | 0.034             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000               | 1.09697 | 0.033               | 0.033             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                | 1.06171 | 0.032               | 0.032             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                | 1.02645 | 0.031               | 0.031             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                | 1.00000 | 0.030               | 0.030             |  |         |  |
|               |                    |            | 平均値                    |         |                     |                   |  |         |  |
|               |                    |            | 114.43488              | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                               | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------|-------------------------------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合  |                               |         |                     |                   |  |
| 料率地域区分        |                    | 000        |                               | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    |            | 共済掛金区分                        |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ特定附帯被覆F集団<br>(1万円特約・集団割引) |         |                     | 0.057             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |            | 圧縮前                           | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <       | 324.45206                     | 3.85143 | 0.110               | 0.110             |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                     | 2.36642 | 0.067               | 0.067             |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                     | 2.33116 | 0.066               | 0.066             |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                     | 2.29590 | 0.065               | 0.065             |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                     | 2.26063 | 0.064               | 0.064             |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                     | 2.22537 | 0.063               | 0.063             |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                     | 2.19011 | 0.062               | 0.062             |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                     | 2.15485 | 0.061               | 0.061             |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                     | 2.11958 | 0.060               | 0.060             |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                     | 2.08432 | 0.059               | 0.059             |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                     | 2.04906 | 0.058               | 0.058             |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                     | 2.01380 | 0.057               | 0.057             |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                     | 1.97853 | 0.056               | 0.056             |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                     | 1.94327 | 0.055               | 0.055             |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                     | 1.90801 | 0.054               | 0.054             |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                     | 1.87275 | 0.053               | 0.053             |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                      | 1.83748 | 0.052               | 0.052             |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                      | 1.80222 | 0.051               | 0.051             |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                      | 1.76696 | 0.050               | 0.050             |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                      | 1.73170 | 0.049               | 0.049             |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                      | 1.69643 | 0.048               | 0.048             |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                      | 1.66117 | 0.047               | 0.047             |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                      | 1.62591 | 0.046               | 0.046             |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                      | 1.59065 | 0.045               | 0.045             |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                      | 1.55538 | 0.044               | 0.044             |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                      | 1.52012 | 0.043               | 0.043             |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                      | 1.48486 | 0.042               | 0.042             |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                      | 1.44960 | 0.041               | 0.041             |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                      | 1.41433 | 0.040               | 0.040             |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                      | 1.37907 | 0.039               | 0.039             |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                      | 1.34381 | 0.038               | 0.038             |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                      | 1.30855 | 0.037               | 0.037             |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                      | 1.27328 | 0.036               | 0.036             |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                      | 1.23802 | 0.035               | 0.035             |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                      | 1.20276 | 0.034               | 0.034             |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                      | 1.16750 | 0.033               | 0.033             |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                      | 1.13223 | 0.032               | 0.032             |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                      | 1.09697 | 0.031               | 0.031             |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                       | 1.06171 | 0.030               | 0.030             |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                       | 1.02645 | 0.029               | 0.029             |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                       | 1.00000 | 0.028               | 0.028             |  |
|               |                    |            | 平均値                           |         |                     |                   |  |
|               |                    |            | 114.43488                     | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|--------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合          |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分             |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般A<br>(3万円) |         |                     | 1.163             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数               |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206          | 3.85143 | 2.240               | 2.240             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000          | 2.36642 | 1.376               | 1.376             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000          | 2.33116 | 1.356               | 1.356             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000          | 2.29590 | 1.335               | 1.335             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000          | 2.26063 | 1.315               | 1.315             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000          | 2.22537 | 1.294               | 1.294             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000          | 2.19011 | 1.274               | 1.274             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000          | 2.15485 | 1.253               | 1.253             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000          | 2.11958 | 1.233               | 1.233             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000          | 2.08432 | 1.212               | 1.212             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000          | 2.04906 | 1.192               | 1.192             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000          | 2.01380 | 1.171               | 1.171             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000          | 1.97853 | 1.151               | 1.151             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000          | 1.94327 | 1.130               | 1.130             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000          | 1.90801 | 1.110               | 1.110             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000          | 1.87275 | 1.089               | 1.089             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000           | 1.83748 | 1.068               | 1.068             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000           | 1.80222 | 1.048               | 1.048             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000           | 1.76696 | 1.027               | 1.027             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000           | 1.73170 | 1.007               | 1.007             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000           | 1.69643 | 0.986               | 0.986             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000           | 1.66117 | 0.966               | 0.966             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000           | 1.62591 | 0.945               | 0.945             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000           | 1.59065 | 0.925               | 0.925             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000           | 1.55538 | 0.904               | 0.904             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000           | 1.52012 | 0.884               | 0.884             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000           | 1.48486 | 0.863               | 0.863             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000           | 1.44960 | 0.843               | 0.843             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000           | 1.41433 | 0.822               | 0.822             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000           | 1.37907 | 0.802               | 0.802             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000           | 1.34381 | 0.781               | 0.781             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000           | 1.30855 | 0.761               | 0.761             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000           | 1.27328 | 0.740               | 0.740             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000           | 1.23802 | 0.720               | 0.720             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000           | 1.20276 | 0.699               | 0.699             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000           | 1.16750 | 0.679               | 0.679             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000           | 1.13223 | 0.658               | 0.658             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000           | 1.09697 | 0.638               | 0.638             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000            | 1.06171 | 0.617               | 0.617             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000            | 1.02645 | 0.597               | 0.597             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000            | 1.00000 | 0.581               | 0.581             |               |  |
|               |                    | 平均値                |         |                     |                   |               |  |
|               |                    | 114.43488          | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                       |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                 |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                       |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                    |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般A集団<br>(3万円・集団割引) |           |         | 1.105               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                           | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                      | 324.45206 | 3.85143 | 2.128               | 2.128             |  |
| 19            | 192.5              | ≦* < 197.5                | 156.00000 | 2.36642 | 1.307               | 1.307             |  |
| 18            | 187.5              | ≦* < 192.5                | 152.00000 | 2.33116 | 1.288               | 1.288             |  |
| 17            | 182.5              | ≦* < 187.5                | 148.00000 | 2.29590 | 1.268               | 1.268             |  |
| 16            | 177.5              | ≦* < 182.5                | 144.00000 | 2.26063 | 1.249               | 1.249             |  |
| 15            | 172.5              | ≦* < 177.5                | 140.00000 | 2.22537 | 1.230               | 1.230             |  |
| 14            | 167.5              | ≦* < 172.5                | 136.00000 | 2.19011 | 1.210               | 1.210             |  |
| 13            | 162.5              | ≦* < 167.5                | 132.00000 | 2.15485 | 1.191               | 1.191             |  |
| 12            | 157.5              | ≦* < 162.5                | 128.00000 | 2.11958 | 1.171               | 1.171             |  |
| 11            | 152.5              | ≦* < 157.5                | 124.00000 | 2.08432 | 1.152               | 1.152             |  |
| 10            | 147.5              | ≦* < 152.5                | 120.00000 | 2.04906 | 1.132               | 1.132             |  |
| 09            | 142.5              | ≦* < 147.5                | 116.00000 | 2.01380 | 1.113               | 1.113             |  |
| 08            | 137.5              | ≦* < 142.5                | 112.00000 | 1.97853 | 1.093               | 1.093             |  |
| 07            | 132.5              | ≦* < 137.5                | 108.00000 | 1.94327 | 1.074               | 1.074             |  |
| 06            | 127.5              | ≦* < 132.5                | 104.00000 | 1.90801 | 1.054               | 1.054             |  |
| 05            | 122.5              | ≦* < 127.5                | 100.00000 | 1.87275 | 1.035               | 1.035             |  |
| 04            | 117.5              | ≦* < 122.5                | 96.00000  | 1.83748 | 1.015               | 1.015             |  |
| 03            | 112.5              | ≦* < 117.5                | 92.00000  | 1.80222 | 0.996               | 0.996             |  |
| 02            | 107.5              | ≦* < 112.5                | 88.00000  | 1.76696 | 0.976               | 0.976             |  |
| 01            | 102.5              | ≦* < 107.5                | 84.00000  | 1.73170 | 0.957               | 0.957             |  |
| 00            | 97.5               | ≦* < 102.5                | 80.00000  | 1.69643 | 0.937               | 0.937             |  |
| -01           | 92.5               | ≦* < 97.5                 | 76.00000  | 1.66117 | 0.918               | 0.918             |  |
| -02           | 87.5               | ≦* < 92.5                 | 72.00000  | 1.62591 | 0.898               | 0.898             |  |
| -03           | 82.5               | ≦* < 87.5                 | 68.00000  | 1.59065 | 0.879               | 0.879             |  |
| -04           | 77.5               | ≦* < 82.5                 | 64.00000  | 1.55538 | 0.859               | 0.859             |  |
| -05           | 72.5               | ≦* < 77.5                 | 60.00000  | 1.52012 | 0.840               | 0.840             |  |
| -06           | 67.5               | ≦* < 72.5                 | 56.00000  | 1.48486 | 0.820               | 0.820             |  |
| -07           | 62.5               | ≦* < 67.5                 | 52.00000  | 1.44960 | 0.801               | 0.801             |  |
| -08           | 57.5               | ≦* < 62.5                 | 48.00000  | 1.41433 | 0.781               | 0.781             |  |
| -09           | 52.5               | ≦* < 57.5                 | 44.00000  | 1.37907 | 0.762               | 0.762             |  |
| -10           | 47.5               | ≦* < 52.5                 | 40.00000  | 1.34381 | 0.742               | 0.742             |  |
| -11           | 42.5               | ≦* < 47.5                 | 36.00000  | 1.30855 | 0.723               | 0.723             |  |
| -12           | 37.5               | ≦* < 42.5                 | 32.00000  | 1.27328 | 0.703               | 0.703             |  |
| -13           | 32.5               | ≦* < 37.5                 | 28.00000  | 1.23802 | 0.684               | 0.684             |  |
| -14           | 27.5               | ≦* < 32.5                 | 24.00000  | 1.20276 | 0.665               | 0.665             |  |
| -15           | 22.5               | ≦* < 27.5                 | 20.00000  | 1.16750 | 0.645               | 0.645             |  |
| -16           | 17.5               | ≦* < 22.5                 | 16.00000  | 1.13223 | 0.626               | 0.626             |  |
| -17           | 12.5               | ≦* < 17.5                 | 12.00000  | 1.09697 | 0.606               | 0.606             |  |
| -18           | 7.5                | ≦* < 12.5                 | 8.00000   | 1.06171 | 0.587               | 0.587             |  |
| -19           | 2.5                | ≦* < 7.5                  | 4.00000   | 1.02645 | 0.567               | 0.567             |  |
| -20           | 0.0                | ≦* < 2.5                  | 1.00000   | 1.00000 | 0.552               | 0.552             |  |
|               |                    |                           | 平均値       |         |                     |                   |  |
|               |                    |                           | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合           |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                 |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分              |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般B<br>(10万円) |           |         | 1.018               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                     | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                     | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                | 324.45206 | 3.85143 | 1.960               | 1.960             |  |
| 19            | 192.5              | ≦* < 197.5          | 156.00000 | 2.36642 | 1.205               | 1.205             |  |
| 18            | 187.5              | ≦* < 192.5          | 152.00000 | 2.33116 | 1.187               | 1.187             |  |
| 17            | 182.5              | ≦* < 187.5          | 148.00000 | 2.29590 | 1.169               | 1.169             |  |
| 16            | 177.5              | ≦* < 182.5          | 144.00000 | 2.26063 | 1.151               | 1.151             |  |
| 15            | 172.5              | ≦* < 177.5          | 140.00000 | 2.22537 | 1.133               | 1.133             |  |
| 14            | 167.5              | ≦* < 172.5          | 136.00000 | 2.19011 | 1.115               | 1.115             |  |
| 13            | 162.5              | ≦* < 167.5          | 132.00000 | 2.15485 | 1.097               | 1.097             |  |
| 12            | 157.5              | ≦* < 162.5          | 128.00000 | 2.11958 | 1.079               | 1.079             |  |
| 11            | 152.5              | ≦* < 157.5          | 124.00000 | 2.08432 | 1.061               | 1.061             |  |
| 10            | 147.5              | ≦* < 152.5          | 120.00000 | 2.04906 | 1.043               | 1.043             |  |
| 09            | 142.5              | ≦* < 147.5          | 116.00000 | 2.01380 | 1.025               | 1.025             |  |
| 08            | 137.5              | ≦* < 142.5          | 112.00000 | 1.97853 | 1.007               | 1.007             |  |
| 07            | 132.5              | ≦* < 137.5          | 108.00000 | 1.94327 | 0.989               | 0.989             |  |
| 06            | 127.5              | ≦* < 132.5          | 104.00000 | 1.90801 | 0.971               | 0.971             |  |
| 05            | 122.5              | ≦* < 127.5          | 100.00000 | 1.87275 | 0.953               | 0.953             |  |
| 04            | 117.5              | ≦* < 122.5          | 96.00000  | 1.83748 | 0.935               | 0.935             |  |
| 03            | 112.5              | ≦* < 117.5          | 92.00000  | 1.80222 | 0.917               | 0.917             |  |
| 02            | 107.5              | ≦* < 112.5          | 88.00000  | 1.76696 | 0.899               | 0.899             |  |
| 01            | 102.5              | ≦* < 107.5          | 84.00000  | 1.73170 | 0.881               | 0.881             |  |
| 00            | 97.5               | ≦* < 102.5          | 80.00000  | 1.69643 | 0.863               | 0.863             |  |
| -01           | 92.5               | ≦* < 97.5           | 76.00000  | 1.66117 | 0.846               | 0.846             |  |
| -02           | 87.5               | ≦* < 92.5           | 72.00000  | 1.62591 | 0.828               | 0.828             |  |
| -03           | 82.5               | ≦* < 87.5           | 68.00000  | 1.59065 | 0.810               | 0.810             |  |
| -04           | 77.5               | ≦* < 82.5           | 64.00000  | 1.55538 | 0.792               | 0.792             |  |
| -05           | 72.5               | ≦* < 77.5           | 60.00000  | 1.52012 | 0.774               | 0.774             |  |
| -06           | 67.5               | ≦* < 72.5           | 56.00000  | 1.48486 | 0.756               | 0.756             |  |
| -07           | 62.5               | ≦* < 67.5           | 52.00000  | 1.44960 | 0.738               | 0.738             |  |
| -08           | 57.5               | ≦* < 62.5           | 48.00000  | 1.41433 | 0.720               | 0.720             |  |
| -09           | 52.5               | ≦* < 57.5           | 44.00000  | 1.37907 | 0.702               | 0.702             |  |
| -10           | 47.5               | ≦* < 52.5           | 40.00000  | 1.34381 | 0.684               | 0.684             |  |
| -11           | 42.5               | ≦* < 47.5           | 36.00000  | 1.30855 | 0.666               | 0.666             |  |
| -12           | 37.5               | ≦* < 42.5           | 32.00000  | 1.27328 | 0.648               | 0.648             |  |
| -13           | 32.5               | ≦* < 37.5           | 28.00000  | 1.23802 | 0.630               | 0.630             |  |
| -14           | 27.5               | ≦* < 32.5           | 24.00000  | 1.20276 | 0.612               | 0.612             |  |
| -15           | 22.5               | ≦* < 27.5           | 20.00000  | 1.16750 | 0.594               | 0.594             |  |
| -16           | 17.5               | ≦* < 22.5           | 16.00000  | 1.13223 | 0.576               | 0.576             |  |
| -17           | 12.5               | ≦* < 17.5           | 12.00000  | 1.09697 | 0.558               | 0.558             |  |
| -18           | 7.5                | ≦* < 12.5           | 8.00000   | 1.06171 | 0.540               | 0.540             |  |
| -19           | 2.5                | ≦* < 7.5            | 4.00000   | 1.02645 | 0.522               | 0.522             |  |
| -20           | 0.0                | ≦* < 2.5            | 1.00000   | 1.00000 | 0.509               | 0.509             |  |
|               |                    |                     | 平均値       |         |                     |                   |  |
|               |                    |                     | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                        |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                  |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                        |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                     |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般B集団<br>(10万円・集団割引) |           |         |                     | 0.967             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                            | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                            | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                       | 324.45206 | 3.85143 | 1.862               | 1.862             |  |
| 19            | 192.5              | ≦* < 197.5                 | 156.00000 | 2.36642 | 1.144               | 1.144             |  |
| 18            | 187.5              | ≦* < 192.5                 | 152.00000 | 2.33116 | 1.127               | 1.127             |  |
| 17            | 182.5              | ≦* < 187.5                 | 148.00000 | 2.29590 | 1.110               | 1.110             |  |
| 16            | 177.5              | ≦* < 182.5                 | 144.00000 | 2.26063 | 1.093               | 1.093             |  |
| 15            | 172.5              | ≦* < 177.5                 | 140.00000 | 2.22537 | 1.076               | 1.076             |  |
| 14            | 167.5              | ≦* < 172.5                 | 136.00000 | 2.19011 | 1.059               | 1.059             |  |
| 13            | 162.5              | ≦* < 167.5                 | 132.00000 | 2.15485 | 1.042               | 1.042             |  |
| 12            | 157.5              | ≦* < 162.5                 | 128.00000 | 2.11958 | 1.025               | 1.025             |  |
| 11            | 152.5              | ≦* < 157.5                 | 124.00000 | 2.08432 | 1.008               | 1.008             |  |
| 10            | 147.5              | ≦* < 152.5                 | 120.00000 | 2.04906 | 0.991               | 0.991             |  |
| 09            | 142.5              | ≦* < 147.5                 | 116.00000 | 2.01380 | 0.974               | 0.974             |  |
| 08            | 137.5              | ≦* < 142.5                 | 112.00000 | 1.97853 | 0.957               | 0.957             |  |
| 07            | 132.5              | ≦* < 137.5                 | 108.00000 | 1.94327 | 0.940               | 0.940             |  |
| 06            | 127.5              | ≦* < 132.5                 | 104.00000 | 1.90801 | 0.923               | 0.923             |  |
| 05            | 122.5              | ≦* < 127.5                 | 100.00000 | 1.87275 | 0.905               | 0.905             |  |
| 04            | 117.5              | ≦* < 122.5                 | 96.00000  | 1.83748 | 0.888               | 0.888             |  |
| 03            | 112.5              | ≦* < 117.5                 | 92.00000  | 1.80222 | 0.871               | 0.871             |  |
| 02            | 107.5              | ≦* < 112.5                 | 88.00000  | 1.76696 | 0.854               | 0.854             |  |
| 01            | 102.5              | ≦* < 107.5                 | 84.00000  | 1.73170 | 0.837               | 0.837             |  |
| 00            | 97.5               | ≦* < 102.5                 | 80.00000  | 1.69643 | 0.820               | 0.820             |  |
| -01           | 92.5               | ≦* < 97.5                  | 76.00000  | 1.66117 | 0.803               | 0.803             |  |
| -02           | 87.5               | ≦* < 92.5                  | 72.00000  | 1.62591 | 0.786               | 0.786             |  |
| -03           | 82.5               | ≦* < 87.5                  | 68.00000  | 1.59065 | 0.769               | 0.769             |  |
| -04           | 77.5               | ≦* < 82.5                  | 64.00000  | 1.55538 | 0.752               | 0.752             |  |
| -05           | 72.5               | ≦* < 77.5                  | 60.00000  | 1.52012 | 0.735               | 0.735             |  |
| -06           | 67.5               | ≦* < 72.5                  | 56.00000  | 1.48486 | 0.718               | 0.718             |  |
| -07           | 62.5               | ≦* < 67.5                  | 52.00000  | 1.44960 | 0.701               | 0.701             |  |
| -08           | 57.5               | ≦* < 62.5                  | 48.00000  | 1.41433 | 0.684               | 0.684             |  |
| -09           | 52.5               | ≦* < 57.5                  | 44.00000  | 1.37907 | 0.667               | 0.667             |  |
| -10           | 47.5               | ≦* < 52.5                  | 40.00000  | 1.34381 | 0.650               | 0.650             |  |
| -11           | 42.5               | ≦* < 47.5                  | 36.00000  | 1.30855 | 0.633               | 0.633             |  |
| -12           | 37.5               | ≦* < 42.5                  | 32.00000  | 1.27328 | 0.616               | 0.616             |  |
| -13           | 32.5               | ≦* < 37.5                  | 28.00000  | 1.23802 | 0.599               | 0.599             |  |
| -14           | 27.5               | ≦* < 32.5                  | 24.00000  | 1.20276 | 0.582               | 0.582             |  |
| -15           | 22.5               | ≦* < 27.5                  | 20.00000  | 1.16750 | 0.564               | 0.564             |  |
| -16           | 17.5               | ≦* < 22.5                  | 16.00000  | 1.13223 | 0.547               | 0.547             |  |
| -17           | 12.5               | ≦* < 17.5                  | 12.00000  | 1.09697 | 0.530               | 0.530             |  |
| -18           | 7.5                | ≦* < 12.5                  | 8.00000   | 1.06171 | 0.513               | 0.513             |  |
| -19           | 2.5                | ≦* < 7.5                   | 4.00000   | 1.02645 | 0.496               | 0.496             |  |
| -20           | 0.0                | ≦* < 2.5                   | 1.00000   | 1.00000 | 0.483               | 0.483             |  |
|               |                    |                            | 平均値       |         |                     |                   |  |
|               |                    |                            | 114.43488 | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合           |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                 |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分              |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般C<br>(20万円) |           |         | 0.864               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                     | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                     | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                | 324.45206 | 3.85143 | 1.664               | 1.664             |  |
| 19            | 192.5              | ≦* < 197.5          | 156.00000 | 2.36642 | 1.022               | 1.022             |  |
| 18            | 187.5              | ≦* < 192.5          | 152.00000 | 2.33116 | 1.007               | 1.007             |  |
| 17            | 182.5              | ≦* < 187.5          | 148.00000 | 2.29590 | 0.992               | 0.992             |  |
| 16            | 177.5              | ≦* < 182.5          | 144.00000 | 2.26063 | 0.977               | 0.977             |  |
| 15            | 172.5              | ≦* < 177.5          | 140.00000 | 2.22537 | 0.961               | 0.961             |  |
| 14            | 167.5              | ≦* < 172.5          | 136.00000 | 2.19011 | 0.946               | 0.946             |  |
| 13            | 162.5              | ≦* < 167.5          | 132.00000 | 2.15485 | 0.931               | 0.931             |  |
| 12            | 157.5              | ≦* < 162.5          | 128.00000 | 2.11958 | 0.916               | 0.916             |  |
| 11            | 152.5              | ≦* < 157.5          | 124.00000 | 2.08432 | 0.900               | 0.900             |  |
| 10            | 147.5              | ≦* < 152.5          | 120.00000 | 2.04906 | 0.885               | 0.885             |  |
| 09            | 142.5              | ≦* < 147.5          | 116.00000 | 2.01380 | 0.870               | 0.870             |  |
| 08            | 137.5              | ≦* < 142.5          | 112.00000 | 1.97853 | 0.855               | 0.855             |  |
| 07            | 132.5              | ≦* < 137.5          | 108.00000 | 1.94327 | 0.839               | 0.839             |  |
| 06            | 127.5              | ≦* < 132.5          | 104.00000 | 1.90801 | 0.824               | 0.824             |  |
| 05            | 122.5              | ≦* < 127.5          | 100.00000 | 1.87275 | 0.809               | 0.809             |  |
| 04            | 117.5              | ≦* < 122.5          | 96.00000  | 1.83748 | 0.794               | 0.794             |  |
| 03            | 112.5              | ≦* < 117.5          | 92.00000  | 1.80222 | 0.779               | 0.779             |  |
| 02            | 107.5              | ≦* < 112.5          | 88.00000  | 1.76696 | 0.763               | 0.763             |  |
| 01            | 102.5              | ≦* < 107.5          | 84.00000  | 1.73170 | 0.748               | 0.748             |  |
| 00            | 97.5               | ≦* < 102.5          | 80.00000  | 1.69643 | 0.733               | 0.733             |  |
| -01           | 92.5               | ≦* < 97.5           | 76.00000  | 1.66117 | 0.718               | 0.718             |  |
| -02           | 87.5               | ≦* < 92.5           | 72.00000  | 1.62591 | 0.702               | 0.702             |  |
| -03           | 82.5               | ≦* < 87.5           | 68.00000  | 1.59065 | 0.687               | 0.687             |  |
| -04           | 77.5               | ≦* < 82.5           | 64.00000  | 1.55538 | 0.672               | 0.672             |  |
| -05           | 72.5               | ≦* < 77.5           | 60.00000  | 1.52012 | 0.657               | 0.657             |  |
| -06           | 67.5               | ≦* < 72.5           | 56.00000  | 1.48486 | 0.641               | 0.641             |  |
| -07           | 62.5               | ≦* < 67.5           | 52.00000  | 1.44960 | 0.626               | 0.626             |  |
| -08           | 57.5               | ≦* < 62.5           | 48.00000  | 1.41433 | 0.611               | 0.611             |  |
| -09           | 52.5               | ≦* < 57.5           | 44.00000  | 1.37907 | 0.596               | 0.596             |  |
| -10           | 47.5               | ≦* < 52.5           | 40.00000  | 1.34381 | 0.581               | 0.581             |  |
| -11           | 42.5               | ≦* < 47.5           | 36.00000  | 1.30855 | 0.565               | 0.565             |  |
| -12           | 37.5               | ≦* < 42.5           | 32.00000  | 1.27328 | 0.550               | 0.550             |  |
| -13           | 32.5               | ≦* < 37.5           | 28.00000  | 1.23802 | 0.535               | 0.535             |  |
| -14           | 27.5               | ≦* < 32.5           | 24.00000  | 1.20276 | 0.520               | 0.520             |  |
| -15           | 22.5               | ≦* < 27.5           | 20.00000  | 1.16750 | 0.504               | 0.504             |  |
| -16           | 17.5               | ≦* < 22.5           | 16.00000  | 1.13223 | 0.489               | 0.489             |  |
| -17           | 12.5               | ≦* < 17.5           | 12.00000  | 1.09697 | 0.474               | 0.474             |  |
| -18           | 7.5                | ≦* < 12.5           | 8.00000   | 1.06171 | 0.459               | 0.459             |  |
| -19           | 2.5                | ≦* < 7.5            | 4.00000   | 1.02645 | 0.443               | 0.443             |  |
| -20           | 0.0                | ≦* < 2.5            | 1.00000   | 1.00000 | 0.432               | 0.432             |  |
|               |                    |                     | 平均値       |         |                     |                   |  |
|               |                    |                     | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                        |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                  |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                        |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                     |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般C集団<br>(20万円・集団割引) |           |         | 0.821               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                            | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                            | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                       | 324.45206 | 3.85143 | 1.581               | 1.581             |  |
| 19            | 192.5              | ≦* < 197.5                 | 156.00000 | 2.36642 | 0.971               | 0.971             |  |
| 18            | 187.5              | ≦* < 192.5                 | 152.00000 | 2.33116 | 0.957               | 0.957             |  |
| 17            | 182.5              | ≦* < 187.5                 | 148.00000 | 2.29590 | 0.942               | 0.942             |  |
| 16            | 177.5              | ≦* < 182.5                 | 144.00000 | 2.26063 | 0.928               | 0.928             |  |
| 15            | 172.5              | ≦* < 177.5                 | 140.00000 | 2.22537 | 0.914               | 0.914             |  |
| 14            | 167.5              | ≦* < 172.5                 | 136.00000 | 2.19011 | 0.899               | 0.899             |  |
| 13            | 162.5              | ≦* < 167.5                 | 132.00000 | 2.15485 | 0.885               | 0.885             |  |
| 12            | 157.5              | ≦* < 162.5                 | 128.00000 | 2.11958 | 0.870               | 0.870             |  |
| 11            | 152.5              | ≦* < 157.5                 | 124.00000 | 2.08432 | 0.856               | 0.856             |  |
| 10            | 147.5              | ≦* < 152.5                 | 120.00000 | 2.04906 | 0.841               | 0.841             |  |
| 09            | 142.5              | ≦* < 147.5                 | 116.00000 | 2.01380 | 0.827               | 0.827             |  |
| 08            | 137.5              | ≦* < 142.5                 | 112.00000 | 1.97853 | 0.812               | 0.812             |  |
| 07            | 132.5              | ≦* < 137.5                 | 108.00000 | 1.94327 | 0.798               | 0.798             |  |
| 06            | 127.5              | ≦* < 132.5                 | 104.00000 | 1.90801 | 0.783               | 0.783             |  |
| 05            | 122.5              | ≦* < 127.5                 | 100.00000 | 1.87275 | 0.769               | 0.769             |  |
| 04            | 117.5              | ≦* < 122.5                 | 96.00000  | 1.83748 | 0.754               | 0.754             |  |
| 03            | 112.5              | ≦* < 117.5                 | 92.00000  | 1.80222 | 0.740               | 0.740             |  |
| 02            | 107.5              | ≦* < 112.5                 | 88.00000  | 1.76696 | 0.725               | 0.725             |  |
| 01            | 102.5              | ≦* < 107.5                 | 84.00000  | 1.73170 | 0.711               | 0.711             |  |
| 00            | 97.5               | ≦* < 102.5                 | 80.00000  | 1.69643 | 0.696               | 0.696             |  |
| -01           | 92.5               | ≦* < 97.5                  | 76.00000  | 1.66117 | 0.682               | 0.682             |  |
| -02           | 87.5               | ≦* < 92.5                  | 72.00000  | 1.62591 | 0.667               | 0.667             |  |
| -03           | 82.5               | ≦* < 87.5                  | 68.00000  | 1.59065 | 0.653               | 0.653             |  |
| -04           | 77.5               | ≦* < 82.5                  | 64.00000  | 1.55538 | 0.638               | 0.638             |  |
| -05           | 72.5               | ≦* < 77.5                  | 60.00000  | 1.52012 | 0.624               | 0.624             |  |
| -06           | 67.5               | ≦* < 72.5                  | 56.00000  | 1.48486 | 0.610               | 0.610             |  |
| -07           | 62.5               | ≦* < 67.5                  | 52.00000  | 1.44960 | 0.595               | 0.595             |  |
| -08           | 57.5               | ≦* < 62.5                  | 48.00000  | 1.41433 | 0.581               | 0.581             |  |
| -09           | 52.5               | ≦* < 57.5                  | 44.00000  | 1.37907 | 0.566               | 0.566             |  |
| -10           | 47.5               | ≦* < 52.5                  | 40.00000  | 1.34381 | 0.552               | 0.552             |  |
| -11           | 42.5               | ≦* < 47.5                  | 36.00000  | 1.30855 | 0.537               | 0.537             |  |
| -12           | 37.5               | ≦* < 42.5                  | 32.00000  | 1.27328 | 0.523               | 0.523             |  |
| -13           | 32.5               | ≦* < 37.5                  | 28.00000  | 1.23802 | 0.508               | 0.508             |  |
| -14           | 27.5               | ≦* < 32.5                  | 24.00000  | 1.20276 | 0.494               | 0.494             |  |
| -15           | 22.5               | ≦* < 27.5                  | 20.00000  | 1.16750 | 0.479               | 0.479             |  |
| -16           | 17.5               | ≦* < 22.5                  | 16.00000  | 1.13223 | 0.465               | 0.465             |  |
| -17           | 12.5               | ≦* < 17.5                  | 12.00000  | 1.09697 | 0.450               | 0.450             |  |
| -18           | 7.5                | ≦* < 12.5                  | 8.00000   | 1.06171 | 0.436               | 0.436             |  |
| -19           | 2.5                | ≦* < 7.5                   | 4.00000   | 1.02645 | 0.421               | 0.421             |  |
| -20           | 0.0                | ≦* < 2.5                   | 1.00000   | 1.00000 | 0.410               | 0.410             |  |
|               |                    |                            | 平均値       |         |                     |                   |  |
|               |                    |                            | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|---------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合           |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                 |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分              |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般D<br>(50万円) |         |                     | 0.484             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                 | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206           | 3.85143 | 0.932               | 0.932             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000           | 2.36642 | 0.573               | 0.573             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000           | 2.33116 | 0.564               | 0.564             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000           | 2.29590 | 0.556               | 0.556             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000           | 2.26063 | 0.547               | 0.547             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000           | 2.22537 | 0.539               | 0.539             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000           | 2.19011 | 0.530               | 0.530             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000           | 2.15485 | 0.521               | 0.521             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000           | 2.11958 | 0.513               | 0.513             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000           | 2.08432 | 0.504               | 0.504             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000           | 2.04906 | 0.496               | 0.496             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000           | 2.01380 | 0.487               | 0.487             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000           | 1.97853 | 0.479               | 0.479             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000           | 1.94327 | 0.470               | 0.470             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000           | 1.90801 | 0.462               | 0.462             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000           | 1.87275 | 0.453               | 0.453             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000            | 1.83748 | 0.445               | 0.445             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000            | 1.80222 | 0.436               | 0.436             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000            | 1.76696 | 0.428               | 0.428             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000            | 1.73170 | 0.419               | 0.419             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000            | 1.69643 | 0.411               | 0.411             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000            | 1.66117 | 0.402               | 0.402             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000            | 1.62591 | 0.393               | 0.393             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000            | 1.59065 | 0.385               | 0.385             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000            | 1.55538 | 0.376               | 0.376             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000            | 1.52012 | 0.368               | 0.368             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000            | 1.48486 | 0.359               | 0.359             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000            | 1.44960 | 0.351               | 0.351             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000            | 1.41433 | 0.342               | 0.342             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000            | 1.37907 | 0.334               | 0.334             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000            | 1.34381 | 0.325               | 0.325             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000            | 1.30855 | 0.317               | 0.317             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000            | 1.27328 | 0.308               | 0.308             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000            | 1.23802 | 0.300               | 0.300             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000            | 1.20276 | 0.291               | 0.291             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000            | 1.16750 | 0.283               | 0.283             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000            | 1.13223 | 0.274               | 0.274             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000            | 1.09697 | 0.265               | 0.265             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000             | 1.06171 | 0.257               | 0.257             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000             | 1.02645 | 0.248               | 0.248             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000             | 1.00000 | 0.242               | 0.242             |               |  |
|               |                    | 平均値                 |         |                     |                   |               |  |
|               |                    | 114.43488           | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                            |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|----------------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                            |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                            | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                     |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作一般D集団<br>(50万円・集団割引) |         |                     | 0.460             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                        | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206                  | 3.85143 | 0.886               | 0.886             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                  | 2.36642 | 0.544               | 0.544             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                  | 2.33116 | 0.536               | 0.536             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                  | 2.29590 | 0.528               | 0.528             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                  | 2.26063 | 0.520               | 0.520             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                  | 2.22537 | 0.512               | 0.512             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                  | 2.19011 | 0.504               | 0.504             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                  | 2.15485 | 0.496               | 0.496             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                  | 2.11958 | 0.488               | 0.488             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                  | 2.08432 | 0.479               | 0.479             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                  | 2.04906 | 0.471               | 0.471             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                  | 2.01380 | 0.463               | 0.463             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                  | 1.97853 | 0.455               | 0.455             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                  | 1.94327 | 0.447               | 0.447             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                  | 1.90801 | 0.439               | 0.439             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                  | 1.87275 | 0.431               | 0.431             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                   | 1.83748 | 0.423               | 0.423             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                   | 1.80222 | 0.415               | 0.415             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                   | 1.76696 | 0.406               | 0.406             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                   | 1.73170 | 0.398               | 0.398             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                   | 1.69643 | 0.390               | 0.390             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                   | 1.66117 | 0.382               | 0.382             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                   | 1.62591 | 0.374               | 0.374             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                   | 1.59065 | 0.366               | 0.366             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                   | 1.55538 | 0.358               | 0.358             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                   | 1.52012 | 0.350               | 0.350             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                   | 1.48486 | 0.342               | 0.342             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                   | 1.44960 | 0.333               | 0.333             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                   | 1.41433 | 0.325               | 0.325             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                   | 1.37907 | 0.317               | 0.317             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                   | 1.34381 | 0.309               | 0.309             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                   | 1.30855 | 0.301               | 0.301             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                   | 1.27328 | 0.293               | 0.293             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                   | 1.23802 | 0.285               | 0.285             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                   | 1.20276 | 0.277               | 0.277             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                   | 1.16750 | 0.269               | 0.269             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                   | 1.13223 | 0.260               | 0.260             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                   | 1.09697 | 0.252               | 0.252             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                    | 1.06171 | 0.244               | 0.244             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                    | 1.02645 | 0.236               | 0.236             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                    | 1.00000 | 0.230               | 0.230             |  |         |  |
|               |                    |            | 平均値                        |         |                     |                   |  |         |  |
|               |                    |            | 114.43488                  | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合            |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                  |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分               |         | 共済掛金標準率             |                   |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般E<br>(100万円) |         | 0.242               |                   |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                  | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206            | 3.85143 | 0.466               | 0.466             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000            | 2.36642 | 0.286               | 0.286             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000            | 2.33116 | 0.282               | 0.282             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000            | 2.29590 | 0.278               | 0.278             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000            | 2.26063 | 0.274               | 0.274             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000            | 2.22537 | 0.269               | 0.269             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000            | 2.19011 | 0.265               | 0.265             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000            | 2.15485 | 0.261               | 0.261             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000            | 2.11958 | 0.256               | 0.256             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000            | 2.08432 | 0.252               | 0.252             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000            | 2.04906 | 0.248               | 0.248             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000            | 2.01380 | 0.244               | 0.244             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000            | 1.97853 | 0.239               | 0.239             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000            | 1.94327 | 0.235               | 0.235             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000            | 1.90801 | 0.231               | 0.231             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000            | 1.87275 | 0.227               | 0.227             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000             | 1.83748 | 0.222               | 0.222             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000             | 1.80222 | 0.218               | 0.218             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000             | 1.76696 | 0.214               | 0.214             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000             | 1.73170 | 0.210               | 0.210             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000             | 1.69643 | 0.205               | 0.205             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000             | 1.66117 | 0.201               | 0.201             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000             | 1.62591 | 0.197               | 0.197             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000             | 1.59065 | 0.192               | 0.192             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000             | 1.55538 | 0.188               | 0.188             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000             | 1.52012 | 0.184               | 0.184             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000             | 1.48486 | 0.180               | 0.180             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000             | 1.44960 | 0.175               | 0.175             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000             | 1.41433 | 0.171               | 0.171             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000             | 1.37907 | 0.167               | 0.167             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000             | 1.34381 | 0.163               | 0.163             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000             | 1.30855 | 0.158               | 0.158             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000             | 1.27328 | 0.154               | 0.154             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000             | 1.23802 | 0.150               | 0.150             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000             | 1.20276 | 0.146               | 0.146             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000             | 1.16750 | 0.141               | 0.141             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000             | 1.13223 | 0.137               | 0.137             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000             | 1.09697 | 0.133               | 0.133             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000              | 1.06171 | 0.128               | 0.128             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000              | 1.02645 | 0.124               | 0.124             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000              | 1.00000 | 0.121               | 0.121             |               |  |
|               |                    | 平均値                  |         |                     |                   |               |  |
|               |                    | 114.43488            | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                         |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                   |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                         |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                      |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作一般E集団<br>(100万円・集団割引) |           |         | 0.230               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                             | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                             | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                        | 324.45206 | 3.85143 | 0.443               | 0.443             |  |
| 19            | 192.5              | ≦* < 197.5                  | 156.00000 | 2.36642 | 0.272               | 0.272             |  |
| 18            | 187.5              | ≦* < 192.5                  | 152.00000 | 2.33116 | 0.268               | 0.268             |  |
| 17            | 182.5              | ≦* < 187.5                  | 148.00000 | 2.29590 | 0.264               | 0.264             |  |
| 16            | 177.5              | ≦* < 182.5                  | 144.00000 | 2.26063 | 0.260               | 0.260             |  |
| 15            | 172.5              | ≦* < 177.5                  | 140.00000 | 2.22537 | 0.256               | 0.256             |  |
| 14            | 167.5              | ≦* < 172.5                  | 136.00000 | 2.19011 | 0.252               | 0.252             |  |
| 13            | 162.5              | ≦* < 167.5                  | 132.00000 | 2.15485 | 0.248               | 0.248             |  |
| 12            | 157.5              | ≦* < 162.5                  | 128.00000 | 2.11958 | 0.244               | 0.244             |  |
| 11            | 152.5              | ≦* < 157.5                  | 124.00000 | 2.08432 | 0.240               | 0.240             |  |
| 10            | 147.5              | ≦* < 152.5                  | 120.00000 | 2.04906 | 0.236               | 0.236             |  |
| 09            | 142.5              | ≦* < 147.5                  | 116.00000 | 2.01380 | 0.232               | 0.232             |  |
| 08            | 137.5              | ≦* < 142.5                  | 112.00000 | 1.97853 | 0.228               | 0.228             |  |
| 07            | 132.5              | ≦* < 137.5                  | 108.00000 | 1.94327 | 0.223               | 0.223             |  |
| 06            | 127.5              | ≦* < 132.5                  | 104.00000 | 1.90801 | 0.219               | 0.219             |  |
| 05            | 122.5              | ≦* < 127.5                  | 100.00000 | 1.87275 | 0.215               | 0.215             |  |
| 04            | 117.5              | ≦* < 122.5                  | 96.00000  | 1.83748 | 0.211               | 0.211             |  |
| 03            | 112.5              | ≦* < 117.5                  | 92.00000  | 1.80222 | 0.207               | 0.207             |  |
| 02            | 107.5              | ≦* < 112.5                  | 88.00000  | 1.76696 | 0.203               | 0.203             |  |
| 01            | 102.5              | ≦* < 107.5                  | 84.00000  | 1.73170 | 0.199               | 0.199             |  |
| 00            | 97.5               | ≦* < 102.5                  | 80.00000  | 1.69643 | 0.195               | 0.195             |  |
| -01           | 92.5               | ≦* < 97.5                   | 76.00000  | 1.66117 | 0.191               | 0.191             |  |
| -02           | 87.5               | ≦* < 92.5                   | 72.00000  | 1.62591 | 0.187               | 0.187             |  |
| -03           | 82.5               | ≦* < 87.5                   | 68.00000  | 1.59065 | 0.183               | 0.183             |  |
| -04           | 77.5               | ≦* < 82.5                   | 64.00000  | 1.55538 | 0.179               | 0.179             |  |
| -05           | 72.5               | ≦* < 77.5                   | 60.00000  | 1.52012 | 0.175               | 0.175             |  |
| -06           | 67.5               | ≦* < 72.5                   | 56.00000  | 1.48486 | 0.171               | 0.171             |  |
| -07           | 62.5               | ≦* < 67.5                   | 52.00000  | 1.44960 | 0.167               | 0.167             |  |
| -08           | 57.5               | ≦* < 62.5                   | 48.00000  | 1.41433 | 0.163               | 0.163             |  |
| -09           | 52.5               | ≦* < 57.5                   | 44.00000  | 1.37907 | 0.159               | 0.159             |  |
| -10           | 47.5               | ≦* < 52.5                   | 40.00000  | 1.34381 | 0.155               | 0.155             |  |
| -11           | 42.5               | ≦* < 47.5                   | 36.00000  | 1.30855 | 0.150               | 0.150             |  |
| -12           | 37.5               | ≦* < 42.5                   | 32.00000  | 1.27328 | 0.146               | 0.146             |  |
| -13           | 32.5               | ≦* < 37.5                   | 28.00000  | 1.23802 | 0.142               | 0.142             |  |
| -14           | 27.5               | ≦* < 32.5                   | 24.00000  | 1.20276 | 0.138               | 0.138             |  |
| -15           | 22.5               | ≦* < 27.5                   | 20.00000  | 1.16750 | 0.134               | 0.134             |  |
| -16           | 17.5               | ≦* < 22.5                   | 16.00000  | 1.13223 | 0.130               | 0.130             |  |
| -17           | 12.5               | ≦* < 17.5                   | 12.00000  | 1.09697 | 0.126               | 0.126             |  |
| -18           | 7.5                | ≦* < 12.5                   | 8.00000   | 1.06171 | 0.122               | 0.122             |  |
| -19           | 2.5                | ≦* < 7.5                    | 4.00000   | 1.02645 | 0.118               | 0.118             |  |
| -20           | 0.0                | ≦* < 2.5                    | 1.00000   | 1.00000 | 0.115               | 0.115             |  |
|               |                    |                             | 平均値       |         |                     |                   |  |
|               |                    |                             | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                      |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|----------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                      |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                      | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分               |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作一般F<br>(1万円特約) |         |                     | 1.164             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                  | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206            | 3.85143 | 2.242               | 2.242             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000            | 2.36642 | 1.377               | 1.377             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000            | 2.33116 | 1.357               | 1.357             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000            | 2.29590 | 1.336               | 1.336             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000            | 2.26063 | 1.316               | 1.316             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000            | 2.22537 | 1.295               | 1.295             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000            | 2.19011 | 1.275               | 1.275             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000            | 2.15485 | 1.254               | 1.254             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000            | 2.11958 | 1.234               | 1.234             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000            | 2.08432 | 1.213               | 1.213             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000            | 2.04906 | 1.193               | 1.193             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000            | 2.01380 | 1.172               | 1.172             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000            | 1.97853 | 1.152               | 1.152             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000            | 1.94327 | 1.131               | 1.131             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000            | 1.90801 | 1.110               | 1.110             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000            | 1.87275 | 1.090               | 1.090             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000             | 1.83748 | 1.069               | 1.069             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000             | 1.80222 | 1.049               | 1.049             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000             | 1.76696 | 1.028               | 1.028             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000             | 1.73170 | 1.008               | 1.008             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000             | 1.69643 | 0.987               | 0.987             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000             | 1.66117 | 0.967               | 0.967             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000             | 1.62591 | 0.946               | 0.946             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000             | 1.59065 | 0.926               | 0.926             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000             | 1.55538 | 0.905               | 0.905             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000             | 1.52012 | 0.885               | 0.885             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000             | 1.48486 | 0.864               | 0.864             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000             | 1.44960 | 0.844               | 0.844             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000             | 1.41433 | 0.823               | 0.823             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000             | 1.37907 | 0.803               | 0.803             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000             | 1.34381 | 0.782               | 0.782             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000             | 1.30855 | 0.762               | 0.762             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000             | 1.27328 | 0.741               | 0.741             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000             | 1.23802 | 0.721               | 0.721             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000             | 1.20276 | 0.700               | 0.700             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000             | 1.16750 | 0.679               | 0.679             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000             | 1.13223 | 0.659               | 0.659             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000             | 1.09697 | 0.638               | 0.638             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000              | 1.06171 | 0.618               | 0.618             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000              | 1.02645 | 0.597               | 0.597             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000              | 1.00000 | 0.582               | 0.582             |  |         |  |
|               |                    |            | 平均値                  |         |                     |                   |  |         |  |
|               |                    |            | 114.43488            | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                             |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|-----------------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                             |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                             | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                      |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作一般F集団<br>(1万円特約・集団割引) |         |                     | 1.106             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                         | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206                   | 3.85143 | 2.130               | 2.130             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                   | 2.36642 | 1.309               | 1.309             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                   | 2.33116 | 1.289               | 1.289             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                   | 2.29590 | 1.270               | 1.270             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                   | 2.26063 | 1.250               | 1.250             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                   | 2.22537 | 1.231               | 1.231             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                   | 2.19011 | 1.211               | 1.211             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                   | 2.15485 | 1.192               | 1.192             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                   | 2.11958 | 1.172               | 1.172             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                   | 2.08432 | 1.153               | 1.153             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                   | 2.04906 | 1.133               | 1.133             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                   | 2.01380 | 1.114               | 1.114             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                   | 1.97853 | 1.094               | 1.094             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                   | 1.94327 | 1.075               | 1.075             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                   | 1.90801 | 1.055               | 1.055             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                   | 1.87275 | 1.036               | 1.036             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                    | 1.83748 | 1.016               | 1.016             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                    | 1.80222 | 0.997               | 0.997             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                    | 1.76696 | 0.977               | 0.977             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                    | 1.73170 | 0.958               | 0.958             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                    | 1.69643 | 0.938               | 0.938             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                    | 1.66117 | 0.919               | 0.919             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                    | 1.62591 | 0.899               | 0.899             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                    | 1.59065 | 0.880               | 0.880             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                    | 1.55538 | 0.860               | 0.860             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                    | 1.52012 | 0.841               | 0.841             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                    | 1.48486 | 0.821               | 0.821             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                    | 1.44960 | 0.802               | 0.802             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                    | 1.41433 | 0.782               | 0.782             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                    | 1.37907 | 0.763               | 0.763             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                    | 1.34381 | 0.743               | 0.743             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                    | 1.30855 | 0.724               | 0.724             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                    | 1.27328 | 0.704               | 0.704             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                    | 1.23802 | 0.685               | 0.685             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                    | 1.20276 | 0.665               | 0.665             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                    | 1.16750 | 0.646               | 0.646             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                    | 1.13223 | 0.626               | 0.626             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                    | 1.09697 | 0.607               | 0.607             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                     | 1.06171 | 0.587               | 0.587             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                     | 1.02645 | 0.568               | 0.568             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                     | 1.00000 | 0.553               | 0.553             |  |         |  |
|               |                    |            | 平均値                         |         |                     |                   |  |         |  |
|               |                    |            | 114.43488                   | 2.00000 |                     |                   |  |         |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|--------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合          |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分             |         |                     |                   | 共済掛金標準率       |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆A<br>(3万円) |         |                     |                   | 0.035         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数               |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206          | 3.85143 | 0.067               | 0.067             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000          | 2.36642 | 0.041               | 0.041             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000          | 2.33116 | 0.041               | 0.041             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000          | 2.29590 | 0.040               | 0.040             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000          | 2.26063 | 0.040               | 0.040             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000          | 2.22537 | 0.039               | 0.039             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000          | 2.19011 | 0.038               | 0.038             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000          | 2.15485 | 0.038               | 0.038             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000          | 2.11958 | 0.037               | 0.037             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000          | 2.08432 | 0.036               | 0.036             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000          | 2.04906 | 0.036               | 0.036             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000          | 2.01380 | 0.035               | 0.035             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000          | 1.97853 | 0.035               | 0.035             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000          | 1.94327 | 0.034               | 0.034             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000          | 1.90801 | 0.033               | 0.033             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000          | 1.87275 | 0.033               | 0.033             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000           | 1.83748 | 0.032               | 0.032             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000           | 1.80222 | 0.032               | 0.032             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000           | 1.76696 | 0.031               | 0.031             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000           | 1.73170 | 0.030               | 0.030             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000           | 1.69643 | 0.030               | 0.030             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000           | 1.66117 | 0.029               | 0.029             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000           | 1.62591 | 0.028               | 0.028             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000           | 1.59065 | 0.028               | 0.028             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000           | 1.55538 | 0.027               | 0.027             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000           | 1.52012 | 0.027               | 0.027             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000           | 1.48486 | 0.026               | 0.026             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000           | 1.44960 | 0.025               | 0.025             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000           | 1.41433 | 0.025               | 0.025             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000           | 1.37907 | 0.024               | 0.024             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000           | 1.34381 | 0.024               | 0.024             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000           | 1.30855 | 0.023               | 0.023             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000           | 1.27328 | 0.022               | 0.022             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000           | 1.23802 | 0.022               | 0.022             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000           | 1.20276 | 0.021               | 0.021             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000           | 1.16750 | 0.020               | 0.020             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000           | 1.13223 | 0.020               | 0.020             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000           | 1.09697 | 0.019               | 0.019             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000            | 1.06171 | 0.019               | 0.019             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000            | 1.02645 | 0.018               | 0.018             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000            | 1.00000 | 0.017               | 0.017             |               |  |
|               |                    | 平均値                |         |                     |                   |               |  |
|               |                    | 114.43488          | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                       |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                 |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                       |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                    |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆A集団<br>(3万円・集団割引) |           |         |                     | 0.033             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                           | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                      | 324.45206 | 3.85143 | 0.064               | 0.064             |  |
| 19            | 192.5              | ≦* < 197.5                | 156.00000 | 2.36642 | 0.039               | 0.039             |  |
| 18            | 187.5              | ≦* < 192.5                | 152.00000 | 2.33116 | 0.038               | 0.038             |  |
| 17            | 182.5              | ≦* < 187.5                | 148.00000 | 2.29590 | 0.038               | 0.038             |  |
| 16            | 177.5              | ≦* < 182.5                | 144.00000 | 2.26063 | 0.037               | 0.037             |  |
| 15            | 172.5              | ≦* < 177.5                | 140.00000 | 2.22537 | 0.037               | 0.037             |  |
| 14            | 167.5              | ≦* < 172.5                | 136.00000 | 2.19011 | 0.036               | 0.036             |  |
| 13            | 162.5              | ≦* < 167.5                | 132.00000 | 2.15485 | 0.036               | 0.036             |  |
| 12            | 157.5              | ≦* < 162.5                | 128.00000 | 2.11958 | 0.035               | 0.035             |  |
| 11            | 152.5              | ≦* < 157.5                | 124.00000 | 2.08432 | 0.034               | 0.034             |  |
| 10            | 147.5              | ≦* < 152.5                | 120.00000 | 2.04906 | 0.034               | 0.034             |  |
| 09            | 142.5              | ≦* < 147.5                | 116.00000 | 2.01380 | 0.033               | 0.033             |  |
| 08            | 137.5              | ≦* < 142.5                | 112.00000 | 1.97853 | 0.033               | 0.033             |  |
| 07            | 132.5              | ≦* < 137.5                | 108.00000 | 1.94327 | 0.032               | 0.032             |  |
| 06            | 127.5              | ≦* < 132.5                | 104.00000 | 1.90801 | 0.031               | 0.031             |  |
| 05            | 122.5              | ≦* < 127.5                | 100.00000 | 1.87275 | 0.031               | 0.031             |  |
| 04            | 117.5              | ≦* < 122.5                | 96.00000  | 1.83748 | 0.030               | 0.030             |  |
| 03            | 112.5              | ≦* < 117.5                | 92.00000  | 1.80222 | 0.030               | 0.030             |  |
| 02            | 107.5              | ≦* < 112.5                | 88.00000  | 1.76696 | 0.029               | 0.029             |  |
| 01            | 102.5              | ≦* < 107.5                | 84.00000  | 1.73170 | 0.029               | 0.029             |  |
| 00            | 97.5               | ≦* < 102.5                | 80.00000  | 1.69643 | 0.028               | 0.028             |  |
| -01           | 92.5               | ≦* < 97.5                 | 76.00000  | 1.66117 | 0.027               | 0.027             |  |
| -02           | 87.5               | ≦* < 92.5                 | 72.00000  | 1.62591 | 0.027               | 0.027             |  |
| -03           | 82.5               | ≦* < 87.5                 | 68.00000  | 1.59065 | 0.026               | 0.026             |  |
| -04           | 77.5               | ≦* < 82.5                 | 64.00000  | 1.55538 | 0.026               | 0.026             |  |
| -05           | 72.5               | ≦* < 77.5                 | 60.00000  | 1.52012 | 0.025               | 0.025             |  |
| -06           | 67.5               | ≦* < 72.5                 | 56.00000  | 1.48486 | 0.025               | 0.025             |  |
| -07           | 62.5               | ≦* < 67.5                 | 52.00000  | 1.44960 | 0.024               | 0.024             |  |
| -08           | 57.5               | ≦* < 62.5                 | 48.00000  | 1.41433 | 0.023               | 0.023             |  |
| -09           | 52.5               | ≦* < 57.5                 | 44.00000  | 1.37907 | 0.023               | 0.023             |  |
| -10           | 47.5               | ≦* < 52.5                 | 40.00000  | 1.34381 | 0.022               | 0.022             |  |
| -11           | 42.5               | ≦* < 47.5                 | 36.00000  | 1.30855 | 0.022               | 0.022             |  |
| -12           | 37.5               | ≦* < 42.5                 | 32.00000  | 1.27328 | 0.021               | 0.021             |  |
| -13           | 32.5               | ≦* < 37.5                 | 28.00000  | 1.23802 | 0.020               | 0.020             |  |
| -14           | 27.5               | ≦* < 32.5                 | 24.00000  | 1.20276 | 0.020               | 0.020             |  |
| -15           | 22.5               | ≦* < 27.5                 | 20.00000  | 1.16750 | 0.019               | 0.019             |  |
| -16           | 17.5               | ≦* < 22.5                 | 16.00000  | 1.13223 | 0.019               | 0.019             |  |
| -17           | 12.5               | ≦* < 17.5                 | 12.00000  | 1.09697 | 0.018               | 0.018             |  |
| -18           | 7.5                | ≦* < 12.5                 | 8.00000   | 1.06171 | 0.018               | 0.018             |  |
| -19           | 2.5                | ≦* < 7.5                  | 4.00000   | 1.02645 | 0.017               | 0.017             |  |
| -20           | 0.0                | ≦* < 2.5                  | 1.00000   | 1.00000 | 0.016               | 0.016             |  |
|               |                    |                           | 平均値       |         |                     |                   |  |
|               |                    |                           | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合           |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                 |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分              |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆B<br>(10万円) |           |         |                     | 0.034             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                     | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                     | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                | 324.45206 | 3.85143 | 0.065               | 0.065             |  |
| 19            | 192.5              | ≦* < 197.5          | 156.00000 | 2.36642 | 0.040               | 0.040             |  |
| 18            | 187.5              | ≦* < 192.5          | 152.00000 | 2.33116 | 0.040               | 0.040             |  |
| 17            | 182.5              | ≦* < 187.5          | 148.00000 | 2.29590 | 0.039               | 0.039             |  |
| 16            | 177.5              | ≦* < 182.5          | 144.00000 | 2.26063 | 0.038               | 0.038             |  |
| 15            | 172.5              | ≦* < 177.5          | 140.00000 | 2.22537 | 0.038               | 0.038             |  |
| 14            | 167.5              | ≦* < 172.5          | 136.00000 | 2.19011 | 0.037               | 0.037             |  |
| 13            | 162.5              | ≦* < 167.5          | 132.00000 | 2.15485 | 0.037               | 0.037             |  |
| 12            | 157.5              | ≦* < 162.5          | 128.00000 | 2.11958 | 0.036               | 0.036             |  |
| 11            | 152.5              | ≦* < 157.5          | 124.00000 | 2.08432 | 0.035               | 0.035             |  |
| 10            | 147.5              | ≦* < 152.5          | 120.00000 | 2.04906 | 0.035               | 0.035             |  |
| 09            | 142.5              | ≦* < 147.5          | 116.00000 | 2.01380 | 0.034               | 0.034             |  |
| 08            | 137.5              | ≦* < 142.5          | 112.00000 | 1.97853 | 0.034               | 0.034             |  |
| 07            | 132.5              | ≦* < 137.5          | 108.00000 | 1.94327 | 0.033               | 0.033             |  |
| 06            | 127.5              | ≦* < 132.5          | 104.00000 | 1.90801 | 0.032               | 0.032             |  |
| 05            | 122.5              | ≦* < 127.5          | 100.00000 | 1.87275 | 0.032               | 0.032             |  |
| 04            | 117.5              | ≦* < 122.5          | 96.00000  | 1.83748 | 0.031               | 0.031             |  |
| 03            | 112.5              | ≦* < 117.5          | 92.00000  | 1.80222 | 0.031               | 0.031             |  |
| 02            | 107.5              | ≦* < 112.5          | 88.00000  | 1.76696 | 0.030               | 0.030             |  |
| 01            | 102.5              | ≦* < 107.5          | 84.00000  | 1.73170 | 0.029               | 0.029             |  |
| 00            | 97.5               | ≦* < 102.5          | 80.00000  | 1.69643 | 0.029               | 0.029             |  |
| -01           | 92.5               | ≦* < 97.5           | 76.00000  | 1.66117 | 0.028               | 0.028             |  |
| -02           | 87.5               | ≦* < 92.5           | 72.00000  | 1.62591 | 0.028               | 0.028             |  |
| -03           | 82.5               | ≦* < 87.5           | 68.00000  | 1.59065 | 0.027               | 0.027             |  |
| -04           | 77.5               | ≦* < 82.5           | 64.00000  | 1.55538 | 0.026               | 0.026             |  |
| -05           | 72.5               | ≦* < 77.5           | 60.00000  | 1.52012 | 0.026               | 0.026             |  |
| -06           | 67.5               | ≦* < 72.5           | 56.00000  | 1.48486 | 0.025               | 0.025             |  |
| -07           | 62.5               | ≦* < 67.5           | 52.00000  | 1.44960 | 0.025               | 0.025             |  |
| -08           | 57.5               | ≦* < 62.5           | 48.00000  | 1.41433 | 0.024               | 0.024             |  |
| -09           | 52.5               | ≦* < 57.5           | 44.00000  | 1.37907 | 0.023               | 0.023             |  |
| -10           | 47.5               | ≦* < 52.5           | 40.00000  | 1.34381 | 0.023               | 0.023             |  |
| -11           | 42.5               | ≦* < 47.5           | 36.00000  | 1.30855 | 0.022               | 0.022             |  |
| -12           | 37.5               | ≦* < 42.5           | 32.00000  | 1.27328 | 0.022               | 0.022             |  |
| -13           | 32.5               | ≦* < 37.5           | 28.00000  | 1.23802 | 0.021               | 0.021             |  |
| -14           | 27.5               | ≦* < 32.5           | 24.00000  | 1.20276 | 0.020               | 0.020             |  |
| -15           | 22.5               | ≦* < 27.5           | 20.00000  | 1.16750 | 0.020               | 0.020             |  |
| -16           | 17.5               | ≦* < 22.5           | 16.00000  | 1.13223 | 0.019               | 0.019             |  |
| -17           | 12.5               | ≦* < 17.5           | 12.00000  | 1.09697 | 0.019               | 0.019             |  |
| -18           | 7.5                | ≦* < 12.5           | 8.00000   | 1.06171 | 0.018               | 0.018             |  |
| -19           | 2.5                | ≦* < 7.5            | 4.00000   | 1.02645 | 0.017               | 0.017             |  |
| -20           | 0.0                | ≦* < 2.5            | 1.00000   | 1.00000 | 0.017               | 0.017             |  |
|               |                    |                     | 平均値       |         |                     |                   |  |
|               |                    |                     | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         | 広島県                        |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          | 広島県農業共済組合                  |           |         |                     |                   |  |
| 料率地域区分        | 000                        |           | 地域名     | 00000 都道府県の区域       |                   |  |
| 施設区分          | 共済掛金区分                     |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) | ガラスⅡ撤去被覆B集団<br>(10万円・集団割引) |           |         | 0.032               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%)         | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                            | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5 ≤* <                 | 324.45206 | 3.85143 | 0.062               | 0.062             |  |
| 19            | 192.5 ≤* < 197.5           | 156.00000 | 2.36642 | 0.038               | 0.038             |  |
| 18            | 187.5 ≤* < 192.5           | 152.00000 | 2.33116 | 0.037               | 0.037             |  |
| 17            | 182.5 ≤* < 187.5           | 148.00000 | 2.29590 | 0.037               | 0.037             |  |
| 16            | 177.5 ≤* < 182.5           | 144.00000 | 2.26063 | 0.036               | 0.036             |  |
| 15            | 172.5 ≤* < 177.5           | 140.00000 | 2.22537 | 0.036               | 0.036             |  |
| 14            | 167.5 ≤* < 172.5           | 136.00000 | 2.19011 | 0.035               | 0.035             |  |
| 13            | 162.5 ≤* < 167.5           | 132.00000 | 2.15485 | 0.034               | 0.034             |  |
| 12            | 157.5 ≤* < 162.5           | 128.00000 | 2.11958 | 0.034               | 0.034             |  |
| 11            | 152.5 ≤* < 157.5           | 124.00000 | 2.08432 | 0.033               | 0.033             |  |
| 10            | 147.5 ≤* < 152.5           | 120.00000 | 2.04906 | 0.033               | 0.033             |  |
| 09            | 142.5 ≤* < 147.5           | 116.00000 | 2.01380 | 0.032               | 0.032             |  |
| 08            | 137.5 ≤* < 142.5           | 112.00000 | 1.97853 | 0.032               | 0.032             |  |
| 07            | 132.5 ≤* < 137.5           | 108.00000 | 1.94327 | 0.031               | 0.031             |  |
| 06            | 127.5 ≤* < 132.5           | 104.00000 | 1.90801 | 0.031               | 0.031             |  |
| 05            | 122.5 ≤* < 127.5           | 100.00000 | 1.87275 | 0.030               | 0.030             |  |
| 04            | 117.5 ≤* < 122.5           | 96.00000  | 1.83748 | 0.029               | 0.029             |  |
| 03            | 112.5 ≤* < 117.5           | 92.00000  | 1.80222 | 0.029               | 0.029             |  |
| 02            | 107.5 ≤* < 112.5           | 88.00000  | 1.76696 | 0.028               | 0.028             |  |
| 01            | 102.5 ≤* < 107.5           | 84.00000  | 1.73170 | 0.028               | 0.028             |  |
| 00            | 97.5 ≤* < 102.5            | 80.00000  | 1.69643 | 0.027               | 0.027             |  |
| -01           | 92.5 ≤* < 97.5             | 76.00000  | 1.66117 | 0.027               | 0.027             |  |
| -02           | 87.5 ≤* < 92.5             | 72.00000  | 1.62591 | 0.026               | 0.026             |  |
| -03           | 82.5 ≤* < 87.5             | 68.00000  | 1.59065 | 0.025               | 0.025             |  |
| -04           | 77.5 ≤* < 82.5             | 64.00000  | 1.55538 | 0.025               | 0.025             |  |
| -05           | 72.5 ≤* < 77.5             | 60.00000  | 1.52012 | 0.024               | 0.024             |  |
| -06           | 67.5 ≤* < 72.5             | 56.00000  | 1.48486 | 0.024               | 0.024             |  |
| -07           | 62.5 ≤* < 67.5             | 52.00000  | 1.44960 | 0.023               | 0.023             |  |
| -08           | 57.5 ≤* < 62.5             | 48.00000  | 1.41433 | 0.023               | 0.023             |  |
| -09           | 52.5 ≤* < 57.5             | 44.00000  | 1.37907 | 0.022               | 0.022             |  |
| -10           | 47.5 ≤* < 52.5             | 40.00000  | 1.34381 | 0.022               | 0.022             |  |
| -11           | 42.5 ≤* < 47.5             | 36.00000  | 1.30855 | 0.021               | 0.021             |  |
| -12           | 37.5 ≤* < 42.5             | 32.00000  | 1.27328 | 0.020               | 0.020             |  |
| -13           | 32.5 ≤* < 37.5             | 28.00000  | 1.23802 | 0.020               | 0.020             |  |
| -14           | 27.5 ≤* < 32.5             | 24.00000  | 1.20276 | 0.019               | 0.019             |  |
| -15           | 22.5 ≤* < 27.5             | 20.00000  | 1.16750 | 0.019               | 0.019             |  |
| -16           | 17.5 ≤* < 22.5             | 16.00000  | 1.13223 | 0.018               | 0.018             |  |
| -17           | 12.5 ≤* < 17.5             | 12.00000  | 1.09697 | 0.018               | 0.018             |  |
| -18           | 7.5 ≤* < 12.5              | 8.00000   | 1.06171 | 0.017               | 0.017             |  |
| -19           | 2.5 ≤* < 7.5               | 4.00000   | 1.02645 | 0.016               | 0.016             |  |
| -20           | 0.0 ≤* < 2.5               | 1.00000   | 1.00000 | 0.016               | 0.016             |  |
|               |                            | 平均値       |         |                     |                   |  |
|               |                            | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                     |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|---------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                     |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                     | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分              |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ撤去被覆C<br>(20万円) |         |                     | 0.033             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                 | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206           | 3.85143 | 0.064               | 0.064             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000           | 2.36642 | 0.039               | 0.039             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000           | 2.33116 | 0.038               | 0.038             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000           | 2.29590 | 0.038               | 0.038             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000           | 2.26063 | 0.037               | 0.037             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000           | 2.22537 | 0.037               | 0.037             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000           | 2.19011 | 0.036               | 0.036             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000           | 2.15485 | 0.036               | 0.036             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000           | 2.11958 | 0.035               | 0.035             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000           | 2.08432 | 0.034               | 0.034             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000           | 2.04906 | 0.034               | 0.034             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000           | 2.01380 | 0.033               | 0.033             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000           | 1.97853 | 0.033               | 0.033             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000           | 1.94327 | 0.032               | 0.032             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000           | 1.90801 | 0.031               | 0.031             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000           | 1.87275 | 0.031               | 0.031             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000            | 1.83748 | 0.030               | 0.030             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000            | 1.80222 | 0.030               | 0.030             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000            | 1.76696 | 0.029               | 0.029             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000            | 1.73170 | 0.029               | 0.029             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000            | 1.69643 | 0.028               | 0.028             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000            | 1.66117 | 0.027               | 0.027             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000            | 1.62591 | 0.027               | 0.027             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000            | 1.59065 | 0.026               | 0.026             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000            | 1.55538 | 0.026               | 0.026             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000            | 1.52012 | 0.025               | 0.025             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000            | 1.48486 | 0.025               | 0.025             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000            | 1.44960 | 0.024               | 0.024             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000            | 1.41433 | 0.023               | 0.023             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000            | 1.37907 | 0.023               | 0.023             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000            | 1.34381 | 0.022               | 0.022             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000            | 1.30855 | 0.022               | 0.022             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000            | 1.27328 | 0.021               | 0.021             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000            | 1.23802 | 0.020               | 0.020             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000            | 1.20276 | 0.020               | 0.020             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000            | 1.16750 | 0.019               | 0.019             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000            | 1.13223 | 0.019               | 0.019             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000            | 1.09697 | 0.018               | 0.018             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000             | 1.06171 | 0.018               | 0.018             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000             | 1.02645 | 0.017               | 0.017             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000             | 1.00000 | 0.016               | 0.016             |  |         |  |
|               |                    |            | 平均値                 |         |                     |                   |  |         |  |
|               |                    |            | 114.43488           | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                        |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                  |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                        |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                     |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆C集団<br>(20万円・集団割引) |           |         |                     | 0.031             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                            | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                            | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                       | 324.45206 | 3.85143 | 0.060               | 0.060             |  |
| 19            | 192.5              | ≦* < 197.5                 | 156.00000 | 2.36642 | 0.037               | 0.037             |  |
| 18            | 187.5              | ≦* < 192.5                 | 152.00000 | 2.33116 | 0.036               | 0.036             |  |
| 17            | 182.5              | ≦* < 187.5                 | 148.00000 | 2.29590 | 0.036               | 0.036             |  |
| 16            | 177.5              | ≦* < 182.5                 | 144.00000 | 2.26063 | 0.035               | 0.035             |  |
| 15            | 172.5              | ≦* < 177.5                 | 140.00000 | 2.22537 | 0.034               | 0.034             |  |
| 14            | 167.5              | ≦* < 172.5                 | 136.00000 | 2.19011 | 0.034               | 0.034             |  |
| 13            | 162.5              | ≦* < 167.5                 | 132.00000 | 2.15485 | 0.033               | 0.033             |  |
| 12            | 157.5              | ≦* < 162.5                 | 128.00000 | 2.11958 | 0.033               | 0.033             |  |
| 11            | 152.5              | ≦* < 157.5                 | 124.00000 | 2.08432 | 0.032               | 0.032             |  |
| 10            | 147.5              | ≦* < 152.5                 | 120.00000 | 2.04906 | 0.032               | 0.032             |  |
| 09            | 142.5              | ≦* < 147.5                 | 116.00000 | 2.01380 | 0.031               | 0.031             |  |
| 08            | 137.5              | ≦* < 142.5                 | 112.00000 | 1.97853 | 0.031               | 0.031             |  |
| 07            | 132.5              | ≦* < 137.5                 | 108.00000 | 1.94327 | 0.030               | 0.030             |  |
| 06            | 127.5              | ≦* < 132.5                 | 104.00000 | 1.90801 | 0.030               | 0.030             |  |
| 05            | 122.5              | ≦* < 127.5                 | 100.00000 | 1.87275 | 0.029               | 0.029             |  |
| 04            | 117.5              | ≦* < 122.5                 | 96.00000  | 1.83748 | 0.028               | 0.028             |  |
| 03            | 112.5              | ≦* < 117.5                 | 92.00000  | 1.80222 | 0.028               | 0.028             |  |
| 02            | 107.5              | ≦* < 112.5                 | 88.00000  | 1.76696 | 0.027               | 0.027             |  |
| 01            | 102.5              | ≦* < 107.5                 | 84.00000  | 1.73170 | 0.027               | 0.027             |  |
| 00            | 97.5               | ≦* < 102.5                 | 80.00000  | 1.69643 | 0.026               | 0.026             |  |
| -01           | 92.5               | ≦* < 97.5                  | 76.00000  | 1.66117 | 0.026               | 0.026             |  |
| -02           | 87.5               | ≦* < 92.5                  | 72.00000  | 1.62591 | 0.025               | 0.025             |  |
| -03           | 82.5               | ≦* < 87.5                  | 68.00000  | 1.59065 | 0.025               | 0.025             |  |
| -04           | 77.5               | ≦* < 82.5                  | 64.00000  | 1.55538 | 0.024               | 0.024             |  |
| -05           | 72.5               | ≦* < 77.5                  | 60.00000  | 1.52012 | 0.024               | 0.024             |  |
| -06           | 67.5               | ≦* < 72.5                  | 56.00000  | 1.48486 | 0.023               | 0.023             |  |
| -07           | 62.5               | ≦* < 67.5                  | 52.00000  | 1.44960 | 0.022               | 0.022             |  |
| -08           | 57.5               | ≦* < 62.5                  | 48.00000  | 1.41433 | 0.022               | 0.022             |  |
| -09           | 52.5               | ≦* < 57.5                  | 44.00000  | 1.37907 | 0.021               | 0.021             |  |
| -10           | 47.5               | ≦* < 52.5                  | 40.00000  | 1.34381 | 0.021               | 0.021             |  |
| -11           | 42.5               | ≦* < 47.5                  | 36.00000  | 1.30855 | 0.020               | 0.020             |  |
| -12           | 37.5               | ≦* < 42.5                  | 32.00000  | 1.27328 | 0.020               | 0.020             |  |
| -13           | 32.5               | ≦* < 37.5                  | 28.00000  | 1.23802 | 0.019               | 0.019             |  |
| -14           | 27.5               | ≦* < 32.5                  | 24.00000  | 1.20276 | 0.019               | 0.019             |  |
| -15           | 22.5               | ≦* < 27.5                  | 20.00000  | 1.16750 | 0.018               | 0.018             |  |
| -16           | 17.5               | ≦* < 22.5                  | 16.00000  | 1.13223 | 0.018               | 0.018             |  |
| -17           | 12.5               | ≦* < 17.5                  | 12.00000  | 1.09697 | 0.017               | 0.017             |  |
| -18           | 7.5                | ≦* < 12.5                  | 8.00000   | 1.06171 | 0.016               | 0.016             |  |
| -19           | 2.5                | ≦* < 7.5                   | 4.00000   | 1.02645 | 0.016               | 0.016             |  |
| -20           | 0.0                | ≦* < 2.5                   | 1.00000   | 1.00000 | 0.015               | 0.015             |  |
|               |                    |                            | 平均値       |         |                     |                   |  |
|               |                    |                            | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                     |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|---------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                     |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                     | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分              |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ撤去被覆D<br>(50万円) |         |                     | 0.032             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                 | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206           | 3.85143 | 0.062               | 0.062             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000           | 2.36642 | 0.038               | 0.038             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000           | 2.33116 | 0.037               | 0.037             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000           | 2.29590 | 0.037               | 0.037             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000           | 2.26063 | 0.036               | 0.036             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000           | 2.22537 | 0.036               | 0.036             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000           | 2.19011 | 0.035               | 0.035             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000           | 2.15485 | 0.034               | 0.034             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000           | 2.11958 | 0.034               | 0.034             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000           | 2.08432 | 0.033               | 0.033             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000           | 2.04906 | 0.033               | 0.033             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000           | 2.01380 | 0.032               | 0.032             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000           | 1.97853 | 0.032               | 0.032             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000           | 1.94327 | 0.031               | 0.031             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000           | 1.90801 | 0.031               | 0.031             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000           | 1.87275 | 0.030               | 0.030             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000            | 1.83748 | 0.029               | 0.029             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000            | 1.80222 | 0.029               | 0.029             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000            | 1.76696 | 0.028               | 0.028             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000            | 1.73170 | 0.028               | 0.028             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000            | 1.69643 | 0.027               | 0.027             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000            | 1.66117 | 0.027               | 0.027             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000            | 1.62591 | 0.026               | 0.026             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000            | 1.59065 | 0.025               | 0.025             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000            | 1.55538 | 0.025               | 0.025             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000            | 1.52012 | 0.024               | 0.024             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000            | 1.48486 | 0.024               | 0.024             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000            | 1.44960 | 0.023               | 0.023             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000            | 1.41433 | 0.023               | 0.023             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000            | 1.37907 | 0.022               | 0.022             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000            | 1.34381 | 0.022               | 0.022             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000            | 1.30855 | 0.021               | 0.021             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000            | 1.27328 | 0.020               | 0.020             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000            | 1.23802 | 0.020               | 0.020             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000            | 1.20276 | 0.019               | 0.019             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000            | 1.16750 | 0.019               | 0.019             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000            | 1.13223 | 0.018               | 0.018             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000            | 1.09697 | 0.018               | 0.018             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000             | 1.06171 | 0.017               | 0.017             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000             | 1.02645 | 0.016               | 0.016             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000             | 1.00000 | 0.016               | 0.016             |  |         |  |
|               |                    |            | 平均値                 |         |                     |                   |  |         |  |
|               |                    |            | 114.43488           | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                            | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------|----------------------------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合  |                            |         |                     |                   |  |
| 料率地域区分        |                    | 000        |                            | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    |            | 共済掛金区分                     |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ撤去被覆D集団<br>(50万円・集団割引) |         |                     | 0.030             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |            | 圧縮前                        | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <       | 324.45206                  | 3.85143 | 0.058               | 0.058             |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                  | 2.36642 | 0.035               | 0.035             |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                  | 2.33116 | 0.035               | 0.035             |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                  | 2.29590 | 0.034               | 0.034             |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                  | 2.26063 | 0.034               | 0.034             |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                  | 2.22537 | 0.033               | 0.033             |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                  | 2.19011 | 0.033               | 0.033             |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                  | 2.15485 | 0.032               | 0.032             |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                  | 2.11958 | 0.032               | 0.032             |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                  | 2.08432 | 0.031               | 0.031             |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                  | 2.04906 | 0.031               | 0.031             |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                  | 2.01380 | 0.030               | 0.030             |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                  | 1.97853 | 0.030               | 0.030             |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                  | 1.94327 | 0.029               | 0.029             |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                  | 1.90801 | 0.029               | 0.029             |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                  | 1.87275 | 0.028               | 0.028             |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                   | 1.83748 | 0.028               | 0.028             |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                   | 1.80222 | 0.027               | 0.027             |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                   | 1.76696 | 0.027               | 0.027             |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                   | 1.73170 | 0.026               | 0.026             |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                   | 1.69643 | 0.025               | 0.025             |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                   | 1.66117 | 0.025               | 0.025             |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                   | 1.62591 | 0.024               | 0.024             |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                   | 1.59065 | 0.024               | 0.024             |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                   | 1.55538 | 0.023               | 0.023             |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                   | 1.52012 | 0.023               | 0.023             |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                   | 1.48486 | 0.022               | 0.022             |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                   | 1.44960 | 0.022               | 0.022             |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                   | 1.41433 | 0.021               | 0.021             |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                   | 1.37907 | 0.021               | 0.021             |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                   | 1.34381 | 0.020               | 0.020             |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                   | 1.30855 | 0.020               | 0.020             |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                   | 1.27328 | 0.019               | 0.019             |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                   | 1.23802 | 0.019               | 0.019             |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                   | 1.20276 | 0.018               | 0.018             |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                   | 1.16750 | 0.018               | 0.018             |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                   | 1.13223 | 0.017               | 0.017             |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                   | 1.09697 | 0.016               | 0.016             |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                    | 1.06171 | 0.016               | 0.016             |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                    | 1.02645 | 0.015               | 0.015             |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                    | 1.00000 | 0.015               | 0.015             |  |
|               |                    |            | 平均値                        |         |                     |                   |  |
|               |                    |            | 114.43488                  | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合            |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                  |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分               |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆E<br>(100万円) |         |                     | 0.031             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                  | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206            | 3.85143 | 0.060               | 0.060             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000            | 2.36642 | 0.037               | 0.037             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000            | 2.33116 | 0.036               | 0.036             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000            | 2.29590 | 0.036               | 0.036             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000            | 2.26063 | 0.035               | 0.035             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000            | 2.22537 | 0.034               | 0.034             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000            | 2.19011 | 0.034               | 0.034             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000            | 2.15485 | 0.033               | 0.033             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000            | 2.11958 | 0.033               | 0.033             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000            | 2.08432 | 0.032               | 0.032             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000            | 2.04906 | 0.032               | 0.032             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000            | 2.01380 | 0.031               | 0.031             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000            | 1.97853 | 0.031               | 0.031             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000            | 1.94327 | 0.030               | 0.030             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000            | 1.90801 | 0.030               | 0.030             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000            | 1.87275 | 0.029               | 0.029             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000             | 1.83748 | 0.028               | 0.028             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000             | 1.80222 | 0.028               | 0.028             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000             | 1.76696 | 0.027               | 0.027             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000             | 1.73170 | 0.027               | 0.027             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000             | 1.69643 | 0.026               | 0.026             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000             | 1.66117 | 0.026               | 0.026             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000             | 1.62591 | 0.025               | 0.025             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000             | 1.59065 | 0.025               | 0.025             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000             | 1.55538 | 0.024               | 0.024             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000             | 1.52012 | 0.024               | 0.024             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000             | 1.48486 | 0.023               | 0.023             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000             | 1.44960 | 0.022               | 0.022             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000             | 1.41433 | 0.022               | 0.022             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000             | 1.37907 | 0.021               | 0.021             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000             | 1.34381 | 0.021               | 0.021             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000             | 1.30855 | 0.020               | 0.020             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000             | 1.27328 | 0.020               | 0.020             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000             | 1.23802 | 0.019               | 0.019             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000             | 1.20276 | 0.019               | 0.019             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000             | 1.16750 | 0.018               | 0.018             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000             | 1.13223 | 0.018               | 0.018             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000             | 1.09697 | 0.017               | 0.017             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000              | 1.06171 | 0.016               | 0.016             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000              | 1.02645 | 0.016               | 0.016             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000              | 1.00000 | 0.015               | 0.015             |               |  |
|               |                    | 平均値                  |         |                     |                   |               |  |
|               |                    | 114.43488            | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                         |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                   |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                         |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                      |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆E集団<br>(100万円・集団割引) |           |         |                     | 0.029             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                             | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                             | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                        | 324.45206 | 3.85143 | 0.056               | 0.056             |  |
| 19            | 192.5              | ≦* < 197.5                  | 156.00000 | 2.36642 | 0.034               | 0.034             |  |
| 18            | 187.5              | ≦* < 192.5                  | 152.00000 | 2.33116 | 0.034               | 0.034             |  |
| 17            | 182.5              | ≦* < 187.5                  | 148.00000 | 2.29590 | 0.033               | 0.033             |  |
| 16            | 177.5              | ≦* < 182.5                  | 144.00000 | 2.26063 | 0.033               | 0.033             |  |
| 15            | 172.5              | ≦* < 177.5                  | 140.00000 | 2.22537 | 0.032               | 0.032             |  |
| 14            | 167.5              | ≦* < 172.5                  | 136.00000 | 2.19011 | 0.032               | 0.032             |  |
| 13            | 162.5              | ≦* < 167.5                  | 132.00000 | 2.15485 | 0.031               | 0.031             |  |
| 12            | 157.5              | ≦* < 162.5                  | 128.00000 | 2.11958 | 0.031               | 0.031             |  |
| 11            | 152.5              | ≦* < 157.5                  | 124.00000 | 2.08432 | 0.030               | 0.030             |  |
| 10            | 147.5              | ≦* < 152.5                  | 120.00000 | 2.04906 | 0.030               | 0.030             |  |
| 09            | 142.5              | ≦* < 147.5                  | 116.00000 | 2.01380 | 0.029               | 0.029             |  |
| 08            | 137.5              | ≦* < 142.5                  | 112.00000 | 1.97853 | 0.029               | 0.029             |  |
| 07            | 132.5              | ≦* < 137.5                  | 108.00000 | 1.94327 | 0.028               | 0.028             |  |
| 06            | 127.5              | ≦* < 132.5                  | 104.00000 | 1.90801 | 0.028               | 0.028             |  |
| 05            | 122.5              | ≦* < 127.5                  | 100.00000 | 1.87275 | 0.027               | 0.027             |  |
| 04            | 117.5              | ≦* < 122.5                  | 96.00000  | 1.83748 | 0.027               | 0.027             |  |
| 03            | 112.5              | ≦* < 117.5                  | 92.00000  | 1.80222 | 0.026               | 0.026             |  |
| 02            | 107.5              | ≦* < 112.5                  | 88.00000  | 1.76696 | 0.026               | 0.026             |  |
| 01            | 102.5              | ≦* < 107.5                  | 84.00000  | 1.73170 | 0.025               | 0.025             |  |
| 00            | 97.5               | ≦* < 102.5                  | 80.00000  | 1.69643 | 0.025               | 0.025             |  |
| -01           | 92.5               | ≦* < 97.5                   | 76.00000  | 1.66117 | 0.024               | 0.024             |  |
| -02           | 87.5               | ≦* < 92.5                   | 72.00000  | 1.62591 | 0.024               | 0.024             |  |
| -03           | 82.5               | ≦* < 87.5                   | 68.00000  | 1.59065 | 0.023               | 0.023             |  |
| -04           | 77.5               | ≦* < 82.5                   | 64.00000  | 1.55538 | 0.023               | 0.023             |  |
| -05           | 72.5               | ≦* < 77.5                   | 60.00000  | 1.52012 | 0.022               | 0.022             |  |
| -06           | 67.5               | ≦* < 72.5                   | 56.00000  | 1.48486 | 0.022               | 0.022             |  |
| -07           | 62.5               | ≦* < 67.5                   | 52.00000  | 1.44960 | 0.021               | 0.021             |  |
| -08           | 57.5               | ≦* < 62.5                   | 48.00000  | 1.41433 | 0.021               | 0.021             |  |
| -09           | 52.5               | ≦* < 57.5                   | 44.00000  | 1.37907 | 0.020               | 0.020             |  |
| -10           | 47.5               | ≦* < 52.5                   | 40.00000  | 1.34381 | 0.019               | 0.019             |  |
| -11           | 42.5               | ≦* < 47.5                   | 36.00000  | 1.30855 | 0.019               | 0.019             |  |
| -12           | 37.5               | ≦* < 42.5                   | 32.00000  | 1.27328 | 0.018               | 0.018             |  |
| -13           | 32.5               | ≦* < 37.5                   | 28.00000  | 1.23802 | 0.018               | 0.018             |  |
| -14           | 27.5               | ≦* < 32.5                   | 24.00000  | 1.20276 | 0.017               | 0.017             |  |
| -15           | 22.5               | ≦* < 27.5                   | 20.00000  | 1.16750 | 0.017               | 0.017             |  |
| -16           | 17.5               | ≦* < 22.5                   | 16.00000  | 1.13223 | 0.016               | 0.016             |  |
| -17           | 12.5               | ≦* < 17.5                   | 12.00000  | 1.09697 | 0.016               | 0.016             |  |
| -18           | 7.5                | ≦* < 12.5                   | 8.00000   | 1.06171 | 0.015               | 0.015             |  |
| -19           | 2.5                | ≦* < 7.5                    | 4.00000   | 1.02645 | 0.015               | 0.015             |  |
| -20           | 0.0                | ≦* < 2.5                    | 1.00000   | 1.00000 | 0.014               | 0.014             |  |
|               |                    |                             | 平均値       |         |                     |                   |  |
|               |                    |                             | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合            |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                  |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分               |         |                     |                   | 共済掛金標準率       |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆F<br>(1万円特約) |         |                     |                   | 0.036         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                  | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206            | 3.85143 | 0.069               | 0.069             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000            | 2.36642 | 0.043               | 0.043             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000            | 2.33116 | 0.042               | 0.042             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000            | 2.29590 | 0.041               | 0.041             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000            | 2.26063 | 0.041               | 0.041             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000            | 2.22537 | 0.040               | 0.040             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000            | 2.19011 | 0.039               | 0.039             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000            | 2.15485 | 0.039               | 0.039             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000            | 2.11958 | 0.038               | 0.038             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000            | 2.08432 | 0.038               | 0.038             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000            | 2.04906 | 0.037               | 0.037             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000            | 2.01380 | 0.036               | 0.036             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000            | 1.97853 | 0.036               | 0.036             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000            | 1.94327 | 0.035               | 0.035             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000            | 1.90801 | 0.034               | 0.034             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000            | 1.87275 | 0.034               | 0.034             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000             | 1.83748 | 0.033               | 0.033             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000             | 1.80222 | 0.032               | 0.032             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000             | 1.76696 | 0.032               | 0.032             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000             | 1.73170 | 0.031               | 0.031             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000             | 1.69643 | 0.031               | 0.031             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000             | 1.66117 | 0.030               | 0.030             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000             | 1.62591 | 0.029               | 0.029             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000             | 1.59065 | 0.029               | 0.029             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000             | 1.55538 | 0.028               | 0.028             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000             | 1.52012 | 0.027               | 0.027             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000             | 1.48486 | 0.027               | 0.027             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000             | 1.44960 | 0.026               | 0.026             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000             | 1.41433 | 0.025               | 0.025             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000             | 1.37907 | 0.025               | 0.025             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000             | 1.34381 | 0.024               | 0.024             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000             | 1.30855 | 0.024               | 0.024             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000             | 1.27328 | 0.023               | 0.023             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000             | 1.23802 | 0.022               | 0.022             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000             | 1.20276 | 0.022               | 0.022             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000             | 1.16750 | 0.021               | 0.021             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000             | 1.13223 | 0.020               | 0.020             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000             | 1.09697 | 0.020               | 0.020             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000              | 1.06171 | 0.019               | 0.019             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000              | 1.02645 | 0.018               | 0.018             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000              | 1.00000 | 0.018               | 0.018             |               |  |
|               |                    | 平均値                  |         |                     |                   |               |  |
|               |                    | 114.43488            | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                         |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                   |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                         |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                      |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ撤去被覆F集団<br>(1万円特約・集団割引) |           |         |                     | 0.034             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                             | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                             | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                        | 324.45206 | 3.85143 | 0.065               | 0.065             |  |
| 19            | 192.5              | ≦* < 197.5                  | 156.00000 | 2.36642 | 0.040               | 0.040             |  |
| 18            | 187.5              | ≦* < 192.5                  | 152.00000 | 2.33116 | 0.040               | 0.040             |  |
| 17            | 182.5              | ≦* < 187.5                  | 148.00000 | 2.29590 | 0.039               | 0.039             |  |
| 16            | 177.5              | ≦* < 182.5                  | 144.00000 | 2.26063 | 0.038               | 0.038             |  |
| 15            | 172.5              | ≦* < 177.5                  | 140.00000 | 2.22537 | 0.038               | 0.038             |  |
| 14            | 167.5              | ≦* < 172.5                  | 136.00000 | 2.19011 | 0.037               | 0.037             |  |
| 13            | 162.5              | ≦* < 167.5                  | 132.00000 | 2.15485 | 0.037               | 0.037             |  |
| 12            | 157.5              | ≦* < 162.5                  | 128.00000 | 2.11958 | 0.036               | 0.036             |  |
| 11            | 152.5              | ≦* < 157.5                  | 124.00000 | 2.08432 | 0.035               | 0.035             |  |
| 10            | 147.5              | ≦* < 152.5                  | 120.00000 | 2.04906 | 0.035               | 0.035             |  |
| 09            | 142.5              | ≦* < 147.5                  | 116.00000 | 2.01380 | 0.034               | 0.034             |  |
| 08            | 137.5              | ≦* < 142.5                  | 112.00000 | 1.97853 | 0.034               | 0.034             |  |
| 07            | 132.5              | ≦* < 137.5                  | 108.00000 | 1.94327 | 0.033               | 0.033             |  |
| 06            | 127.5              | ≦* < 132.5                  | 104.00000 | 1.90801 | 0.032               | 0.032             |  |
| 05            | 122.5              | ≦* < 127.5                  | 100.00000 | 1.87275 | 0.032               | 0.032             |  |
| 04            | 117.5              | ≦* < 122.5                  | 96.00000  | 1.83748 | 0.031               | 0.031             |  |
| 03            | 112.5              | ≦* < 117.5                  | 92.00000  | 1.80222 | 0.031               | 0.031             |  |
| 02            | 107.5              | ≦* < 112.5                  | 88.00000  | 1.76696 | 0.030               | 0.030             |  |
| 01            | 102.5              | ≦* < 107.5                  | 84.00000  | 1.73170 | 0.029               | 0.029             |  |
| 00            | 97.5               | ≦* < 102.5                  | 80.00000  | 1.69643 | 0.029               | 0.029             |  |
| -01           | 92.5               | ≦* < 97.5                   | 76.00000  | 1.66117 | 0.028               | 0.028             |  |
| -02           | 87.5               | ≦* < 92.5                   | 72.00000  | 1.62591 | 0.028               | 0.028             |  |
| -03           | 82.5               | ≦* < 87.5                   | 68.00000  | 1.59065 | 0.027               | 0.027             |  |
| -04           | 77.5               | ≦* < 82.5                   | 64.00000  | 1.55538 | 0.026               | 0.026             |  |
| -05           | 72.5               | ≦* < 77.5                   | 60.00000  | 1.52012 | 0.026               | 0.026             |  |
| -06           | 67.5               | ≦* < 72.5                   | 56.00000  | 1.48486 | 0.025               | 0.025             |  |
| -07           | 62.5               | ≦* < 67.5                   | 52.00000  | 1.44960 | 0.025               | 0.025             |  |
| -08           | 57.5               | ≦* < 62.5                   | 48.00000  | 1.41433 | 0.024               | 0.024             |  |
| -09           | 52.5               | ≦* < 57.5                   | 44.00000  | 1.37907 | 0.023               | 0.023             |  |
| -10           | 47.5               | ≦* < 52.5                   | 40.00000  | 1.34381 | 0.023               | 0.023             |  |
| -11           | 42.5               | ≦* < 47.5                   | 36.00000  | 1.30855 | 0.022               | 0.022             |  |
| -12           | 37.5               | ≦* < 42.5                   | 32.00000  | 1.27328 | 0.022               | 0.022             |  |
| -13           | 32.5               | ≦* < 37.5                   | 28.00000  | 1.23802 | 0.021               | 0.021             |  |
| -14           | 27.5               | ≦* < 32.5                   | 24.00000  | 1.20276 | 0.020               | 0.020             |  |
| -15           | 22.5               | ≦* < 27.5                   | 20.00000  | 1.16750 | 0.020               | 0.020             |  |
| -16           | 17.5               | ≦* < 22.5                   | 16.00000  | 1.13223 | 0.019               | 0.019             |  |
| -17           | 12.5               | ≦* < 17.5                   | 12.00000  | 1.09697 | 0.019               | 0.019             |  |
| -18           | 7.5                | ≦* < 12.5                   | 8.00000   | 1.06171 | 0.018               | 0.018             |  |
| -19           | 2.5                | ≦* < 7.5                    | 4.00000   | 1.02645 | 0.017               | 0.017             |  |
| -20           | 0.0                | ≦* < 2.5                    | 1.00000   | 1.00000 | 0.017               | 0.017             |  |
|               |                    |                             | 平均値       |         |                     |                   |  |
|               |                    |                             | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                    |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|--------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                    |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                    | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分             |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ復旧被覆A<br>(3万円) |         |                     | 0.028             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数               |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206          | 3.85143 | 0.054               | 0.054             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000          | 2.36642 | 0.033               | 0.033             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000          | 2.33116 | 0.033               | 0.033             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000          | 2.29590 | 0.032               | 0.032             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000          | 2.26063 | 0.032               | 0.032             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000          | 2.22537 | 0.031               | 0.031             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000          | 2.19011 | 0.031               | 0.031             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000          | 2.15485 | 0.030               | 0.030             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000          | 2.11958 | 0.030               | 0.030             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000          | 2.08432 | 0.029               | 0.029             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000          | 2.04906 | 0.029               | 0.029             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000          | 2.01380 | 0.028               | 0.028             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000          | 1.97853 | 0.028               | 0.028             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000          | 1.94327 | 0.027               | 0.027             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000          | 1.90801 | 0.027               | 0.027             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000          | 1.87275 | 0.026               | 0.026             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000           | 1.83748 | 0.026               | 0.026             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000           | 1.80222 | 0.025               | 0.025             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000           | 1.76696 | 0.025               | 0.025             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000           | 1.73170 | 0.024               | 0.024             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000           | 1.69643 | 0.024               | 0.024             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000           | 1.66117 | 0.023               | 0.023             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000           | 1.62591 | 0.023               | 0.023             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000           | 1.59065 | 0.022               | 0.022             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000           | 1.55538 | 0.022               | 0.022             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000           | 1.52012 | 0.021               | 0.021             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000           | 1.48486 | 0.021               | 0.021             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000           | 1.44960 | 0.020               | 0.020             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000           | 1.41433 | 0.020               | 0.020             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000           | 1.37907 | 0.019               | 0.019             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000           | 1.34381 | 0.019               | 0.019             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000           | 1.30855 | 0.018               | 0.018             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000           | 1.27328 | 0.018               | 0.018             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000           | 1.23802 | 0.017               | 0.017             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000           | 1.20276 | 0.017               | 0.017             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000           | 1.16750 | 0.016               | 0.016             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000           | 1.13223 | 0.016               | 0.016             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000           | 1.09697 | 0.015               | 0.015             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000            | 1.06171 | 0.015               | 0.015             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000            | 1.02645 | 0.014               | 0.014             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000            | 1.00000 | 0.014               | 0.014             |  |         |  |
|               |                    |            | 平均値                |         |                     |                   |  |         |  |
|               |                    |            | 114.43488          | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                       |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|---------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                 |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                       |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                    |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆A集団<br>(3万円・集団割引) |           |         | 0.027               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                           | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                      | 324.45206 | 3.85143 | 0.052               | 0.052             |  |
| 19            | 192.5              | ≦* < 197.5                | 156.00000 | 2.36642 | 0.032               | 0.032             |  |
| 18            | 187.5              | ≦* < 192.5                | 152.00000 | 2.33116 | 0.031               | 0.031             |  |
| 17            | 182.5              | ≦* < 187.5                | 148.00000 | 2.29590 | 0.031               | 0.031             |  |
| 16            | 177.5              | ≦* < 182.5                | 144.00000 | 2.26063 | 0.031               | 0.031             |  |
| 15            | 172.5              | ≦* < 177.5                | 140.00000 | 2.22537 | 0.030               | 0.030             |  |
| 14            | 167.5              | ≦* < 172.5                | 136.00000 | 2.19011 | 0.030               | 0.030             |  |
| 13            | 162.5              | ≦* < 167.5                | 132.00000 | 2.15485 | 0.029               | 0.029             |  |
| 12            | 157.5              | ≦* < 162.5                | 128.00000 | 2.11958 | 0.029               | 0.029             |  |
| 11            | 152.5              | ≦* < 157.5                | 124.00000 | 2.08432 | 0.028               | 0.028             |  |
| 10            | 147.5              | ≦* < 152.5                | 120.00000 | 2.04906 | 0.028               | 0.028             |  |
| 09            | 142.5              | ≦* < 147.5                | 116.00000 | 2.01380 | 0.027               | 0.027             |  |
| 08            | 137.5              | ≦* < 142.5                | 112.00000 | 1.97853 | 0.027               | 0.027             |  |
| 07            | 132.5              | ≦* < 137.5                | 108.00000 | 1.94327 | 0.026               | 0.026             |  |
| 06            | 127.5              | ≦* < 132.5                | 104.00000 | 1.90801 | 0.026               | 0.026             |  |
| 05            | 122.5              | ≦* < 127.5                | 100.00000 | 1.87275 | 0.025               | 0.025             |  |
| 04            | 117.5              | ≦* < 122.5                | 96.00000  | 1.83748 | 0.025               | 0.025             |  |
| 03            | 112.5              | ≦* < 117.5                | 92.00000  | 1.80222 | 0.024               | 0.024             |  |
| 02            | 107.5              | ≦* < 112.5                | 88.00000  | 1.76696 | 0.024               | 0.024             |  |
| 01            | 102.5              | ≦* < 107.5                | 84.00000  | 1.73170 | 0.023               | 0.023             |  |
| 00            | 97.5               | ≦* < 102.5                | 80.00000  | 1.69643 | 0.023               | 0.023             |  |
| -01           | 92.5               | ≦* < 97.5                 | 76.00000  | 1.66117 | 0.022               | 0.022             |  |
| -02           | 87.5               | ≦* < 92.5                 | 72.00000  | 1.62591 | 0.022               | 0.022             |  |
| -03           | 82.5               | ≦* < 87.5                 | 68.00000  | 1.59065 | 0.021               | 0.021             |  |
| -04           | 77.5               | ≦* < 82.5                 | 64.00000  | 1.55538 | 0.021               | 0.021             |  |
| -05           | 72.5               | ≦* < 77.5                 | 60.00000  | 1.52012 | 0.021               | 0.021             |  |
| -06           | 67.5               | ≦* < 72.5                 | 56.00000  | 1.48486 | 0.020               | 0.020             |  |
| -07           | 62.5               | ≦* < 67.5                 | 52.00000  | 1.44960 | 0.020               | 0.020             |  |
| -08           | 57.5               | ≦* < 62.5                 | 48.00000  | 1.41433 | 0.019               | 0.019             |  |
| -09           | 52.5               | ≦* < 57.5                 | 44.00000  | 1.37907 | 0.019               | 0.019             |  |
| -10           | 47.5               | ≦* < 52.5                 | 40.00000  | 1.34381 | 0.018               | 0.018             |  |
| -11           | 42.5               | ≦* < 47.5                 | 36.00000  | 1.30855 | 0.018               | 0.018             |  |
| -12           | 37.5               | ≦* < 42.5                 | 32.00000  | 1.27328 | 0.017               | 0.017             |  |
| -13           | 32.5               | ≦* < 37.5                 | 28.00000  | 1.23802 | 0.017               | 0.017             |  |
| -14           | 27.5               | ≦* < 32.5                 | 24.00000  | 1.20276 | 0.016               | 0.016             |  |
| -15           | 22.5               | ≦* < 27.5                 | 20.00000  | 1.16750 | 0.016               | 0.016             |  |
| -16           | 17.5               | ≦* < 22.5                 | 16.00000  | 1.13223 | 0.015               | 0.015             |  |
| -17           | 12.5               | ≦* < 17.5                 | 12.00000  | 1.09697 | 0.015               | 0.015             |  |
| -18           | 7.5                | ≦* < 12.5                 | 8.00000   | 1.06171 | 0.014               | 0.014             |  |
| -19           | 2.5                | ≦* < 7.5                  | 4.00000   | 1.02645 | 0.014               | 0.014             |  |
| -20           | 0.0                | ≦* < 2.5                  | 1.00000   | 1.00000 | 0.013               | 0.013             |  |
|               |                    |                           | 平均値       |         |                     |                   |  |
|               |                    |                           | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                 |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|---------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合           |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                 |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分              |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆B<br>(10万円) |         |                     | 0.011             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                 | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206           | 3.85143 | 0.021               | 0.021             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000           | 2.36642 | 0.013               | 0.013             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000           | 2.33116 | 0.013               | 0.013             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000           | 2.29590 | 0.013               | 0.013             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000           | 2.26063 | 0.012               | 0.012             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000           | 2.22537 | 0.012               | 0.012             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000           | 2.19011 | 0.012               | 0.012             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000           | 2.15485 | 0.012               | 0.012             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000           | 2.11958 | 0.012               | 0.012             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000           | 2.08432 | 0.011               | 0.011             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000           | 2.04906 | 0.011               | 0.011             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000           | 2.01380 | 0.011               | 0.011             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000           | 1.97853 | 0.011               | 0.011             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000           | 1.94327 | 0.011               | 0.011             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000           | 1.90801 | 0.010               | 0.010             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000           | 1.87275 | 0.010               | 0.010             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000            | 1.83748 | 0.010               | 0.010             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000            | 1.80222 | 0.010               | 0.010             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000            | 1.76696 | 0.010               | 0.010             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000            | 1.73170 | 0.010               | 0.010             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000            | 1.69643 | 0.009               | 0.009             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000            | 1.66117 | 0.009               | 0.009             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000            | 1.62591 | 0.009               | 0.009             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000            | 1.59065 | 0.009               | 0.009             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000            | 1.55538 | 0.009               | 0.009             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000            | 1.52012 | 0.008               | 0.008             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000            | 1.48486 | 0.008               | 0.008             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000            | 1.44960 | 0.008               | 0.008             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000            | 1.41433 | 0.008               | 0.008             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000            | 1.37907 | 0.008               | 0.008             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000            | 1.34381 | 0.007               | 0.007             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000            | 1.30855 | 0.007               | 0.007             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000            | 1.27328 | 0.007               | 0.007             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000            | 1.23802 | 0.007               | 0.007             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000            | 1.20276 | 0.007               | 0.007             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000            | 1.16750 | 0.006               | 0.006             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000            | 1.13223 | 0.006               | 0.006             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000            | 1.09697 | 0.006               | 0.006             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000             | 1.06171 | 0.006               | 0.006             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000             | 1.02645 | 0.006               | 0.006             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000             | 1.00000 | 0.005               | 0.005             |               |  |
|               |                    | 平均値                 |         |                     |                   |               |  |
|               |                    | 114.43488           | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                            | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------|----------------------------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合  |                            |         |                     |                   |  |
| 料率地域区分        |                    | 000        |                            | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    |            | 共済掛金区分                     |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ復旧被覆B集団<br>(10万円・集団割引) |         |                     | 0.010             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |            | 圧縮前                        | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <       | 324.45206                  | 3.85143 | 0.019               | 0.019             |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                  | 2.36642 | 0.012               | 0.012             |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                  | 2.33116 | 0.012               | 0.012             |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                  | 2.29590 | 0.011               | 0.011             |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                  | 2.26063 | 0.011               | 0.011             |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                  | 2.22537 | 0.011               | 0.011             |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                  | 2.19011 | 0.011               | 0.011             |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                  | 2.15485 | 0.011               | 0.011             |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                  | 2.11958 | 0.011               | 0.011             |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                  | 2.08432 | 0.010               | 0.010             |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                  | 2.04906 | 0.010               | 0.010             |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                  | 2.01380 | 0.010               | 0.010             |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                  | 1.97853 | 0.010               | 0.010             |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                  | 1.94327 | 0.010               | 0.010             |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                  | 1.90801 | 0.010               | 0.010             |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                  | 1.87275 | 0.009               | 0.009             |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                   | 1.83748 | 0.009               | 0.009             |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                   | 1.80222 | 0.009               | 0.009             |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                   | 1.76696 | 0.009               | 0.009             |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                   | 1.73170 | 0.009               | 0.009             |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                   | 1.69643 | 0.008               | 0.008             |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                   | 1.66117 | 0.008               | 0.008             |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                   | 1.62591 | 0.008               | 0.008             |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                   | 1.59065 | 0.008               | 0.008             |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                   | 1.55538 | 0.008               | 0.008             |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                   | 1.52012 | 0.008               | 0.008             |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                   | 1.48486 | 0.007               | 0.007             |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                   | 1.44960 | 0.007               | 0.007             |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                   | 1.41433 | 0.007               | 0.007             |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                   | 1.37907 | 0.007               | 0.007             |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                   | 1.34381 | 0.007               | 0.007             |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                   | 1.30855 | 0.007               | 0.007             |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                   | 1.27328 | 0.006               | 0.006             |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                   | 1.23802 | 0.006               | 0.006             |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                   | 1.20276 | 0.006               | 0.006             |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                   | 1.16750 | 0.006               | 0.006             |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                   | 1.13223 | 0.006               | 0.006             |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                   | 1.09697 | 0.005               | 0.005             |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                    | 1.06171 | 0.005               | 0.005             |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                    | 1.02645 | 0.005               | 0.005             |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                    | 1.00000 | 0.005               | 0.005             |  |
|               |                    |            | 平均値                        |         |                     |                   |  |
|               |                    |            | 114.43488                  | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                     |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|---------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                     |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                     | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分              |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ復旧被覆C<br>(20万円) |         |                     | 0.006             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                 | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206           | 3.85143 | 0.012               | 0.012             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000           | 2.36642 | 0.007               | 0.007             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000           | 2.33116 | 0.007               | 0.007             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000           | 2.29590 | 0.007               | 0.007             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000           | 2.26063 | 0.007               | 0.007             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000           | 2.22537 | 0.007               | 0.007             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000           | 2.19011 | 0.007               | 0.007             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000           | 2.15485 | 0.006               | 0.006             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000           | 2.11958 | 0.006               | 0.006             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000           | 2.08432 | 0.006               | 0.006             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000           | 2.04906 | 0.006               | 0.006             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000           | 2.01380 | 0.006               | 0.006             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000           | 1.97853 | 0.006               | 0.006             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000           | 1.94327 | 0.006               | 0.006             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000           | 1.90801 | 0.006               | 0.006             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000           | 1.87275 | 0.006               | 0.006             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000            | 1.83748 | 0.006               | 0.006             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000            | 1.80222 | 0.005               | 0.005             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000            | 1.76696 | 0.005               | 0.005             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000            | 1.73170 | 0.005               | 0.005             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000            | 1.69643 | 0.005               | 0.005             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000            | 1.66117 | 0.005               | 0.005             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000            | 1.62591 | 0.005               | 0.005             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000            | 1.59065 | 0.005               | 0.005             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000            | 1.55538 | 0.005               | 0.005             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000            | 1.52012 | 0.005               | 0.005             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000            | 1.48486 | 0.004               | 0.004             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000            | 1.44960 | 0.004               | 0.004             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000            | 1.41433 | 0.004               | 0.004             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000            | 1.37907 | 0.004               | 0.004             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000            | 1.34381 | 0.004               | 0.004             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000            | 1.30855 | 0.004               | 0.004             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000            | 1.27328 | 0.004               | 0.004             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000            | 1.23802 | 0.004               | 0.004             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000            | 1.20276 | 0.004               | 0.004             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000            | 1.16750 | 0.004               | 0.004             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000            | 1.13223 | 0.003               | 0.003             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000            | 1.09697 | 0.003               | 0.003             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000             | 1.06171 | 0.003               | 0.003             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000             | 1.02645 | 0.003               | 0.003             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000             | 1.00000 | 0.003               | 0.003             |  |         |  |
|               |                    |            | 平均値                 |         |                     |                   |  |         |  |
|               |                    |            | 114.43488           | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                            |         |                     | 共済事業              |         | 園芸施設共済  |  |
|---------------|--------------------|------------|----------------------------|---------|---------------------|-------------------|---------|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                            |         |                     |                   |         |         |  |
| 料率地域区分        |                    | 000        |                            | 地域名     |                     | 00000             |         | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                     |         |                     |                   | 共済掛金標準率 |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ復旧被覆C集団<br>(20万円・集団割引) |         |                     |                   | 0.006   |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |         |  |
|               |                    |            | 圧縮前                        | 圧縮後     |                     |                   |         |         |  |
| 20            | 197.5              | ≦* <       | 324.45206                  | 3.85143 | 0.012               | 0.012             |         |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                  | 2.36642 | 0.007               | 0.007             |         |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                  | 2.33116 | 0.007               | 0.007             |         |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                  | 2.29590 | 0.007               | 0.007             |         |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                  | 2.26063 | 0.007               | 0.007             |         |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                  | 2.22537 | 0.007               | 0.007             |         |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                  | 2.19011 | 0.007               | 0.007             |         |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                  | 2.15485 | 0.006               | 0.006             |         |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                  | 2.11958 | 0.006               | 0.006             |         |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                  | 2.08432 | 0.006               | 0.006             |         |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                  | 2.04906 | 0.006               | 0.006             |         |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                  | 2.01380 | 0.006               | 0.006             |         |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                  | 1.97853 | 0.006               | 0.006             |         |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                  | 1.94327 | 0.006               | 0.006             |         |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                  | 1.90801 | 0.006               | 0.006             |         |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                  | 1.87275 | 0.006               | 0.006             |         |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                   | 1.83748 | 0.006               | 0.006             |         |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                   | 1.80222 | 0.005               | 0.005             |         |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                   | 1.76696 | 0.005               | 0.005             |         |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                   | 1.73170 | 0.005               | 0.005             |         |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                   | 1.69643 | 0.005               | 0.005             |         |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                   | 1.66117 | 0.005               | 0.005             |         |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                   | 1.62591 | 0.005               | 0.005             |         |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                   | 1.59065 | 0.005               | 0.005             |         |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                   | 1.55538 | 0.005               | 0.005             |         |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                   | 1.52012 | 0.005               | 0.005             |         |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                   | 1.48486 | 0.004               | 0.004             |         |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                   | 1.44960 | 0.004               | 0.004             |         |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                   | 1.41433 | 0.004               | 0.004             |         |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                   | 1.37907 | 0.004               | 0.004             |         |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                   | 1.34381 | 0.004               | 0.004             |         |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                   | 1.30855 | 0.004               | 0.004             |         |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                   | 1.27328 | 0.004               | 0.004             |         |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                   | 1.23802 | 0.004               | 0.004             |         |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                   | 1.20276 | 0.004               | 0.004             |         |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                   | 1.16750 | 0.004               | 0.004             |         |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                   | 1.13223 | 0.003               | 0.003             |         |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                   | 1.09697 | 0.003               | 0.003             |         |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                    | 1.06171 | 0.003               | 0.003             |         |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                    | 1.02645 | 0.003               | 0.003             |         |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                    | 1.00000 | 0.003               | 0.003             |         |         |  |
|               |                    |            | 平均値                        |         |                     |                   |         |         |  |
|               |                    |            | 114.43488                  | 2.00000 |                     |                   |         |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                     |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|---------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                     |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                     | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分              |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ復旧被覆D<br>(50万円) |         |                     | 0.005             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                 | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206           | 3.85143 | 0.010               | 0.010             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000           | 2.36642 | 0.006               | 0.006             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000           | 2.33116 | 0.006               | 0.006             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000           | 2.29590 | 0.006               | 0.006             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000           | 2.26063 | 0.006               | 0.006             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000           | 2.22537 | 0.006               | 0.006             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000           | 2.19011 | 0.005               | 0.005             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000           | 2.15485 | 0.005               | 0.005             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000           | 2.11958 | 0.005               | 0.005             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000           | 2.08432 | 0.005               | 0.005             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000           | 2.04906 | 0.005               | 0.005             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000           | 2.01380 | 0.005               | 0.005             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000           | 1.97853 | 0.005               | 0.005             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000           | 1.94327 | 0.005               | 0.005             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000           | 1.90801 | 0.005               | 0.005             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000           | 1.87275 | 0.005               | 0.005             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000            | 1.83748 | 0.005               | 0.005             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000            | 1.80222 | 0.005               | 0.005             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000            | 1.76696 | 0.004               | 0.004             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000            | 1.73170 | 0.004               | 0.004             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000            | 1.69643 | 0.004               | 0.004             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000            | 1.66117 | 0.004               | 0.004             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000            | 1.62591 | 0.004               | 0.004             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000            | 1.59065 | 0.004               | 0.004             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000            | 1.55538 | 0.004               | 0.004             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000            | 1.52012 | 0.004               | 0.004             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000            | 1.48486 | 0.004               | 0.004             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000            | 1.44960 | 0.004               | 0.004             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000            | 1.41433 | 0.004               | 0.004             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000            | 1.37907 | 0.003               | 0.003             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000            | 1.34381 | 0.003               | 0.003             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000            | 1.30855 | 0.003               | 0.003             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000            | 1.27328 | 0.003               | 0.003             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000            | 1.23802 | 0.003               | 0.003             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000            | 1.20276 | 0.003               | 0.003             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000            | 1.16750 | 0.003               | 0.003             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000            | 1.13223 | 0.003               | 0.003             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000            | 1.09697 | 0.003               | 0.003             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000             | 1.06171 | 0.003               | 0.003             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000             | 1.02645 | 0.003               | 0.003             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000             | 1.00000 | 0.002               | 0.002             |  |         |  |
|               |                    |            | 平均値                 |         |                     |                   |  |         |  |
|               |                    |            | 114.43488           | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                        |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                  |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                        |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                     |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆D集団<br>(50万円・集団割引) |           |         | 0.005               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                            | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                            | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                       | 324.45206 | 3.85143 | 0.010               | 0.010             |  |
| 19            | 192.5              | ≦* < 197.5                 | 156.00000 | 2.36642 | 0.006               | 0.006             |  |
| 18            | 187.5              | ≦* < 192.5                 | 152.00000 | 2.33116 | 0.006               | 0.006             |  |
| 17            | 182.5              | ≦* < 187.5                 | 148.00000 | 2.29590 | 0.006               | 0.006             |  |
| 16            | 177.5              | ≦* < 182.5                 | 144.00000 | 2.26063 | 0.006               | 0.006             |  |
| 15            | 172.5              | ≦* < 177.5                 | 140.00000 | 2.22537 | 0.006               | 0.006             |  |
| 14            | 167.5              | ≦* < 172.5                 | 136.00000 | 2.19011 | 0.005               | 0.005             |  |
| 13            | 162.5              | ≦* < 167.5                 | 132.00000 | 2.15485 | 0.005               | 0.005             |  |
| 12            | 157.5              | ≦* < 162.5                 | 128.00000 | 2.11958 | 0.005               | 0.005             |  |
| 11            | 152.5              | ≦* < 157.5                 | 124.00000 | 2.08432 | 0.005               | 0.005             |  |
| 10            | 147.5              | ≦* < 152.5                 | 120.00000 | 2.04906 | 0.005               | 0.005             |  |
| 09            | 142.5              | ≦* < 147.5                 | 116.00000 | 2.01380 | 0.005               | 0.005             |  |
| 08            | 137.5              | ≦* < 142.5                 | 112.00000 | 1.97853 | 0.005               | 0.005             |  |
| 07            | 132.5              | ≦* < 137.5                 | 108.00000 | 1.94327 | 0.005               | 0.005             |  |
| 06            | 127.5              | ≦* < 132.5                 | 104.00000 | 1.90801 | 0.005               | 0.005             |  |
| 05            | 122.5              | ≦* < 127.5                 | 100.00000 | 1.87275 | 0.005               | 0.005             |  |
| 04            | 117.5              | ≦* < 122.5                 | 96.00000  | 1.83748 | 0.005               | 0.005             |  |
| 03            | 112.5              | ≦* < 117.5                 | 92.00000  | 1.80222 | 0.005               | 0.005             |  |
| 02            | 107.5              | ≦* < 112.5                 | 88.00000  | 1.76696 | 0.004               | 0.004             |  |
| 01            | 102.5              | ≦* < 107.5                 | 84.00000  | 1.73170 | 0.004               | 0.004             |  |
| 00            | 97.5               | ≦* < 102.5                 | 80.00000  | 1.69643 | 0.004               | 0.004             |  |
| -01           | 92.5               | ≦* < 97.5                  | 76.00000  | 1.66117 | 0.004               | 0.004             |  |
| -02           | 87.5               | ≦* < 92.5                  | 72.00000  | 1.62591 | 0.004               | 0.004             |  |
| -03           | 82.5               | ≦* < 87.5                  | 68.00000  | 1.59065 | 0.004               | 0.004             |  |
| -04           | 77.5               | ≦* < 82.5                  | 64.00000  | 1.55538 | 0.004               | 0.004             |  |
| -05           | 72.5               | ≦* < 77.5                  | 60.00000  | 1.52012 | 0.004               | 0.004             |  |
| -06           | 67.5               | ≦* < 72.5                  | 56.00000  | 1.48486 | 0.004               | 0.004             |  |
| -07           | 62.5               | ≦* < 67.5                  | 52.00000  | 1.44960 | 0.004               | 0.004             |  |
| -08           | 57.5               | ≦* < 62.5                  | 48.00000  | 1.41433 | 0.004               | 0.004             |  |
| -09           | 52.5               | ≦* < 57.5                  | 44.00000  | 1.37907 | 0.003               | 0.003             |  |
| -10           | 47.5               | ≦* < 52.5                  | 40.00000  | 1.34381 | 0.003               | 0.003             |  |
| -11           | 42.5               | ≦* < 47.5                  | 36.00000  | 1.30855 | 0.003               | 0.003             |  |
| -12           | 37.5               | ≦* < 42.5                  | 32.00000  | 1.27328 | 0.003               | 0.003             |  |
| -13           | 32.5               | ≦* < 37.5                  | 28.00000  | 1.23802 | 0.003               | 0.003             |  |
| -14           | 27.5               | ≦* < 32.5                  | 24.00000  | 1.20276 | 0.003               | 0.003             |  |
| -15           | 22.5               | ≦* < 27.5                  | 20.00000  | 1.16750 | 0.003               | 0.003             |  |
| -16           | 17.5               | ≦* < 22.5                  | 16.00000  | 1.13223 | 0.003               | 0.003             |  |
| -17           | 12.5               | ≦* < 17.5                  | 12.00000  | 1.09697 | 0.003               | 0.003             |  |
| -18           | 7.5                | ≦* < 12.5                  | 8.00000   | 1.06171 | 0.003               | 0.003             |  |
| -19           | 2.5                | ≦* < 7.5                   | 4.00000   | 1.02645 | 0.003               | 0.003             |  |
| -20           | 0.0                | ≦* < 2.5                   | 1.00000   | 1.00000 | 0.002               | 0.002             |  |
|               |                    |                            | 平均値       |         |                     |                   |  |
|               |                    |                            | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合            |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                  |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分               |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆E<br>(100万円) |         |                     | 0.004             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                  | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206            | 3.85143 | 0.008               | 0.008             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000            | 2.36642 | 0.005               | 0.005             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000            | 2.33116 | 0.005               | 0.005             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000            | 2.29590 | 0.005               | 0.005             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000            | 2.26063 | 0.005               | 0.005             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000            | 2.22537 | 0.004               | 0.004             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000            | 2.19011 | 0.004               | 0.004             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000            | 2.15485 | 0.004               | 0.004             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000            | 2.11958 | 0.004               | 0.004             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000            | 2.08432 | 0.004               | 0.004             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000            | 2.04906 | 0.004               | 0.004             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000            | 2.01380 | 0.004               | 0.004             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000            | 1.97853 | 0.004               | 0.004             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000            | 1.94327 | 0.004               | 0.004             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000            | 1.90801 | 0.004               | 0.004             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000            | 1.87275 | 0.004               | 0.004             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000             | 1.83748 | 0.004               | 0.004             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000             | 1.80222 | 0.004               | 0.004             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000             | 1.76696 | 0.004               | 0.004             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000             | 1.73170 | 0.003               | 0.003             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000             | 1.69643 | 0.003               | 0.003             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000             | 1.66117 | 0.003               | 0.003             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000             | 1.62591 | 0.003               | 0.003             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000             | 1.59065 | 0.003               | 0.003             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000             | 1.55538 | 0.003               | 0.003             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000             | 1.52012 | 0.003               | 0.003             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000             | 1.48486 | 0.003               | 0.003             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000             | 1.44960 | 0.003               | 0.003             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000             | 1.41433 | 0.003               | 0.003             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000             | 1.37907 | 0.003               | 0.003             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000             | 1.34381 | 0.003               | 0.003             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000             | 1.30855 | 0.003               | 0.003             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000             | 1.27328 | 0.003               | 0.003             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000             | 1.23802 | 0.002               | 0.002             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000             | 1.20276 | 0.002               | 0.002             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000             | 1.16750 | 0.002               | 0.002             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000             | 1.13223 | 0.002               | 0.002             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000             | 1.09697 | 0.002               | 0.002             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000              | 1.06171 | 0.002               | 0.002             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000              | 1.02645 | 0.002               | 0.002             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000              | 1.00000 | 0.002               | 0.002             |               |  |
|               |                    | 平均値                  |         |                     |                   |               |  |
|               |                    | 114.43488            | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                         |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                   |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                         |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                      |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆E集団<br>(100万円・集団割引) |           |         |                     | 0.004             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                             | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                             | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                        | 324.45206 | 3.85143 | 0.008               | 0.008             |  |
| 19            | 192.5              | ≦* < 197.5                  | 156.00000 | 2.36642 | 0.005               | 0.005             |  |
| 18            | 187.5              | ≦* < 192.5                  | 152.00000 | 2.33116 | 0.005               | 0.005             |  |
| 17            | 182.5              | ≦* < 187.5                  | 148.00000 | 2.29590 | 0.005               | 0.005             |  |
| 16            | 177.5              | ≦* < 182.5                  | 144.00000 | 2.26063 | 0.005               | 0.005             |  |
| 15            | 172.5              | ≦* < 177.5                  | 140.00000 | 2.22537 | 0.004               | 0.004             |  |
| 14            | 167.5              | ≦* < 172.5                  | 136.00000 | 2.19011 | 0.004               | 0.004             |  |
| 13            | 162.5              | ≦* < 167.5                  | 132.00000 | 2.15485 | 0.004               | 0.004             |  |
| 12            | 157.5              | ≦* < 162.5                  | 128.00000 | 2.11958 | 0.004               | 0.004             |  |
| 11            | 152.5              | ≦* < 157.5                  | 124.00000 | 2.08432 | 0.004               | 0.004             |  |
| 10            | 147.5              | ≦* < 152.5                  | 120.00000 | 2.04906 | 0.004               | 0.004             |  |
| 09            | 142.5              | ≦* < 147.5                  | 116.00000 | 2.01380 | 0.004               | 0.004             |  |
| 08            | 137.5              | ≦* < 142.5                  | 112.00000 | 1.97853 | 0.004               | 0.004             |  |
| 07            | 132.5              | ≦* < 137.5                  | 108.00000 | 1.94327 | 0.004               | 0.004             |  |
| 06            | 127.5              | ≦* < 132.5                  | 104.00000 | 1.90801 | 0.004               | 0.004             |  |
| 05            | 122.5              | ≦* < 127.5                  | 100.00000 | 1.87275 | 0.004               | 0.004             |  |
| 04            | 117.5              | ≦* < 122.5                  | 96.00000  | 1.83748 | 0.004               | 0.004             |  |
| 03            | 112.5              | ≦* < 117.5                  | 92.00000  | 1.80222 | 0.004               | 0.004             |  |
| 02            | 107.5              | ≦* < 112.5                  | 88.00000  | 1.76696 | 0.004               | 0.004             |  |
| 01            | 102.5              | ≦* < 107.5                  | 84.00000  | 1.73170 | 0.003               | 0.003             |  |
| 00            | 97.5               | ≦* < 102.5                  | 80.00000  | 1.69643 | 0.003               | 0.003             |  |
| -01           | 92.5               | ≦* < 97.5                   | 76.00000  | 1.66117 | 0.003               | 0.003             |  |
| -02           | 87.5               | ≦* < 92.5                   | 72.00000  | 1.62591 | 0.003               | 0.003             |  |
| -03           | 82.5               | ≦* < 87.5                   | 68.00000  | 1.59065 | 0.003               | 0.003             |  |
| -04           | 77.5               | ≦* < 82.5                   | 64.00000  | 1.55538 | 0.003               | 0.003             |  |
| -05           | 72.5               | ≦* < 77.5                   | 60.00000  | 1.52012 | 0.003               | 0.003             |  |
| -06           | 67.5               | ≦* < 72.5                   | 56.00000  | 1.48486 | 0.003               | 0.003             |  |
| -07           | 62.5               | ≦* < 67.5                   | 52.00000  | 1.44960 | 0.003               | 0.003             |  |
| -08           | 57.5               | ≦* < 62.5                   | 48.00000  | 1.41433 | 0.003               | 0.003             |  |
| -09           | 52.5               | ≦* < 57.5                   | 44.00000  | 1.37907 | 0.003               | 0.003             |  |
| -10           | 47.5               | ≦* < 52.5                   | 40.00000  | 1.34381 | 0.003               | 0.003             |  |
| -11           | 42.5               | ≦* < 47.5                   | 36.00000  | 1.30855 | 0.003               | 0.003             |  |
| -12           | 37.5               | ≦* < 42.5                   | 32.00000  | 1.27328 | 0.003               | 0.003             |  |
| -13           | 32.5               | ≦* < 37.5                   | 28.00000  | 1.23802 | 0.002               | 0.002             |  |
| -14           | 27.5               | ≦* < 32.5                   | 24.00000  | 1.20276 | 0.002               | 0.002             |  |
| -15           | 22.5               | ≦* < 27.5                   | 20.00000  | 1.16750 | 0.002               | 0.002             |  |
| -16           | 17.5               | ≦* < 22.5                   | 16.00000  | 1.13223 | 0.002               | 0.002             |  |
| -17           | 12.5               | ≦* < 17.5                   | 12.00000  | 1.09697 | 0.002               | 0.002             |  |
| -18           | 7.5                | ≦* < 12.5                   | 8.00000   | 1.06171 | 0.002               | 0.002             |  |
| -19           | 2.5                | ≦* < 7.5                    | 4.00000   | 1.02645 | 0.002               | 0.002             |  |
| -20           | 0.0                | ≦* < 2.5                    | 1.00000   | 1.00000 | 0.002               | 0.002             |  |
|               |                    |                             | 平均値       |         |                     |                   |  |
|               |                    |                             | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|----------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合            |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                  |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分               |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆F<br>(1万円特約) |           |         |                     | 0.030             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                      | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                      | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                 | 324.45206 | 3.85143 | 0.058               | 0.058             |  |
| 19            | 192.5              | ≦* < 197.5           | 156.00000 | 2.36642 | 0.035               | 0.035             |  |
| 18            | 187.5              | ≦* < 192.5           | 152.00000 | 2.33116 | 0.035               | 0.035             |  |
| 17            | 182.5              | ≦* < 187.5           | 148.00000 | 2.29590 | 0.034               | 0.034             |  |
| 16            | 177.5              | ≦* < 182.5           | 144.00000 | 2.26063 | 0.034               | 0.034             |  |
| 15            | 172.5              | ≦* < 177.5           | 140.00000 | 2.22537 | 0.033               | 0.033             |  |
| 14            | 167.5              | ≦* < 172.5           | 136.00000 | 2.19011 | 0.033               | 0.033             |  |
| 13            | 162.5              | ≦* < 167.5           | 132.00000 | 2.15485 | 0.032               | 0.032             |  |
| 12            | 157.5              | ≦* < 162.5           | 128.00000 | 2.11958 | 0.032               | 0.032             |  |
| 11            | 152.5              | ≦* < 157.5           | 124.00000 | 2.08432 | 0.031               | 0.031             |  |
| 10            | 147.5              | ≦* < 152.5           | 120.00000 | 2.04906 | 0.031               | 0.031             |  |
| 09            | 142.5              | ≦* < 147.5           | 116.00000 | 2.01380 | 0.030               | 0.030             |  |
| 08            | 137.5              | ≦* < 142.5           | 112.00000 | 1.97853 | 0.030               | 0.030             |  |
| 07            | 132.5              | ≦* < 137.5           | 108.00000 | 1.94327 | 0.029               | 0.029             |  |
| 06            | 127.5              | ≦* < 132.5           | 104.00000 | 1.90801 | 0.029               | 0.029             |  |
| 05            | 122.5              | ≦* < 127.5           | 100.00000 | 1.87275 | 0.028               | 0.028             |  |
| 04            | 117.5              | ≦* < 122.5           | 96.00000  | 1.83748 | 0.028               | 0.028             |  |
| 03            | 112.5              | ≦* < 117.5           | 92.00000  | 1.80222 | 0.027               | 0.027             |  |
| 02            | 107.5              | ≦* < 112.5           | 88.00000  | 1.76696 | 0.027               | 0.027             |  |
| 01            | 102.5              | ≦* < 107.5           | 84.00000  | 1.73170 | 0.026               | 0.026             |  |
| 00            | 97.5               | ≦* < 102.5           | 80.00000  | 1.69643 | 0.025               | 0.025             |  |
| -01           | 92.5               | ≦* < 97.5            | 76.00000  | 1.66117 | 0.025               | 0.025             |  |
| -02           | 87.5               | ≦* < 92.5            | 72.00000  | 1.62591 | 0.024               | 0.024             |  |
| -03           | 82.5               | ≦* < 87.5            | 68.00000  | 1.59065 | 0.024               | 0.024             |  |
| -04           | 77.5               | ≦* < 82.5            | 64.00000  | 1.55538 | 0.023               | 0.023             |  |
| -05           | 72.5               | ≦* < 77.5            | 60.00000  | 1.52012 | 0.023               | 0.023             |  |
| -06           | 67.5               | ≦* < 72.5            | 56.00000  | 1.48486 | 0.022               | 0.022             |  |
| -07           | 62.5               | ≦* < 67.5            | 52.00000  | 1.44960 | 0.022               | 0.022             |  |
| -08           | 57.5               | ≦* < 62.5            | 48.00000  | 1.41433 | 0.021               | 0.021             |  |
| -09           | 52.5               | ≦* < 57.5            | 44.00000  | 1.37907 | 0.021               | 0.021             |  |
| -10           | 47.5               | ≦* < 52.5            | 40.00000  | 1.34381 | 0.020               | 0.020             |  |
| -11           | 42.5               | ≦* < 47.5            | 36.00000  | 1.30855 | 0.020               | 0.020             |  |
| -12           | 37.5               | ≦* < 42.5            | 32.00000  | 1.27328 | 0.019               | 0.019             |  |
| -13           | 32.5               | ≦* < 37.5            | 28.00000  | 1.23802 | 0.019               | 0.019             |  |
| -14           | 27.5               | ≦* < 32.5            | 24.00000  | 1.20276 | 0.018               | 0.018             |  |
| -15           | 22.5               | ≦* < 27.5            | 20.00000  | 1.16750 | 0.018               | 0.018             |  |
| -16           | 17.5               | ≦* < 22.5            | 16.00000  | 1.13223 | 0.017               | 0.017             |  |
| -17           | 12.5               | ≦* < 17.5            | 12.00000  | 1.09697 | 0.016               | 0.016             |  |
| -18           | 7.5                | ≦* < 12.5            | 8.00000   | 1.06171 | 0.016               | 0.016             |  |
| -19           | 2.5                | ≦* < 7.5             | 4.00000   | 1.02645 | 0.015               | 0.015             |  |
| -20           | 0.0                | ≦* < 2.5             | 1.00000   | 1.00000 | 0.015               | 0.015             |  |
|               |                    |                      | 平均値       |         |                     |                   |  |
|               |                    |                      | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                         |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-----------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                   |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                         |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                      |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ復旧被覆F集団<br>(1万円特約・集団割引) |           |         |                     | 0.029             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                             | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                             | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                        | 324.45206 | 3.85143 | 0.056               | 0.056             |  |
| 19            | 192.5              | ≦* < 197.5                  | 156.00000 | 2.36642 | 0.034               | 0.034             |  |
| 18            | 187.5              | ≦* < 192.5                  | 152.00000 | 2.33116 | 0.034               | 0.034             |  |
| 17            | 182.5              | ≦* < 187.5                  | 148.00000 | 2.29590 | 0.033               | 0.033             |  |
| 16            | 177.5              | ≦* < 182.5                  | 144.00000 | 2.26063 | 0.033               | 0.033             |  |
| 15            | 172.5              | ≦* < 177.5                  | 140.00000 | 2.22537 | 0.032               | 0.032             |  |
| 14            | 167.5              | ≦* < 172.5                  | 136.00000 | 2.19011 | 0.032               | 0.032             |  |
| 13            | 162.5              | ≦* < 167.5                  | 132.00000 | 2.15485 | 0.031               | 0.031             |  |
| 12            | 157.5              | ≦* < 162.5                  | 128.00000 | 2.11958 | 0.031               | 0.031             |  |
| 11            | 152.5              | ≦* < 157.5                  | 124.00000 | 2.08432 | 0.030               | 0.030             |  |
| 10            | 147.5              | ≦* < 152.5                  | 120.00000 | 2.04906 | 0.030               | 0.030             |  |
| 09            | 142.5              | ≦* < 147.5                  | 116.00000 | 2.01380 | 0.029               | 0.029             |  |
| 08            | 137.5              | ≦* < 142.5                  | 112.00000 | 1.97853 | 0.029               | 0.029             |  |
| 07            | 132.5              | ≦* < 137.5                  | 108.00000 | 1.94327 | 0.028               | 0.028             |  |
| 06            | 127.5              | ≦* < 132.5                  | 104.00000 | 1.90801 | 0.028               | 0.028             |  |
| 05            | 122.5              | ≦* < 127.5                  | 100.00000 | 1.87275 | 0.027               | 0.027             |  |
| 04            | 117.5              | ≦* < 122.5                  | 96.00000  | 1.83748 | 0.027               | 0.027             |  |
| 03            | 112.5              | ≦* < 117.5                  | 92.00000  | 1.80222 | 0.026               | 0.026             |  |
| 02            | 107.5              | ≦* < 112.5                  | 88.00000  | 1.76696 | 0.026               | 0.026             |  |
| 01            | 102.5              | ≦* < 107.5                  | 84.00000  | 1.73170 | 0.025               | 0.025             |  |
| 00            | 97.5               | ≦* < 102.5                  | 80.00000  | 1.69643 | 0.025               | 0.025             |  |
| -01           | 92.5               | ≦* < 97.5                   | 76.00000  | 1.66117 | 0.024               | 0.024             |  |
| -02           | 87.5               | ≦* < 92.5                   | 72.00000  | 1.62591 | 0.024               | 0.024             |  |
| -03           | 82.5               | ≦* < 87.5                   | 68.00000  | 1.59065 | 0.023               | 0.023             |  |
| -04           | 77.5               | ≦* < 82.5                   | 64.00000  | 1.55538 | 0.023               | 0.023             |  |
| -05           | 72.5               | ≦* < 77.5                   | 60.00000  | 1.52012 | 0.022               | 0.022             |  |
| -06           | 67.5               | ≦* < 72.5                   | 56.00000  | 1.48486 | 0.022               | 0.022             |  |
| -07           | 62.5               | ≦* < 67.5                   | 52.00000  | 1.44960 | 0.021               | 0.021             |  |
| -08           | 57.5               | ≦* < 62.5                   | 48.00000  | 1.41433 | 0.021               | 0.021             |  |
| -09           | 52.5               | ≦* < 57.5                   | 44.00000  | 1.37907 | 0.020               | 0.020             |  |
| -10           | 47.5               | ≦* < 52.5                   | 40.00000  | 1.34381 | 0.019               | 0.019             |  |
| -11           | 42.5               | ≦* < 47.5                   | 36.00000  | 1.30855 | 0.019               | 0.019             |  |
| -12           | 37.5               | ≦* < 42.5                   | 32.00000  | 1.27328 | 0.018               | 0.018             |  |
| -13           | 32.5               | ≦* < 37.5                   | 28.00000  | 1.23802 | 0.018               | 0.018             |  |
| -14           | 27.5               | ≦* < 32.5                   | 24.00000  | 1.20276 | 0.017               | 0.017             |  |
| -15           | 22.5               | ≦* < 27.5                   | 20.00000  | 1.16750 | 0.017               | 0.017             |  |
| -16           | 17.5               | ≦* < 22.5                   | 16.00000  | 1.13223 | 0.016               | 0.016             |  |
| -17           | 12.5               | ≦* < 17.5                   | 12.00000  | 1.09697 | 0.016               | 0.016             |  |
| -18           | 7.5                | ≦* < 12.5                   | 8.00000   | 1.06171 | 0.015               | 0.015             |  |
| -19           | 2.5                | ≦* < 7.5                    | 4.00000   | 1.02645 | 0.015               | 0.015             |  |
| -20           | 0.0                | ≦* < 2.5                    | 1.00000   | 1.00000 | 0.014               | 0.014             |  |
|               |                    |                             | 平均値       |         |                     |                   |  |
|               |                    |                             | 114.43488 | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                  |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合            |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                  |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分               |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外A<br>(3万円) |         |                     | 0.472             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                 |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                  | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206            | 3.85143 | 0.909               | 0.909             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000            | 2.36642 | 0.558               | 0.558             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000            | 2.33116 | 0.550               | 0.550             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000            | 2.29590 | 0.542               | 0.542             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000            | 2.26063 | 0.534               | 0.534             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000            | 2.22537 | 0.525               | 0.525             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000            | 2.19011 | 0.517               | 0.517             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000            | 2.15485 | 0.509               | 0.509             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000            | 2.11958 | 0.500               | 0.500             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000            | 2.08432 | 0.492               | 0.492             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000            | 2.04906 | 0.484               | 0.484             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000            | 2.01380 | 0.475               | 0.475             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000            | 1.97853 | 0.467               | 0.467             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000            | 1.94327 | 0.459               | 0.459             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000            | 1.90801 | 0.450               | 0.450             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000            | 1.87275 | 0.442               | 0.442             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000             | 1.83748 | 0.434               | 0.434             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000             | 1.80222 | 0.425               | 0.425             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000             | 1.76696 | 0.417               | 0.417             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000             | 1.73170 | 0.409               | 0.409             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000             | 1.69643 | 0.400               | 0.400             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000             | 1.66117 | 0.392               | 0.392             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000             | 1.62591 | 0.384               | 0.384             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000             | 1.59065 | 0.375               | 0.375             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000             | 1.55538 | 0.367               | 0.367             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000             | 1.52012 | 0.359               | 0.359             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000             | 1.48486 | 0.350               | 0.350             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000             | 1.44960 | 0.342               | 0.342             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000             | 1.41433 | 0.334               | 0.334             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000             | 1.37907 | 0.325               | 0.325             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000             | 1.34381 | 0.317               | 0.317             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000             | 1.30855 | 0.309               | 0.309             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000             | 1.27328 | 0.300               | 0.300             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000             | 1.23802 | 0.292               | 0.292             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000             | 1.20276 | 0.284               | 0.284             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000             | 1.16750 | 0.276               | 0.276             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000             | 1.13223 | 0.267               | 0.267             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000             | 1.09697 | 0.259               | 0.259             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000              | 1.06171 | 0.251               | 0.251             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000              | 1.02645 | 0.242               | 0.242             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000              | 1.00000 | 0.236               | 0.236             |               |  |
|               |                    | 平均値                  |         |                     |                   |               |  |
|               |                    | 114.43488            | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県       |                             |           |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|-----------|-----------------------------|-----------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合 |                             |           |                     |                   |  |         |  |
| 料率地域区分        |                    | 000       |                             | 地域名       |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |           | 共済掛金区分                      |           |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |           | ガラスⅡ内作事故除外A集団<br>(3万円・集団割引) |           |                     | 0.448             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |           | 危険指数                        |           | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |           | 圧縮前                         | 圧縮後       |                     |                   |  |         |  |
| 20            | 197.5              | ≦*＜       | 324.45206                   | 3.85143   | 0.863               | 0.863             |  |         |  |
| 19            | 192.5              | ≦*＜ 197.5 | 156.00000                   | 2.36642   | 0.530               | 0.530             |  |         |  |
| 18            | 187.5              | ≦*＜ 192.5 | 152.00000                   | 2.33116   | 0.522               | 0.522             |  |         |  |
| 17            | 182.5              | ≦*＜ 187.5 | 148.00000                   | 2.29590   | 0.514               | 0.514             |  |         |  |
| 16            | 177.5              | ≦*＜ 182.5 | 144.00000                   | 2.26063   | 0.506               | 0.506             |  |         |  |
| 15            | 172.5              | ≦*＜ 177.5 | 140.00000                   | 2.22537   | 0.498               | 0.498             |  |         |  |
| 14            | 167.5              | ≦*＜ 172.5 | 136.00000                   | 2.19011   | 0.491               | 0.491             |  |         |  |
| 13            | 162.5              | ≦*＜ 167.5 | 132.00000                   | 2.15485   | 0.483               | 0.483             |  |         |  |
| 12            | 157.5              | ≦*＜ 162.5 | 128.00000                   | 2.11958   | 0.475               | 0.475             |  |         |  |
| 11            | 152.5              | ≦*＜ 157.5 | 124.00000                   | 2.08432   | 0.467               | 0.467             |  |         |  |
| 10            | 147.5              | ≦*＜ 152.5 | 120.00000                   | 2.04906   | 0.459               | 0.459             |  |         |  |
| 09            | 142.5              | ≦*＜ 147.5 | 116.00000                   | 2.01380   | 0.451               | 0.451             |  |         |  |
| 08            | 137.5              | ≦*＜ 142.5 | 112.00000                   | 1.97853   | 0.443               | 0.443             |  |         |  |
| 07            | 132.5              | ≦*＜ 137.5 | 108.00000                   | 1.94327   | 0.435               | 0.435             |  |         |  |
| 06            | 127.5              | ≦*＜ 132.5 | 104.00000                   | 1.90801   | 0.427               | 0.427             |  |         |  |
| 05            | 122.5              | ≦*＜ 127.5 | 100.00000                   | 1.87275   | 0.419               | 0.419             |  |         |  |
| 04            | 117.5              | ≦*＜ 122.5 | 96.00000                    | 1.83748   | 0.412               | 0.412             |  |         |  |
| 03            | 112.5              | ≦*＜ 117.5 | 92.00000                    | 1.80222   | 0.404               | 0.404             |  |         |  |
| 02            | 107.5              | ≦*＜ 112.5 | 88.00000                    | 1.76696   | 0.396               | 0.396             |  |         |  |
| 01            | 102.5              | ≦*＜ 107.5 | 84.00000                    | 1.73170   | 0.388               | 0.388             |  |         |  |
| 00            | 97.5               | ≦*＜ 102.5 | 80.00000                    | 1.69643   | 0.380               | 0.380             |  |         |  |
| -01           | 92.5               | ≦*＜ 97.5  | 76.00000                    | 1.66117   | 0.372               | 0.372             |  |         |  |
| -02           | 87.5               | ≦*＜ 92.5  | 72.00000                    | 1.62591   | 0.364               | 0.364             |  |         |  |
| -03           | 82.5               | ≦*＜ 87.5  | 68.00000                    | 1.59065   | 0.356               | 0.356             |  |         |  |
| -04           | 77.5               | ≦*＜ 82.5  | 64.00000                    | 1.55538   | 0.348               | 0.348             |  |         |  |
| -05           | 72.5               | ≦*＜ 77.5  | 60.00000                    | 1.52012   | 0.341               | 0.341             |  |         |  |
| -06           | 67.5               | ≦*＜ 72.5  | 56.00000                    | 1.48486   | 0.333               | 0.333             |  |         |  |
| -07           | 62.5               | ≦*＜ 67.5  | 52.00000                    | 1.44960   | 0.325               | 0.325             |  |         |  |
| -08           | 57.5               | ≦*＜ 62.5  | 48.00000                    | 1.41433   | 0.317               | 0.317             |  |         |  |
| -09           | 52.5               | ≦*＜ 57.5  | 44.00000                    | 1.37907   | 0.309               | 0.309             |  |         |  |
| -10           | 47.5               | ≦*＜ 52.5  | 40.00000                    | 1.34381   | 0.301               | 0.301             |  |         |  |
| -11           | 42.5               | ≦*＜ 47.5  | 36.00000                    | 1.30855   | 0.293               | 0.293             |  |         |  |
| -12           | 37.5               | ≦*＜ 42.5  | 32.00000                    | 1.27328   | 0.285               | 0.285             |  |         |  |
| -13           | 32.5               | ≦*＜ 37.5  | 28.00000                    | 1.23802   | 0.277               | 0.277             |  |         |  |
| -14           | 27.5               | ≦*＜ 32.5  | 24.00000                    | 1.20276   | 0.269               | 0.269             |  |         |  |
| -15           | 22.5               | ≦*＜ 27.5  | 20.00000                    | 1.16750   | 0.262               | 0.262             |  |         |  |
| -16           | 17.5               | ≦*＜ 22.5  | 16.00000                    | 1.13223   | 0.254               | 0.254             |  |         |  |
| -17           | 12.5               | ≦*＜ 17.5  | 12.00000                    | 1.09697   | 0.246               | 0.246             |  |         |  |
| -18           | 7.5                | ≦*＜ 12.5  | 8.00000                     | 1.06171   | 0.238               | 0.238             |  |         |  |
| -19           | 2.5                | ≦*＜ 7.5   | 4.00000                     | 1.02645   | 0.230               | 0.230             |  |         |  |
| -20           | 0.0                | ≦*＜ 2.5   | 1.00000                     | 1.00000   | 0.224               | 0.224             |  |         |  |
|               |                    |           |                             | 平均値       |                     |                   |  |         |  |
|               |                    |           |                             | 114.43488 | 2.00000             |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                       |         |                     | 共済事業              |         | 園芸施設共済  |  |
|---------------|--------------------|------------|-----------------------|---------|---------------------|-------------------|---------|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                       |         |                     |                   |         |         |  |
| 料率地域区分        |                    | 000        |                       | 地域名     |                     | 00000             |         | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                |         |                     |                   | 共済掛金標準率 |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作事故除外B<br>(10万円) |         |                     |                   | 0.373   |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                  |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |         |  |
|               |                    |            | 圧縮前                   | 圧縮後     |                     |                   |         |         |  |
| 20            | 197.5              | ≦* <       | 324.45206             | 3.85143 | 0.718               | 0.718             |         |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000             | 2.36642 | 0.441               | 0.441             |         |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000             | 2.33116 | 0.435               | 0.435             |         |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000             | 2.29590 | 0.428               | 0.428             |         |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000             | 2.26063 | 0.422               | 0.422             |         |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000             | 2.22537 | 0.415               | 0.415             |         |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000             | 2.19011 | 0.408               | 0.408             |         |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000             | 2.15485 | 0.402               | 0.402             |         |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000             | 2.11958 | 0.395               | 0.395             |         |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000             | 2.08432 | 0.389               | 0.389             |         |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000             | 2.04906 | 0.382               | 0.382             |         |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000             | 2.01380 | 0.376               | 0.376             |         |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000             | 1.97853 | 0.369               | 0.369             |         |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000             | 1.94327 | 0.362               | 0.362             |         |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000             | 1.90801 | 0.356               | 0.356             |         |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000             | 1.87275 | 0.349               | 0.349             |         |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000              | 1.83748 | 0.343               | 0.343             |         |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000              | 1.80222 | 0.336               | 0.336             |         |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000              | 1.76696 | 0.330               | 0.330             |         |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000              | 1.73170 | 0.323               | 0.323             |         |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000              | 1.69643 | 0.316               | 0.316             |         |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000              | 1.66117 | 0.310               | 0.310             |         |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000              | 1.62591 | 0.303               | 0.303             |         |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000              | 1.59065 | 0.297               | 0.297             |         |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000              | 1.55538 | 0.290               | 0.290             |         |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000              | 1.52012 | 0.284               | 0.284             |         |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000              | 1.48486 | 0.277               | 0.277             |         |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000              | 1.44960 | 0.270               | 0.270             |         |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000              | 1.41433 | 0.264               | 0.264             |         |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000              | 1.37907 | 0.257               | 0.257             |         |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000              | 1.34381 | 0.251               | 0.251             |         |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000              | 1.30855 | 0.244               | 0.244             |         |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000              | 1.27328 | 0.237               | 0.237             |         |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000              | 1.23802 | 0.231               | 0.231             |         |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000              | 1.20276 | 0.224               | 0.224             |         |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000              | 1.16750 | 0.218               | 0.218             |         |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000              | 1.13223 | 0.211               | 0.211             |         |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000              | 1.09697 | 0.205               | 0.205             |         |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000               | 1.06171 | 0.198               | 0.198             |         |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000               | 1.02645 | 0.191               | 0.191             |         |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000               | 1.00000 | 0.186               | 0.186             |         |         |  |
|               |                    |            | 平均値                   |         |                     |                   |         |         |  |
|               |                    |            | 114.43488             | 2.00000 |                     |                   |         |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                              |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|------------------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                              |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                              | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                       |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作事故除外B集団<br>(10万円・集団割引) |         |                     | 0.354             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                          | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206                    | 3.85143 | 0.682               | 0.682             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000                    | 2.36642 | 0.419               | 0.419             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000                    | 2.33116 | 0.413               | 0.413             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000                    | 2.29590 | 0.406               | 0.406             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000                    | 2.26063 | 0.400               | 0.400             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000                    | 2.22537 | 0.394               | 0.394             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000                    | 2.19011 | 0.388               | 0.388             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000                    | 2.15485 | 0.381               | 0.381             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000                    | 2.11958 | 0.375               | 0.375             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000                    | 2.08432 | 0.369               | 0.369             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000                    | 2.04906 | 0.363               | 0.363             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000                    | 2.01380 | 0.356               | 0.356             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000                    | 1.97853 | 0.350               | 0.350             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000                    | 1.94327 | 0.344               | 0.344             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000                    | 1.90801 | 0.338               | 0.338             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000                    | 1.87275 | 0.331               | 0.331             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000                     | 1.83748 | 0.325               | 0.325             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000                     | 1.80222 | 0.319               | 0.319             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000                     | 1.76696 | 0.313               | 0.313             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000                     | 1.73170 | 0.307               | 0.307             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000                     | 1.69643 | 0.300               | 0.300             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000                     | 1.66117 | 0.294               | 0.294             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000                     | 1.62591 | 0.288               | 0.288             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000                     | 1.59065 | 0.282               | 0.282             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000                     | 1.55538 | 0.275               | 0.275             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000                     | 1.52012 | 0.269               | 0.269             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000                     | 1.48486 | 0.263               | 0.263             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000                     | 1.44960 | 0.257               | 0.257             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000                     | 1.41433 | 0.250               | 0.250             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000                     | 1.37907 | 0.244               | 0.244             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000                     | 1.34381 | 0.238               | 0.238             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000                     | 1.30855 | 0.232               | 0.232             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000                     | 1.27328 | 0.225               | 0.225             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000                     | 1.23802 | 0.219               | 0.219             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000                     | 1.20276 | 0.213               | 0.213             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000                     | 1.16750 | 0.207               | 0.207             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000                     | 1.13223 | 0.200               | 0.200             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000                     | 1.09697 | 0.194               | 0.194             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                      | 1.06171 | 0.188               | 0.188             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                      | 1.02645 | 0.182               | 0.182             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                      | 1.00000 | 0.177               | 0.177             |  |         |  |
|               |                    |            | 平均値                          |         |                     |                   |  |         |  |
|               |                    |            | 114.43488                    | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                       |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|-----------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                       |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                       | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作事故除外C<br>(20万円) |         |                     | 0.297             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                  |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                   | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206             | 3.85143 | 0.572               | 0.572             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000             | 2.36642 | 0.351               | 0.351             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000             | 2.33116 | 0.346               | 0.346             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000             | 2.29590 | 0.341               | 0.341             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000             | 2.26063 | 0.336               | 0.336             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000             | 2.22537 | 0.330               | 0.330             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000             | 2.19011 | 0.325               | 0.325             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000             | 2.15485 | 0.320               | 0.320             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000             | 2.11958 | 0.315               | 0.315             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000             | 2.08432 | 0.310               | 0.310             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000             | 2.04906 | 0.304               | 0.304             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000             | 2.01380 | 0.299               | 0.299             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000             | 1.97853 | 0.294               | 0.294             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000             | 1.94327 | 0.289               | 0.289             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000             | 1.90801 | 0.283               | 0.283             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000             | 1.87275 | 0.278               | 0.278             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000              | 1.83748 | 0.273               | 0.273             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000              | 1.80222 | 0.268               | 0.268             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000              | 1.76696 | 0.262               | 0.262             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000              | 1.73170 | 0.257               | 0.257             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000              | 1.69643 | 0.252               | 0.252             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000              | 1.66117 | 0.247               | 0.247             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000              | 1.62591 | 0.241               | 0.241             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000              | 1.59065 | 0.236               | 0.236             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000              | 1.55538 | 0.231               | 0.231             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000              | 1.52012 | 0.226               | 0.226             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000              | 1.48486 | 0.221               | 0.221             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000              | 1.44960 | 0.215               | 0.215             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000              | 1.41433 | 0.210               | 0.210             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000              | 1.37907 | 0.205               | 0.205             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000              | 1.34381 | 0.200               | 0.200             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000              | 1.30855 | 0.194               | 0.194             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000              | 1.27328 | 0.189               | 0.189             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000              | 1.23802 | 0.184               | 0.184             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000              | 1.20276 | 0.179               | 0.179             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000              | 1.16750 | 0.173               | 0.173             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000              | 1.13223 | 0.168               | 0.168             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000              | 1.09697 | 0.163               | 0.163             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000               | 1.06171 | 0.158               | 0.158             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000               | 1.02645 | 0.152               | 0.152             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000               | 1.00000 | 0.148               | 0.148             |  |         |  |
|               |                    |            | 平均値                   |         |                     |                   |  |         |  |
|               |                    |            | 114.43488             | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                          |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                    |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                          |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                       |           |         |                     | 共済掛金標準率           |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外C集団<br>(20万円・集団割引) |           |         |                     | 0.282             |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                              | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                              | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                         | 324.45206 | 3.85143 | 0.543               | 0.543             |  |
| 19            | 192.5              | ≦* < 197.5                   | 156.00000 | 2.36642 | 0.334               | 0.334             |  |
| 18            | 187.5              | ≦* < 192.5                   | 152.00000 | 2.33116 | 0.329               | 0.329             |  |
| 17            | 182.5              | ≦* < 187.5                   | 148.00000 | 2.29590 | 0.324               | 0.324             |  |
| 16            | 177.5              | ≦* < 182.5                   | 144.00000 | 2.26063 | 0.319               | 0.319             |  |
| 15            | 172.5              | ≦* < 177.5                   | 140.00000 | 2.22537 | 0.314               | 0.314             |  |
| 14            | 167.5              | ≦* < 172.5                   | 136.00000 | 2.19011 | 0.309               | 0.309             |  |
| 13            | 162.5              | ≦* < 167.5                   | 132.00000 | 2.15485 | 0.304               | 0.304             |  |
| 12            | 157.5              | ≦* < 162.5                   | 128.00000 | 2.11958 | 0.299               | 0.299             |  |
| 11            | 152.5              | ≦* < 157.5                   | 124.00000 | 2.08432 | 0.294               | 0.294             |  |
| 10            | 147.5              | ≦* < 152.5                   | 120.00000 | 2.04906 | 0.289               | 0.289             |  |
| 09            | 142.5              | ≦* < 147.5                   | 116.00000 | 2.01380 | 0.284               | 0.284             |  |
| 08            | 137.5              | ≦* < 142.5                   | 112.00000 | 1.97853 | 0.279               | 0.279             |  |
| 07            | 132.5              | ≦* < 137.5                   | 108.00000 | 1.94327 | 0.274               | 0.274             |  |
| 06            | 127.5              | ≦* < 132.5                   | 104.00000 | 1.90801 | 0.269               | 0.269             |  |
| 05            | 122.5              | ≦* < 127.5                   | 100.00000 | 1.87275 | 0.264               | 0.264             |  |
| 04            | 117.5              | ≦* < 122.5                   | 96.00000  | 1.83748 | 0.259               | 0.259             |  |
| 03            | 112.5              | ≦* < 117.5                   | 92.00000  | 1.80222 | 0.254               | 0.254             |  |
| 02            | 107.5              | ≦* < 112.5                   | 88.00000  | 1.76696 | 0.249               | 0.249             |  |
| 01            | 102.5              | ≦* < 107.5                   | 84.00000  | 1.73170 | 0.244               | 0.244             |  |
| 00            | 97.5               | ≦* < 102.5                   | 80.00000  | 1.69643 | 0.239               | 0.239             |  |
| -01           | 92.5               | ≦* < 97.5                    | 76.00000  | 1.66117 | 0.234               | 0.234             |  |
| -02           | 87.5               | ≦* < 92.5                    | 72.00000  | 1.62591 | 0.229               | 0.229             |  |
| -03           | 82.5               | ≦* < 87.5                    | 68.00000  | 1.59065 | 0.224               | 0.224             |  |
| -04           | 77.5               | ≦* < 82.5                    | 64.00000  | 1.55538 | 0.219               | 0.219             |  |
| -05           | 72.5               | ≦* < 77.5                    | 60.00000  | 1.52012 | 0.214               | 0.214             |  |
| -06           | 67.5               | ≦* < 72.5                    | 56.00000  | 1.48486 | 0.209               | 0.209             |  |
| -07           | 62.5               | ≦* < 67.5                    | 52.00000  | 1.44960 | 0.204               | 0.204             |  |
| -08           | 57.5               | ≦* < 62.5                    | 48.00000  | 1.41433 | 0.199               | 0.199             |  |
| -09           | 52.5               | ≦* < 57.5                    | 44.00000  | 1.37907 | 0.194               | 0.194             |  |
| -10           | 47.5               | ≦* < 52.5                    | 40.00000  | 1.34381 | 0.189               | 0.189             |  |
| -11           | 42.5               | ≦* < 47.5                    | 36.00000  | 1.30855 | 0.185               | 0.185             |  |
| -12           | 37.5               | ≦* < 42.5                    | 32.00000  | 1.27328 | 0.180               | 0.180             |  |
| -13           | 32.5               | ≦* < 37.5                    | 28.00000  | 1.23802 | 0.175               | 0.175             |  |
| -14           | 27.5               | ≦* < 32.5                    | 24.00000  | 1.20276 | 0.170               | 0.170             |  |
| -15           | 22.5               | ≦* < 27.5                    | 20.00000  | 1.16750 | 0.165               | 0.165             |  |
| -16           | 17.5               | ≦* < 22.5                    | 16.00000  | 1.13223 | 0.160               | 0.160             |  |
| -17           | 12.5               | ≦* < 17.5                    | 12.00000  | 1.09697 | 0.155               | 0.155             |  |
| -18           | 7.5                | ≦* < 12.5                    | 8.00000   | 1.06171 | 0.150               | 0.150             |  |
| -19           | 2.5                | ≦* < 7.5                     | 4.00000   | 1.02645 | 0.145               | 0.145             |  |
| -20           | 0.0                | ≦* < 2.5                     | 1.00000   | 1.00000 | 0.141               | 0.141             |  |
|               |                    |                              | 平均値       |         |                     |                   |  |
|               |                    |                              | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                   |         | 共済事業                |                   | 園芸施設共済        |  |
|---------------|--------------------|-----------------------|---------|---------------------|-------------------|---------------|--|
| 組合等名          |                    | 広島県農業共済組合             |         |                     |                   |               |  |
| 料率地域区分        |                    | 000                   |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分          |                    | 共済掛金区分                |         |                     | 共済掛金標準率           |               |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外D<br>(50万円) |         |                     | 0.249             |               |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) | 危険指数                  |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|               |                    | 圧縮前                   | 圧縮後     |                     |                   |               |  |
| 20            | 197.5 ≤* <         | 324.45206             | 3.85143 | 0.480               | 0.480             |               |  |
| 19            | 192.5 ≤* < 197.5   | 156.00000             | 2.36642 | 0.295               | 0.295             |               |  |
| 18            | 187.5 ≤* < 192.5   | 152.00000             | 2.33116 | 0.290               | 0.290             |               |  |
| 17            | 182.5 ≤* < 187.5   | 148.00000             | 2.29590 | 0.286               | 0.286             |               |  |
| 16            | 177.5 ≤* < 182.5   | 144.00000             | 2.26063 | 0.281               | 0.281             |               |  |
| 15            | 172.5 ≤* < 177.5   | 140.00000             | 2.22537 | 0.277               | 0.277             |               |  |
| 14            | 167.5 ≤* < 172.5   | 136.00000             | 2.19011 | 0.273               | 0.273             |               |  |
| 13            | 162.5 ≤* < 167.5   | 132.00000             | 2.15485 | 0.268               | 0.268             |               |  |
| 12            | 157.5 ≤* < 162.5   | 128.00000             | 2.11958 | 0.264               | 0.264             |               |  |
| 11            | 152.5 ≤* < 157.5   | 124.00000             | 2.08432 | 0.259               | 0.259             |               |  |
| 10            | 147.5 ≤* < 152.5   | 120.00000             | 2.04906 | 0.255               | 0.255             |               |  |
| 09            | 142.5 ≤* < 147.5   | 116.00000             | 2.01380 | 0.251               | 0.251             |               |  |
| 08            | 137.5 ≤* < 142.5   | 112.00000             | 1.97853 | 0.246               | 0.246             |               |  |
| 07            | 132.5 ≤* < 137.5   | 108.00000             | 1.94327 | 0.242               | 0.242             |               |  |
| 06            | 127.5 ≤* < 132.5   | 104.00000             | 1.90801 | 0.238               | 0.238             |               |  |
| 05            | 122.5 ≤* < 127.5   | 100.00000             | 1.87275 | 0.233               | 0.233             |               |  |
| 04            | 117.5 ≤* < 122.5   | 96.00000              | 1.83748 | 0.229               | 0.229             |               |  |
| 03            | 112.5 ≤* < 117.5   | 92.00000              | 1.80222 | 0.224               | 0.224             |               |  |
| 02            | 107.5 ≤* < 112.5   | 88.00000              | 1.76696 | 0.220               | 0.220             |               |  |
| 01            | 102.5 ≤* < 107.5   | 84.00000              | 1.73170 | 0.216               | 0.216             |               |  |
| 00            | 97.5 ≤* < 102.5    | 80.00000              | 1.69643 | 0.211               | 0.211             |               |  |
| -01           | 92.5 ≤* < 97.5     | 76.00000              | 1.66117 | 0.207               | 0.207             |               |  |
| -02           | 87.5 ≤* < 92.5     | 72.00000              | 1.62591 | 0.202               | 0.202             |               |  |
| -03           | 82.5 ≤* < 87.5     | 68.00000              | 1.59065 | 0.198               | 0.198             |               |  |
| -04           | 77.5 ≤* < 82.5     | 64.00000              | 1.55538 | 0.194               | 0.194             |               |  |
| -05           | 72.5 ≤* < 77.5     | 60.00000              | 1.52012 | 0.189               | 0.189             |               |  |
| -06           | 67.5 ≤* < 72.5     | 56.00000              | 1.48486 | 0.185               | 0.185             |               |  |
| -07           | 62.5 ≤* < 67.5     | 52.00000              | 1.44960 | 0.180               | 0.180             |               |  |
| -08           | 57.5 ≤* < 62.5     | 48.00000              | 1.41433 | 0.176               | 0.176             |               |  |
| -09           | 52.5 ≤* < 57.5     | 44.00000              | 1.37907 | 0.172               | 0.172             |               |  |
| -10           | 47.5 ≤* < 52.5     | 40.00000              | 1.34381 | 0.167               | 0.167             |               |  |
| -11           | 42.5 ≤* < 47.5     | 36.00000              | 1.30855 | 0.163               | 0.163             |               |  |
| -12           | 37.5 ≤* < 42.5     | 32.00000              | 1.27328 | 0.159               | 0.159             |               |  |
| -13           | 32.5 ≤* < 37.5     | 28.00000              | 1.23802 | 0.154               | 0.154             |               |  |
| -14           | 27.5 ≤* < 32.5     | 24.00000              | 1.20276 | 0.150               | 0.150             |               |  |
| -15           | 22.5 ≤* < 27.5     | 20.00000              | 1.16750 | 0.145               | 0.145             |               |  |
| -16           | 17.5 ≤* < 22.5     | 16.00000              | 1.13223 | 0.141               | 0.141             |               |  |
| -17           | 12.5 ≤* < 17.5     | 12.00000              | 1.09697 | 0.137               | 0.137             |               |  |
| -18           | 7.5 ≤* < 12.5      | 8.00000               | 1.06171 | 0.132               | 0.132             |               |  |
| -19           | 2.5 ≤* < 7.5       | 4.00000               | 1.02645 | 0.128               | 0.128             |               |  |
| -20           | 0.0 ≤* < 2.5       | 1.00000               | 1.00000 | 0.124               | 0.124             |               |  |
|               |                    | 平均値                   |         |                     |                   |               |  |
|               |                    | 114.43488             | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                          |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                    |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                          |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                       |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外D集団<br>(50万円・集団割引) |           |         | 0.237               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                              | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                              | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                         | 324.45206 | 3.85143 | 0.456               | 0.456             |  |
| 19            | 192.5              | ≦* < 197.5                   | 156.00000 | 2.36642 | 0.280               | 0.280             |  |
| 18            | 187.5              | ≦* < 192.5                   | 152.00000 | 2.33116 | 0.276               | 0.276             |  |
| 17            | 182.5              | ≦* < 187.5                   | 148.00000 | 2.29590 | 0.272               | 0.272             |  |
| 16            | 177.5              | ≦* < 182.5                   | 144.00000 | 2.26063 | 0.268               | 0.268             |  |
| 15            | 172.5              | ≦* < 177.5                   | 140.00000 | 2.22537 | 0.264               | 0.264             |  |
| 14            | 167.5              | ≦* < 172.5                   | 136.00000 | 2.19011 | 0.260               | 0.260             |  |
| 13            | 162.5              | ≦* < 167.5                   | 132.00000 | 2.15485 | 0.255               | 0.255             |  |
| 12            | 157.5              | ≦* < 162.5                   | 128.00000 | 2.11958 | 0.251               | 0.251             |  |
| 11            | 152.5              | ≦* < 157.5                   | 124.00000 | 2.08432 | 0.247               | 0.247             |  |
| 10            | 147.5              | ≦* < 152.5                   | 120.00000 | 2.04906 | 0.243               | 0.243             |  |
| 09            | 142.5              | ≦* < 147.5                   | 116.00000 | 2.01380 | 0.239               | 0.239             |  |
| 08            | 137.5              | ≦* < 142.5                   | 112.00000 | 1.97853 | 0.234               | 0.234             |  |
| 07            | 132.5              | ≦* < 137.5                   | 108.00000 | 1.94327 | 0.230               | 0.230             |  |
| 06            | 127.5              | ≦* < 132.5                   | 104.00000 | 1.90801 | 0.226               | 0.226             |  |
| 05            | 122.5              | ≦* < 127.5                   | 100.00000 | 1.87275 | 0.222               | 0.222             |  |
| 04            | 117.5              | ≦* < 122.5                   | 96.00000  | 1.83748 | 0.218               | 0.218             |  |
| 03            | 112.5              | ≦* < 117.5                   | 92.00000  | 1.80222 | 0.214               | 0.214             |  |
| 02            | 107.5              | ≦* < 112.5                   | 88.00000  | 1.76696 | 0.209               | 0.209             |  |
| 01            | 102.5              | ≦* < 107.5                   | 84.00000  | 1.73170 | 0.205               | 0.205             |  |
| 00            | 97.5               | ≦* < 102.5                   | 80.00000  | 1.69643 | 0.201               | 0.201             |  |
| -01           | 92.5               | ≦* < 97.5                    | 76.00000  | 1.66117 | 0.197               | 0.197             |  |
| -02           | 87.5               | ≦* < 92.5                    | 72.00000  | 1.62591 | 0.193               | 0.193             |  |
| -03           | 82.5               | ≦* < 87.5                    | 68.00000  | 1.59065 | 0.188               | 0.188             |  |
| -04           | 77.5               | ≦* < 82.5                    | 64.00000  | 1.55538 | 0.184               | 0.184             |  |
| -05           | 72.5               | ≦* < 77.5                    | 60.00000  | 1.52012 | 0.180               | 0.180             |  |
| -06           | 67.5               | ≦* < 72.5                    | 56.00000  | 1.48486 | 0.176               | 0.176             |  |
| -07           | 62.5               | ≦* < 67.5                    | 52.00000  | 1.44960 | 0.172               | 0.172             |  |
| -08           | 57.5               | ≦* < 62.5                    | 48.00000  | 1.41433 | 0.168               | 0.168             |  |
| -09           | 52.5               | ≦* < 57.5                    | 44.00000  | 1.37907 | 0.163               | 0.163             |  |
| -10           | 47.5               | ≦* < 52.5                    | 40.00000  | 1.34381 | 0.159               | 0.159             |  |
| -11           | 42.5               | ≦* < 47.5                    | 36.00000  | 1.30855 | 0.155               | 0.155             |  |
| -12           | 37.5               | ≦* < 42.5                    | 32.00000  | 1.27328 | 0.151               | 0.151             |  |
| -13           | 32.5               | ≦* < 37.5                    | 28.00000  | 1.23802 | 0.147               | 0.147             |  |
| -14           | 27.5               | ≦* < 32.5                    | 24.00000  | 1.20276 | 0.143               | 0.143             |  |
| -15           | 22.5               | ≦* < 27.5                    | 20.00000  | 1.16750 | 0.138               | 0.138             |  |
| -16           | 17.5               | ≦* < 22.5                    | 16.00000  | 1.13223 | 0.134               | 0.134             |  |
| -17           | 12.5               | ≦* < 17.5                    | 12.00000  | 1.09697 | 0.130               | 0.130             |  |
| -18           | 7.5                | ≦* < 12.5                    | 8.00000   | 1.06171 | 0.126               | 0.126             |  |
| -19           | 2.5                | ≦* < 7.5                     | 4.00000   | 1.02645 | 0.122               | 0.122             |  |
| -20           | 0.0                | ≦* < 2.5                     | 1.00000   | 1.00000 | 0.118               | 0.118             |  |
|               |                    |                              | 平均値       |         |                     |                   |  |
|               |                    |                              | 114.43488 | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                    |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合              |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                    |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                 |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外E<br>(100万円) |           |         | 0.182               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                        | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                        | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                   | 324.45206 | 3.85143 | 0.350               | 0.350             |  |
| 19            | 192.5              | ≦* < 197.5             | 156.00000 | 2.36642 | 0.215               | 0.215             |  |
| 18            | 187.5              | ≦* < 192.5             | 152.00000 | 2.33116 | 0.212               | 0.212             |  |
| 17            | 182.5              | ≦* < 187.5             | 148.00000 | 2.29590 | 0.209               | 0.209             |  |
| 16            | 177.5              | ≦* < 182.5             | 144.00000 | 2.26063 | 0.206               | 0.206             |  |
| 15            | 172.5              | ≦* < 177.5             | 140.00000 | 2.22537 | 0.203               | 0.203             |  |
| 14            | 167.5              | ≦* < 172.5             | 136.00000 | 2.19011 | 0.199               | 0.199             |  |
| 13            | 162.5              | ≦* < 167.5             | 132.00000 | 2.15485 | 0.196               | 0.196             |  |
| 12            | 157.5              | ≦* < 162.5             | 128.00000 | 2.11958 | 0.193               | 0.193             |  |
| 11            | 152.5              | ≦* < 157.5             | 124.00000 | 2.08432 | 0.190               | 0.190             |  |
| 10            | 147.5              | ≦* < 152.5             | 120.00000 | 2.04906 | 0.186               | 0.186             |  |
| 09            | 142.5              | ≦* < 147.5             | 116.00000 | 2.01380 | 0.183               | 0.183             |  |
| 08            | 137.5              | ≦* < 142.5             | 112.00000 | 1.97853 | 0.180               | 0.180             |  |
| 07            | 132.5              | ≦* < 137.5             | 108.00000 | 1.94327 | 0.177               | 0.177             |  |
| 06            | 127.5              | ≦* < 132.5             | 104.00000 | 1.90801 | 0.174               | 0.174             |  |
| 05            | 122.5              | ≦* < 127.5             | 100.00000 | 1.87275 | 0.170               | 0.170             |  |
| 04            | 117.5              | ≦* < 122.5             | 96.00000  | 1.83748 | 0.167               | 0.167             |  |
| 03            | 112.5              | ≦* < 117.5             | 92.00000  | 1.80222 | 0.164               | 0.164             |  |
| 02            | 107.5              | ≦* < 112.5             | 88.00000  | 1.76696 | 0.161               | 0.161             |  |
| 01            | 102.5              | ≦* < 107.5             | 84.00000  | 1.73170 | 0.158               | 0.158             |  |
| 00            | 97.5               | ≦* < 102.5             | 80.00000  | 1.69643 | 0.154               | 0.154             |  |
| -01           | 92.5               | ≦* < 97.5              | 76.00000  | 1.66117 | 0.151               | 0.151             |  |
| -02           | 87.5               | ≦* < 92.5              | 72.00000  | 1.62591 | 0.148               | 0.148             |  |
| -03           | 82.5               | ≦* < 87.5              | 68.00000  | 1.59065 | 0.145               | 0.145             |  |
| -04           | 77.5               | ≦* < 82.5              | 64.00000  | 1.55538 | 0.142               | 0.142             |  |
| -05           | 72.5               | ≦* < 77.5              | 60.00000  | 1.52012 | 0.138               | 0.138             |  |
| -06           | 67.5               | ≦* < 72.5              | 56.00000  | 1.48486 | 0.135               | 0.135             |  |
| -07           | 62.5               | ≦* < 67.5              | 52.00000  | 1.44960 | 0.132               | 0.132             |  |
| -08           | 57.5               | ≦* < 62.5              | 48.00000  | 1.41433 | 0.129               | 0.129             |  |
| -09           | 52.5               | ≦* < 57.5              | 44.00000  | 1.37907 | 0.125               | 0.125             |  |
| -10           | 47.5               | ≦* < 52.5              | 40.00000  | 1.34381 | 0.122               | 0.122             |  |
| -11           | 42.5               | ≦* < 47.5              | 36.00000  | 1.30855 | 0.119               | 0.119             |  |
| -12           | 37.5               | ≦* < 42.5              | 32.00000  | 1.27328 | 0.116               | 0.116             |  |
| -13           | 32.5               | ≦* < 37.5              | 28.00000  | 1.23802 | 0.113               | 0.113             |  |
| -14           | 27.5               | ≦* < 32.5              | 24.00000  | 1.20276 | 0.109               | 0.109             |  |
| -15           | 22.5               | ≦* < 27.5              | 20.00000  | 1.16750 | 0.106               | 0.106             |  |
| -16           | 17.5               | ≦* < 22.5              | 16.00000  | 1.13223 | 0.103               | 0.103             |  |
| -17           | 12.5               | ≦* < 17.5              | 12.00000  | 1.09697 | 0.100               | 0.100             |  |
| -18           | 7.5                | ≦* < 12.5              | 8.00000   | 1.06171 | 0.097               | 0.097             |  |
| -19           | 2.5                | ≦* < 7.5               | 4.00000   | 1.02645 | 0.093               | 0.093             |  |
| -20           | 0.0                | ≦* < 2.5               | 1.00000   | 1.00000 | 0.091               | 0.091             |  |
|               |                    |                        | 平均値       |         |                     |                   |  |
|               |                    |                        | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                           |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-------------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                     |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                        |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外E集団<br>(100万円・集団割引) |           |         | 0.173               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                          | 324.45206 | 3.85143 | 0.333               | 0.333             |  |
| 19            | 192.5              | ≦* < 197.5                    | 156.00000 | 2.36642 | 0.205               | 0.205             |  |
| 18            | 187.5              | ≦* < 192.5                    | 152.00000 | 2.33116 | 0.202               | 0.202             |  |
| 17            | 182.5              | ≦* < 187.5                    | 148.00000 | 2.29590 | 0.199               | 0.199             |  |
| 16            | 177.5              | ≦* < 182.5                    | 144.00000 | 2.26063 | 0.196               | 0.196             |  |
| 15            | 172.5              | ≦* < 177.5                    | 140.00000 | 2.22537 | 0.192               | 0.192             |  |
| 14            | 167.5              | ≦* < 172.5                    | 136.00000 | 2.19011 | 0.189               | 0.189             |  |
| 13            | 162.5              | ≦* < 167.5                    | 132.00000 | 2.15485 | 0.186               | 0.186             |  |
| 12            | 157.5              | ≦* < 162.5                    | 128.00000 | 2.11958 | 0.183               | 0.183             |  |
| 11            | 152.5              | ≦* < 157.5                    | 124.00000 | 2.08432 | 0.180               | 0.180             |  |
| 10            | 147.5              | ≦* < 152.5                    | 120.00000 | 2.04906 | 0.177               | 0.177             |  |
| 09            | 142.5              | ≦* < 147.5                    | 116.00000 | 2.01380 | 0.174               | 0.174             |  |
| 08            | 137.5              | ≦* < 142.5                    | 112.00000 | 1.97853 | 0.171               | 0.171             |  |
| 07            | 132.5              | ≦* < 137.5                    | 108.00000 | 1.94327 | 0.168               | 0.168             |  |
| 06            | 127.5              | ≦* < 132.5                    | 104.00000 | 1.90801 | 0.165               | 0.165             |  |
| 05            | 122.5              | ≦* < 127.5                    | 100.00000 | 1.87275 | 0.162               | 0.162             |  |
| 04            | 117.5              | ≦* < 122.5                    | 96.00000  | 1.83748 | 0.159               | 0.159             |  |
| 03            | 112.5              | ≦* < 117.5                    | 92.00000  | 1.80222 | 0.156               | 0.156             |  |
| 02            | 107.5              | ≦* < 112.5                    | 88.00000  | 1.76696 | 0.153               | 0.153             |  |
| 01            | 102.5              | ≦* < 107.5                    | 84.00000  | 1.73170 | 0.150               | 0.150             |  |
| 00            | 97.5               | ≦* < 102.5                    | 80.00000  | 1.69643 | 0.147               | 0.147             |  |
| -01           | 92.5               | ≦* < 97.5                     | 76.00000  | 1.66117 | 0.144               | 0.144             |  |
| -02           | 87.5               | ≦* < 92.5                     | 72.00000  | 1.62591 | 0.141               | 0.141             |  |
| -03           | 82.5               | ≦* < 87.5                     | 68.00000  | 1.59065 | 0.138               | 0.138             |  |
| -04           | 77.5               | ≦* < 82.5                     | 64.00000  | 1.55538 | 0.135               | 0.135             |  |
| -05           | 72.5               | ≦* < 77.5                     | 60.00000  | 1.52012 | 0.131               | 0.131             |  |
| -06           | 67.5               | ≦* < 72.5                     | 56.00000  | 1.48486 | 0.128               | 0.128             |  |
| -07           | 62.5               | ≦* < 67.5                     | 52.00000  | 1.44960 | 0.125               | 0.125             |  |
| -08           | 57.5               | ≦* < 62.5                     | 48.00000  | 1.41433 | 0.122               | 0.122             |  |
| -09           | 52.5               | ≦* < 57.5                     | 44.00000  | 1.37907 | 0.119               | 0.119             |  |
| -10           | 47.5               | ≦* < 52.5                     | 40.00000  | 1.34381 | 0.116               | 0.116             |  |
| -11           | 42.5               | ≦* < 47.5                     | 36.00000  | 1.30855 | 0.113               | 0.113             |  |
| -12           | 37.5               | ≦* < 42.5                     | 32.00000  | 1.27328 | 0.110               | 0.110             |  |
| -13           | 32.5               | ≦* < 37.5                     | 28.00000  | 1.23802 | 0.107               | 0.107             |  |
| -14           | 27.5               | ≦* < 32.5                     | 24.00000  | 1.20276 | 0.104               | 0.104             |  |
| -15           | 22.5               | ≦* < 27.5                     | 20.00000  | 1.16750 | 0.101               | 0.101             |  |
| -16           | 17.5               | ≦* < 22.5                     | 16.00000  | 1.13223 | 0.098               | 0.098             |  |
| -17           | 12.5               | ≦* < 17.5                     | 12.00000  | 1.09697 | 0.095               | 0.095             |  |
| -18           | 7.5                | ≦* < 12.5                     | 8.00000   | 1.06171 | 0.092               | 0.092             |  |
| -19           | 2.5                | ≦* < 7.5                      | 4.00000   | 1.02645 | 0.089               | 0.089             |  |
| -20           | 0.0                | ≦* < 2.5                      | 1.00000   | 1.00000 | 0.086               | 0.086             |  |
|               |                    |                               | 平均値       |         |                     |                   |  |
|               |                    |                               | 114.43488 | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県        |                        |         |                     | 共済事業              |  | 園芸施設共済  |  |
|---------------|--------------------|------------|------------------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名          |                    | 広島県農業共済組合  |                        |         |                     |                   |  |         |  |
| 料率地域区分        |                    | 000        |                        | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分          |                    |            | 共済掛金区分                 |         |                     | 共済掛金標準率           |  |         |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    |            | ガラスⅡ内作事故除外F<br>(1万円特約) |         |                     | 0.473             |  |         |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |            | 危険指数                   |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|               |                    |            | 圧縮前                    | 圧縮後     |                     |                   |  |         |  |
| 20            | 197.5              | ≦* <       | 324.45206              | 3.85143 | 0.911               | 0.911             |  |         |  |
| 19            | 192.5              | ≦* < 197.5 | 156.00000              | 2.36642 | 0.560               | 0.560             |  |         |  |
| 18            | 187.5              | ≦* < 192.5 | 152.00000              | 2.33116 | 0.551               | 0.551             |  |         |  |
| 17            | 182.5              | ≦* < 187.5 | 148.00000              | 2.29590 | 0.543               | 0.543             |  |         |  |
| 16            | 177.5              | ≦* < 182.5 | 144.00000              | 2.26063 | 0.535               | 0.535             |  |         |  |
| 15            | 172.5              | ≦* < 177.5 | 140.00000              | 2.22537 | 0.526               | 0.526             |  |         |  |
| 14            | 167.5              | ≦* < 172.5 | 136.00000              | 2.19011 | 0.518               | 0.518             |  |         |  |
| 13            | 162.5              | ≦* < 167.5 | 132.00000              | 2.15485 | 0.510               | 0.510             |  |         |  |
| 12            | 157.5              | ≦* < 162.5 | 128.00000              | 2.11958 | 0.501               | 0.501             |  |         |  |
| 11            | 152.5              | ≦* < 157.5 | 124.00000              | 2.08432 | 0.493               | 0.493             |  |         |  |
| 10            | 147.5              | ≦* < 152.5 | 120.00000              | 2.04906 | 0.485               | 0.485             |  |         |  |
| 09            | 142.5              | ≦* < 147.5 | 116.00000              | 2.01380 | 0.476               | 0.476             |  |         |  |
| 08            | 137.5              | ≦* < 142.5 | 112.00000              | 1.97853 | 0.468               | 0.468             |  |         |  |
| 07            | 132.5              | ≦* < 137.5 | 108.00000              | 1.94327 | 0.460               | 0.460             |  |         |  |
| 06            | 127.5              | ≦* < 132.5 | 104.00000              | 1.90801 | 0.451               | 0.451             |  |         |  |
| 05            | 122.5              | ≦* < 127.5 | 100.00000              | 1.87275 | 0.443               | 0.443             |  |         |  |
| 04            | 117.5              | ≦* < 122.5 | 96.00000               | 1.83748 | 0.435               | 0.435             |  |         |  |
| 03            | 112.5              | ≦* < 117.5 | 92.00000               | 1.80222 | 0.426               | 0.426             |  |         |  |
| 02            | 107.5              | ≦* < 112.5 | 88.00000               | 1.76696 | 0.418               | 0.418             |  |         |  |
| 01            | 102.5              | ≦* < 107.5 | 84.00000               | 1.73170 | 0.410               | 0.410             |  |         |  |
| 00            | 97.5               | ≦* < 102.5 | 80.00000               | 1.69643 | 0.401               | 0.401             |  |         |  |
| -01           | 92.5               | ≦* < 97.5  | 76.00000               | 1.66117 | 0.393               | 0.393             |  |         |  |
| -02           | 87.5               | ≦* < 92.5  | 72.00000               | 1.62591 | 0.385               | 0.385             |  |         |  |
| -03           | 82.5               | ≦* < 87.5  | 68.00000               | 1.59065 | 0.376               | 0.376             |  |         |  |
| -04           | 77.5               | ≦* < 82.5  | 64.00000               | 1.55538 | 0.368               | 0.368             |  |         |  |
| -05           | 72.5               | ≦* < 77.5  | 60.00000               | 1.52012 | 0.360               | 0.360             |  |         |  |
| -06           | 67.5               | ≦* < 72.5  | 56.00000               | 1.48486 | 0.351               | 0.351             |  |         |  |
| -07           | 62.5               | ≦* < 67.5  | 52.00000               | 1.44960 | 0.343               | 0.343             |  |         |  |
| -08           | 57.5               | ≦* < 62.5  | 48.00000               | 1.41433 | 0.334               | 0.334             |  |         |  |
| -09           | 52.5               | ≦* < 57.5  | 44.00000               | 1.37907 | 0.326               | 0.326             |  |         |  |
| -10           | 47.5               | ≦* < 52.5  | 40.00000               | 1.34381 | 0.318               | 0.318             |  |         |  |
| -11           | 42.5               | ≦* < 47.5  | 36.00000               | 1.30855 | 0.309               | 0.309             |  |         |  |
| -12           | 37.5               | ≦* < 42.5  | 32.00000               | 1.27328 | 0.301               | 0.301             |  |         |  |
| -13           | 32.5               | ≦* < 37.5  | 28.00000               | 1.23802 | 0.293               | 0.293             |  |         |  |
| -14           | 27.5               | ≦* < 32.5  | 24.00000               | 1.20276 | 0.284               | 0.284             |  |         |  |
| -15           | 22.5               | ≦* < 27.5  | 20.00000               | 1.16750 | 0.276               | 0.276             |  |         |  |
| -16           | 17.5               | ≦* < 22.5  | 16.00000               | 1.13223 | 0.268               | 0.268             |  |         |  |
| -17           | 12.5               | ≦* < 17.5  | 12.00000               | 1.09697 | 0.259               | 0.259             |  |         |  |
| -18           | 7.5                | ≦* < 12.5  | 8.00000                | 1.06171 | 0.251               | 0.251             |  |         |  |
| -19           | 2.5                | ≦* < 7.5   | 4.00000                | 1.02645 | 0.243               | 0.243             |  |         |  |
| -20           | 0.0                | ≦* < 2.5   | 1.00000                | 1.00000 | 0.236               | 0.236             |  |         |  |
|               |                    |            | 平均値                    |         |                     |                   |  |         |  |
|               |                    |            | 114.43488              | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

| 都道府県名         |                    | 広島県                           |           | 共済事業    |                     | 園芸施設共済            |  |
|---------------|--------------------|-------------------------------|-----------|---------|---------------------|-------------------|--|
| 組合等名          |                    | 広島県農業共済組合                     |           |         |                     |                   |  |
| 料率地域区分        |                    | 000                           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分          |                    | 共済掛金区分                        |           |         | 共済掛金標準率             |                   |  |
| 20 ガラス室Ⅱ類(鉄骨) |                    | ガラスⅡ内作事故除外F集団<br>(1万円特約・集団割引) |           |         | 0.449               |                   |  |
| 危険段階<br>区分    | 平均損害率(*)<br>の範囲(%) |                               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|               |                    |                               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20            | 197.5              | ≦* <                          | 324.45206 | 3.85143 | 0.865               | 0.865             |  |
| 19            | 192.5              | ≦* < 197.5                    | 156.00000 | 2.36642 | 0.531               | 0.531             |  |
| 18            | 187.5              | ≦* < 192.5                    | 152.00000 | 2.33116 | 0.523               | 0.523             |  |
| 17            | 182.5              | ≦* < 187.5                    | 148.00000 | 2.29590 | 0.515               | 0.515             |  |
| 16            | 177.5              | ≦* < 182.5                    | 144.00000 | 2.26063 | 0.508               | 0.508             |  |
| 15            | 172.5              | ≦* < 177.5                    | 140.00000 | 2.22537 | 0.500               | 0.500             |  |
| 14            | 167.5              | ≦* < 172.5                    | 136.00000 | 2.19011 | 0.492               | 0.492             |  |
| 13            | 162.5              | ≦* < 167.5                    | 132.00000 | 2.15485 | 0.484               | 0.484             |  |
| 12            | 157.5              | ≦* < 162.5                    | 128.00000 | 2.11958 | 0.476               | 0.476             |  |
| 11            | 152.5              | ≦* < 157.5                    | 124.00000 | 2.08432 | 0.468               | 0.468             |  |
| 10            | 147.5              | ≦* < 152.5                    | 120.00000 | 2.04906 | 0.460               | 0.460             |  |
| 09            | 142.5              | ≦* < 147.5                    | 116.00000 | 2.01380 | 0.452               | 0.452             |  |
| 08            | 137.5              | ≦* < 142.5                    | 112.00000 | 1.97853 | 0.444               | 0.444             |  |
| 07            | 132.5              | ≦* < 137.5                    | 108.00000 | 1.94327 | 0.436               | 0.436             |  |
| 06            | 127.5              | ≦* < 132.5                    | 104.00000 | 1.90801 | 0.428               | 0.428             |  |
| 05            | 122.5              | ≦* < 127.5                    | 100.00000 | 1.87275 | 0.420               | 0.420             |  |
| 04            | 117.5              | ≦* < 122.5                    | 96.00000  | 1.83748 | 0.413               | 0.413             |  |
| 03            | 112.5              | ≦* < 117.5                    | 92.00000  | 1.80222 | 0.405               | 0.405             |  |
| 02            | 107.5              | ≦* < 112.5                    | 88.00000  | 1.76696 | 0.397               | 0.397             |  |
| 01            | 102.5              | ≦* < 107.5                    | 84.00000  | 1.73170 | 0.389               | 0.389             |  |
| 00            | 97.5               | ≦* < 102.5                    | 80.00000  | 1.69643 | 0.381               | 0.381             |  |
| -01           | 92.5               | ≦* < 97.5                     | 76.00000  | 1.66117 | 0.373               | 0.373             |  |
| -02           | 87.5               | ≦* < 92.5                     | 72.00000  | 1.62591 | 0.365               | 0.365             |  |
| -03           | 82.5               | ≦* < 87.5                     | 68.00000  | 1.59065 | 0.357               | 0.357             |  |
| -04           | 77.5               | ≦* < 82.5                     | 64.00000  | 1.55538 | 0.349               | 0.349             |  |
| -05           | 72.5               | ≦* < 77.5                     | 60.00000  | 1.52012 | 0.341               | 0.341             |  |
| -06           | 67.5               | ≦* < 72.5                     | 56.00000  | 1.48486 | 0.333               | 0.333             |  |
| -07           | 62.5               | ≦* < 67.5                     | 52.00000  | 1.44960 | 0.325               | 0.325             |  |
| -08           | 57.5               | ≦* < 62.5                     | 48.00000  | 1.41433 | 0.318               | 0.318             |  |
| -09           | 52.5               | ≦* < 57.5                     | 44.00000  | 1.37907 | 0.310               | 0.310             |  |
| -10           | 47.5               | ≦* < 52.5                     | 40.00000  | 1.34381 | 0.302               | 0.302             |  |
| -11           | 42.5               | ≦* < 47.5                     | 36.00000  | 1.30855 | 0.294               | 0.294             |  |
| -12           | 37.5               | ≦* < 42.5                     | 32.00000  | 1.27328 | 0.286               | 0.286             |  |
| -13           | 32.5               | ≦* < 37.5                     | 28.00000  | 1.23802 | 0.278               | 0.278             |  |
| -14           | 27.5               | ≦* < 32.5                     | 24.00000  | 1.20276 | 0.270               | 0.270             |  |
| -15           | 22.5               | ≦* < 27.5                     | 20.00000  | 1.16750 | 0.262               | 0.262             |  |
| -16           | 17.5               | ≦* < 22.5                     | 16.00000  | 1.13223 | 0.254               | 0.254             |  |
| -17           | 12.5               | ≦* < 17.5                     | 12.00000  | 1.09697 | 0.246               | 0.246             |  |
| -18           | 7.5                | ≦* < 12.5                     | 8.00000   | 1.06171 | 0.238               | 0.238             |  |
| -19           | 2.5                | ≦* < 7.5                      | 4.00000   | 1.02645 | 0.230               | 0.230             |  |
| -20           | 0.0                | ≦* < 2.5                      | 1.00000   | 1.00000 | 0.224               | 0.224             |  |
|               |                    |                               | 平均値       |         |                     |                   |  |
|               |                    |                               | 114.43488 | 2.00000 |                     |                   |  |